

COMPENDIUM OF METHODS FOR THE
MICROBIOLOGICAL
EXAMINATION
OF FOODS

FOURTH EDITION



EDITED BY:
FRANCES POUCH DOWNES
KEITH ITO

AMERICAN PUBLIC HEALTH ASSOCIATION



Instituto Nacional
de Tecnología Industrial
Extensión y Desarrollo
División Biblioteca

- 6 ABR 2010
133411

Contents

COMPENDIUM OF METHODS FOR THE

MICROBIOLOGICAL EXAMINATION OF FOODS

FOURTH EDITION

EDITED BY
FRANCES POUCH DOWNES
KEITH ITO



AMERICAN PUBLIC HEALTH ASSOCIATION



Contents

About the Editors	xiv
Editorial Committee	xiv
Authors	xv
Reviewers	xix
Preface	xxi
Chapter 1 Laboratory Quality Assurance	1
1.1 Introduction	1
1.2 Management's Role In Laboratory Quality Assurance	1
1.3 General Laboratory Operations	2
1.4 Personnel	3
1.5 Facilities	4
1.6 Equipment and Instrumentation	5
1.7 Laboratory Glassware and Plasticware	6
1.8 Media and Reagents	7
1.9 Record Keeping	9
1.10 Accreditation of Testing Laboratories	10
1.11 References	10
Chapter 2 Sampling Plans, Sample Collection, Shipment, and Preparation for Analysis	13
2.1 Introduction	13
2.2 General Considerations	13
2.3 Equipment, Materials, and Reagents	13
2.4 Precautions	14
2.5 Procedures	14
2.6 References	23
Chapter 3 Microbiological Monitoring of the Food Processing Environment	25
3.1 Introduction	25
3.2 Environmental Sampling Strategies	25
3.3 Sampling of Surfaces—Equipment and Physical Plant	26
3.4 Rinse Solution Method for Sampling Containers and Processing Equipment Systems	27
3.5 Surface Contact Methods	27
3.6 Microbiological Air-Sampling Strategies	30
3.7 Air-Sampling Methods	30
3.8 Aerosol Sampling and Measurement Guidelines	34
3.9 References	34
Chapter 4 Microscopic Methods	37
4.1 Introduction	37
4.2 General Procedures	37
4.3 Fluorescence Microscopy	37
4.4 Stains, Probes, and Indicators	38
4.5 Quantitation	40
4.6 References	42
Chapter 5 Cultural Methods for the Enrichment and Isolation of Microorganisms	45
5.1 Introduction	45
5.2 Enrichment Methods	45
5.3 Preenrichment	45
5.4 Selective Enrichment	46
5.5 Quality Assurance of Enrichment and Isolation Method	49

5.6	References	50
Chapter 6	Culture Methods for Enumeration of Microorganisms	53
6.1	Introduction	53
6.2	Dilutions	53
6.3	Plating Techniques	54
6.4	Most Probable Number Techniques	58
6.5	Membrane Filtration	61
6.6	Other Methods	61
6.7	Anaerobic or Other Atmospheres	61
6.8	References	62
Chapter 7	Aerobic Plate Count	63
7.1	Introduction	63
7.2	Microbiological Specifications	63
7.3	General Considerations	63
7.4	Equipment, Materials and Reagents	64
7.5	Precautions and Limitations	64
7.6	Standard Procedures	64
7.7	Alternative Methods	65
7.8	References	67
Chapter 8	<i>Enterobacteriaceae</i>, Coliforms, and <i>Escherichia coli</i> as Quality and Safety Indicators	69
8.1	Introduction	69
8.2	Definitions	70
8.3	Precautions	71
8.4	Equipment, Materials and Reagents	73
8.5	Sample Preparation	73
8.6	The <i>Enterobacteriaceae</i>	74
8.7	Coliforms	74
8.8	Fecal Coliform Group	76
8.9	<i>Escherichia coli</i>	76
8.10	Interpretation of Data: The Value of <i>Enterobacteriaceae</i> , Coliforms, and <i>E. coli</i> as Indicators of Quality and Indexes of Pathogens	79
8.11	Acknowledgments	80
8.12	References	80
Chapter 9	Enterococci	83
9.1	Introduction	83
9.2	General Considerations	83
9.3	Equipment, Materials, and Reagents	84
9.4	Precautions	84
9.5	Enumeration of Enterococci	85
9.6	Confirmation of Enterococci	85
9.7	References	86
Chapter 10	Rapid Methods for Detection, Identification, and Enumeration	89
10.1	Introduction	89
10.2	Antibody-Based Methods	89
10.21	Introduction	89
10.22	Immunofluorescence	89
10.23	Latex Agglutination	90
10.24	Immunoimmobilization	90
10.25	Enzyme immunoassay	90
10.26	Immunoprecipitate Detection	90
10.27	Immunoaffinity Chromatography and Immunomagnetic Separation	91
10.28	References	91
10.3	Nucleic Acid-Based Methods	93
10.31	Introduction	93
10.32	Hybridization	93
10.33	PCR	94
10.34	References	95
10.4	Biochemical and Enzymatic Methods	96
10.41	Introduction	96
10.42	Miniaturized Microbiological Methods	96
10.43	Commercial Miniaturized Diagnostic Kits ("Minikits")	96

	10.44 Chromogenic Media	99
	10.45 Quantitative Enzymatic Methods	99
	10.46 References	100
10.5	Membrane Filtration	100
	10.51 Hydrophobic Grid Membrane Filter	100
	10.52 References	103
	10.53 Commercial References	105
10.6	Impedance, Conductance, and Capacitance	105
	10.61 Theory	105
	10.62 Commercial Systems	105
	10.63 General Considerations and Precautions	106
	10.64 Typical Applications	107
	10.65 Interpretation of Results	109
	10.66 References	109
	10.67 Commercial References	111
10.7	Phage Probes	111
	10.71 Introduction to Bacterial Viruses	111
	10.72 Bacteriophage-Based Detection Methods	113
	10.73 Conclusions	122
	10.74 References	122
Chapter 11	Molecular Typing and Differentiation	127
11.1	Introduction	127
11.2	Cellular Fatty Acid Analysis	127
	11.21 Introduction	127
	11.22 Principle	130
	11.23 Apparatus	130
	11.24 Reagents	130
	11.25 General Instructions	130
	11.26 Limitations	131
	11.27 Library	131
	11.28 Similarity Index	132
	11.29 References	132
11.3	Multilocus Enzyme Electrophoresis	132
	11.31 Introduction	132
	11.32 General Description of the Method	133
	11.33 Interpretation of the Gels	135
	11.34 References	135
11.4	Ribotyping	136
	11.41 Introduction	136
	11.42 Reagent Preparation	136
	11.43 Lysis of Bacteria and DNA Extraction	137
	11.44 DNA Digestion and Electrophoresis	137
	11.45 Electrophoretic Transfer, Denaturation, and UV Cross-Linking	137
	11.46 Hybridization and Detection	137
	11.47 Patterns: Data Processing	137
	11.48 Automated Ribotyping	137
	11.49 References	138
11.5	Restriction Fragment Length Polymorphism Fingerprinting	138
	11.51 Introduction	138
	11.52 Genomic Target	138
	11.53 Restriction Enzyme	139
	11.54 Combining Assays	139
	11.55 Other Considerations	139
	11.56 References	140
11.6	Rapid PCR-Based Methods	140
	11.61 Introduction	140
	11.62 Preparation of Genomic DNA from Bacteria for Use with Rapid Methods ..	145
	11.63 Notes	147
	11.64 Preparation, Amplification, Detection and Analysis of PCR for Rapid Methods	147
	11.65 Notes	149
	11.66 References	151

11.7	Pulsed Field Gel Electrophoresis	154
11.71	Introduction	154
11.72	Utility of PFGE in Foodborne Outbreak Investigations	154
11.73	Interpretation of PFGE Results	154
11.74	Choosing a PFGE Protocol	154
11.75	Standard PFGE Protocol for Subtyping <i>E. coli</i> O157:H7	154
11.76	References	156
Chapter 12	Labor Savings and Automation	157
12.1	Introduction	157
12.2	Solid Samples	157
12.4	Liquid Samples	158
12.5	References	158
Chapter 13	Psychrotrophic Microorganisms	159
13.1	Introduction	159
13.2	Review of Methods Used to Enumerate Psychrotrophs in Foods	160
13.3	General Recommendations	161
13.4	Sample Preparation	162
13.5	Equipment, Media, Materials, and Reagents	162
13.6	<i>Procedures for Enumeration of Psychrotrophs</i>	162
13.7	Precautions	162
13.8	Rapid Detection	162
13.9	Interpretation	163
13.10	References	164
Chapter 14	Thermotolerant Microorganisms and Heat Resistance Measurements	167
14.1	Introduction	167
14.2	Heat Resistance Measurements	168
14.3	Methods for the Determination of Heat Resistance	169
14.4	Equipment, Materials, and Procedures	169
14.5	<i>Interpretation</i>	172
14.6	<i>References</i>	172
Chapter 15	Lipolytic Microorganisms	175
15.1	Introduction	175
15.2	General Considerations	177
15.3	Equipment, Materials, and Reagents	177
15.4	Procedures	178
15.5	Precautions	179
15.6	References	180
Chapter 16	Proteolytic Microorganisms	183
16.1	Introduction	183
16.2	General Considerations	184
16.3	Equipment, Materials, and Reagents	184
16.4	Procedures	184
16.5	Precautions	185
16.6	Interpretation	185
16.7	References	185
Chapter 17	Halophilic and Osmophilic Microorganisms	187
17.1	Introduction	187
17.2	Halophilic Microorganisms	187
17.3	Osmophilic Microorganisms	190
17.4	References	192
Chapter 18	Pectinolytic and Pectolytic Microorganisms	195
18.1	Introduction	195
18.2	Detecting Pectinolytic and Pectolytic Organisms	195
18.3	Visualization and Assay of Pectic Enzymes	197
18.4	Sources of Pectic Enzymes	197
18.5	Equipment, Materials, and Reagents	197
18.6	Procedures	198
18.7	Interpretation	198
18.8	References	198
Chapter 19	Acid-Producing Microorganisms	201
19.1	Introduction	201
19.2	General Considerations	201

19.3	Limitations	202
19.4	Equipment, Materials, and Reagents	202
19.5	Procedures	203
19.6	References	206
Chapter 20	Yeasts and Molds	209
20.1	Introduction	209
20.2	General Considerations	209
20.3	Precautions	210
20.4	Equipment, Materials, and Reagents	210
20.5	Procedures	210
20.6	Interpretation	211
20.7	New Methods under Development	211
20.8	References	213
Chapter 21	Detection and Enumeration of Heat-Resistant Molds	217
21.1	Introduction	217
21.2	General Considerations	217
21.3	Equipment, Materials, and Reagents	217
21.4	Procedures	218
21.5	Precautions	219
21.6	Interpretation	219
21.7	Taxonomy of Important Heat-Resistant Molds	219
21.8	References	221
Chapter 22	Mesophilic Aerobic Sporeformers	223
22.1	Introduction	223
22.2	Special Considerations	224
22.3	Sources of Error	224
22.4	Equipment, Materials, and Media	225
22.5	Procedures	225
22.6	Modifications	226
22.7	Interpretation	226
22.8	References	226
Chapter 23	Mesophilic Anaerobic Sporeformers	229
23.1	Introduction	229
23.2	General Considerations	231
23.3	Equipment, Materials, and Media	232
23.4	Precautions	232
23.5	Procedures	232
23.6	Interpretation of Results	235
23.7	References	235
Chapter 24	Aciduric Flat Sour Sporeformers	239
24.1	Introduction	239
24.2	General Considerations	240
24.3	Equipment, Materials, and Reagents	241
24.4	Procedures	241
24.5	Maintenance of Cultures	243
24.6	Precautions and Limitations of the Procedures	243
24.7	Interpretation	243
24.8	References	243
Chapter 25	Thermophilic Flat Sour Sporeformers	245
25.1	Introduction	245
25.2	General Considerations	245
25.3	Equipment, Materials, and Reagents	246
25.4	Precautions	246
25.5	Procedure	246
25.6	Interpretation of Results	247
25.7	References	248
Chapter 26	Thermophilic Anaerobic Sporeformers	249
26.1	Introduction	249
26.2	General Considerations	249
26.3	Equipment, Materials, and Solutions	249
26.4	Precautions	250
26.5	Procedure	250

26.6	Interpretation	251
26.7	References	251
Chapter 27	Sulfide Spoilage Sporeformers	253
27.1	Introduction	253
27.2	General Considerations	253
27.3	Equipment, Materials, and Reagents	254
27.4	Precautions and Limitations of Procedure	254
27.5	Procedure	254
27.6	Interpretation	255
27.7	References	255
Chapter 28	Investigation of Foodborne Illness Outbreaks	257
28.1	Introduction	257
28.2	Purpose of Investigation	257
28.3	Theory of Investigation	258
28.4	Consideration of Samples	258
28.5	Equipment, Materials, and Solutions	258
28.6	Investigative Procedures	262
28.7	Analysis and Conclusion	263
28.8	Molecular Subtyping Techniques—Bacteria	264
28.9	Molecular Subtyping Techniques—Viruses	265
28.10	Conclusion	265
28.11	References	265
Chapter 29	Microbial Food Safety Risk Assessment	267
29.1	Introduction	267
29.2	Risk Assessment: A Tool for Decision-Making	267
29.3	Approaches to Microbial Food Safety Risk Assessment	268
29.4	Steps of Risk Assessment	270
29.5	Mathematical Approaches to Risk Assessment	272
29.6	Monte Carlo Analysis	274
29.7	Uncertainty & Variability	275
29.8	Applications of Risk Assessment	276
29.9	Summary	276
29.10	References	277
	Appendix 1: Common Distributions	280
Chapter 30	<i>Aeromonas</i>, <i>Arcobacter</i>, and <i>Plesiomonas</i>	283
30.1	<i>Aeromonas Hydrophila</i>	283
30.11	General Characteristic of the Genus	283
30.12	Ecology	283
30.13	Epidemiology	283
30.14	Isolation Media	285
30.15	Characterization and Speciation in the Genus <i>Aeromonas</i>	286
30.16	Handling of Samples	287
30.17	Equipment, Materials, and Reagents	287
30.18	Procedures	287
30.19	Interpretations	288
30.110	Media, Reagents, and Stains	288
30.111	References	288
30.2	<i>Arcobacter</i>	290
30.21	Introduction	290
30.22	General Considerations	292
30.23	Media and Reagents	292
30.24	Procedures	292
30.25	Identification Tests	293
30.26	References	294
30.3	<i>Plesiomonas Shigelloides</i>	296
30.31	Introduction	296
30.32	Ecology	296
30.33	Isolation and Identification	297
30.34	Equipment, Materials, and Solutions	297
30.35	Procedure	297
30.36	References	298

Chapter 31	<i>Campylobacter</i>	301
31.1	Introduction	301
31.2	General Considerations	302
31.3	Media and Reagents	302
31.4	Procedures	303
31.5	Identification Tests	304
31.6	Interpretation	307
31.7	References	307
Chapter 32	<i>Bacillus cereus</i>	311
32.1	Introduction	311
32.2	Procedure	313
32.3	Interpretation of Data	315
32.4	References	315
Chapter 33	<i>Clostridium botulinum</i> and Its Toxins	317
33.1	Introduction	317
33.2	Treatment of Specimens	318
33.3	Special Equipment and Supplies	318
33.4	Media and Reagents	319
33.5	Precautions and Limitations of Methods	319
33.6	Procedure for Identifying Viable <i>C. botulinum</i>	319
33.7	Identifying Botulinum Toxin in Foods	320
33.8	Identifying Botulinum Toxin in Clinical Specimens	321
33.9	Interpreting Data	322
33.10	References	323
Chapter 34	<i>Clostridium perfringens</i>	325
34.1	Introduction	325
34.2	Sampling	326
34.3	Equipment and Supplies	326
34.4	Special Reagents and Media	326
34.5	Recommended Controls	327
34.6	Precautions and Limitations of Methods	327
34.7	Procedure	327
34.8	Interpretation of Data	329
34.9	References	329
Chapter 35	Pathogenic <i>Escherichia coli</i>	331
35.1	Introduction	331
35.2	Conventional Isolation Procedures	332
35.3	Rapid Methods	335
35.4	Serotyping	336
35.5	Pathogenicity Testing	336
35.6	References	338
Chapter 36	<i>Listeria</i>	343
36.1	Introduction	343
36.2	General Considerations	346
36.3	Media, Reagents, and Equipment	346
36.4	Precautions and Limitations of the Methods	347
36.5	Procedures	348
36.6	Interpretation of Data	353
36.7	References	353
Chapter 37	<i>Salmonella</i>	357
37.1	General Basis of Methods	357
37.2	Treatment of Sample	364
37.3	Equipment and Supplies	364
37.4	Precautions and Limitations of Reference and Rapid Methods	365
37.5	Reference Method	367
37.6	Interpretation of Data—Reference Method	372
37.7	Rapid Screening Tests	372
37.8	AOAC-RI Performance Tested Methods	375
37.9	References	376
Chapter 38	<i>Shigella</i>	381
38.1	Introduction	381
38.2	Recommended Procedures	382

	38.3	Precautions	384
	38.4	References	385
Chapter 39		<i>Staphylococcus aureus</i> and Staphylococcal Enterotoxins	387
	39.1	Introduction	387
	39.2	General Considerations for Isolation of <i>S. aureus</i>	388
	39.3	Precautions and Limitations of Methods	389
	39.4	Equipment, Reagents and Media	390
	39.5	Procedures	390
	39.6	Additional Tests	392
	39.7	General Considerations for Detection of Staphylococcal Enterotoxins	392
	39.8	Handling of Samples	393
	39.9	Examining Staphylococcal Isolates for Enterotoxin Production	393
	39.10	Enterotoxin Identification in Foods	397
	39.11	References	400
Chapter 40		<i>Vibrio</i>	405
	40.1	Introduction	405
	40.2	General Considerations	407
	40.3	Equipment, Materials, and Reagents	408
	40.4	Precautions	409
	40.5	Procedures	409
	40.6	Interpretation	416
	40.7	Acknowledgment	416
	40.8	References	416
Chapter 41		<i>Yersinia</i>	421
	41.1	Introduction	421
	41.2	Analysis for <i>Yersinia</i> in foods	422
	41.3	<i>Yersinia</i> Identification Tests	426
	41.4	References	426
Chapter 42		Waterborne and Foodborne Parasites	429
	42.1	Introduction	429
	42.2	Waterborne Parasites: Prevalence, Disease, Transmission, and Methods of Identification	431
	42.3	Foodborne Parasites: Prevalence, Disease, Transmission, and Methods of Identification	434
	42.4	Emerging Methods	437
	42.5	References	437
Chapter 43		Toxigenic Fungi and Fungal Toxins	439
	43.1	Introduction	439
	43.2	Mycotoxins	439
	43.3	Mycotoxicoses	441
	43.4	Mycotoxin Producing Molds	443
	43.5	Equipment, Material, and Reagents	444
	43.6	Precautions	444
	43.7	Media and Procedures	444
	43.8	Reviews and Compendia	445
	43.9	References	445
Chapter 44		Foodborne Viruses	447
	44.1	Introduction	447
	44.2	Foods To Be Tested	449
	44.3	Detecting Viruses in Foods	449
	44.4	Equipment, Materials and Reagents	452
	44.5	Sample Processing Procedures	452
	44.6	Cell Culture-Based Virus Assays	455
	44.7	Virus Identification	456
	44.8	Interpretation of Results	457
	44.9	References	457
Chapter 45		Meat and Poultry Products	463
	45.1	Introduction	463
	45.2	Raw Meat and Poultry Products	464
	45.3	Ready-to-Eat Meat and Poultry Products	466
	45.4	Pathogens	469
	45.5	Recommended Methods	469

45.6	References	469
Chapter 46	Eggs and Egg Products	473
46.1	Introduction	473
46.2	General Considerations	474
46.3	Normal Flora	474
46.4	Flora Changes in Spoilage	474
46.5	Pathogens of Concern	475
46.6	Indicators of Lack of Sanitation	476
46.7	Recommended Methods	476
46.8	Interpretation of Data	478
46.9	References	479
Chapter 47	Milk and Milk Products	483
47.1	Introduction	483
47.2	Raw Milk	483
47.3	Pasteurized Milk	484
47.4	Dried Products	486
47.5	Butter	486
47.6	Frozen Dairy Products	487
47.7	Concentrated Products	487
47.8	Fermented Dairy Products	488
47.9	Acid-Producing Bacteria in Dairy Foods	490
47.10	Additional Reading	493
47.11	References	493
Chapter 48	Fish, Crustaceans, and Precooked Seafoods	497
48.1	Introduction	497
48.2	Fresh and Frozen Fish and Crustaceans	497
48.3	Cooked Crustacean Products	499
48.4	Breaded and Prepared Seafood Products	500
48.5	Salted and Smoked Products	500
48.6	Other Seafood Products	501
48.7	Modified-Atmosphere Packaging and Storage	502
48.8	Recommended Methods	503
48.9	Interpretation of Results	503
48.10	References	504
Chapter 49	Molluscan Shellfish: Oysters, Mussels, and Clams	507
49.1	Introduction	507
49.2	Examination of Shellfish	508
49.3	Preparation of Sample for Examining Shellfish in the Shell	509
49.4	Microbiological Procedures	511
49.5	Interpretation of Data	511
49.6	Rapid Methods	512
49.7	International Microbiological Standards	512
49.8	References	513
Chapter 50	Fruits and Vegetables	515
50.1	Introduction	515
50.2	Fresh Produce	515
50.3	Processed Fruits and Vegetables	516
50.4	Recommended Methods	518
50.5	Interpretation of Data	518
50.6	References	518
Chapter 51	Fermented and Acidified Vegetables	521
51.1	Introduction	521
51.2	Normal Flora	522
51.3	Flora Changes in Spoilage	522
51.4	Pathogenic Microorganisms	524
51.5	Recommended Methods	524
51.6	Interpretation of Data	528
51.7	References	529
Chapter 52	Gums and Spices	533
52.1	Introduction	533
52.2	General Considerations	533
52.3	Normal Flora	534

52.4	Post-Harvest Changes	535
52.5	Sampling and Preparation for Analysis	536
52.6	Methods	537
52.7	Interpretation of Data	537
52.8	References	538
Chapter 53	Salad Dressings	541
53.1	Introduction	541
53.2	General Considerations	541
53.3	Normal Flora	541
53.4	Floral Change in Spoilage	541
53.5	Human Disease Microorganisms	542
53.6	Microbial Indicators of Poor Sanitation	542
53.7	Equipment, Materials, and Solutions	542
53.8	Recommended Methods	543
53.9	Interpretation of Data	543
53.10	References	544
Chapter 54	Sweeteners and Starches	545
54.1	Introduction	545
54.2	General Considerations	545
54.3	Normal and Indicator Flora	546
54.4	Spoilage Organisms	546
54.5	Pathogens	547
54.6	Recommended Methods	547
54.7	Interpretation of Data	547
54.8	References	547
Chapter 55	Cereal and Cereal Products	549
55.1	Introduction	549
55.2	Factors Affecting Bioload	549
55.3	Methods	552
55.4	References	553
Chapter 56	Confectionery Products	555
56.1	Introduction	555
56.2	General Considerations	555
56.3	Spoilage of Confectionery	556
56.4	Pathogens	556
56.5	Microbial Control Procedures	556
56.6	Recommended Methods	557
56.7	Interpretation of Data	557
56.8	References	558
Chapter 57	Nut Meats	561
57.1	Introduction	561
57.2	General Considerations	561
57.3	Microflora	562
57.4	Pathogens	562
57.5	Molds and Mycotoxins	562
57.6	Laboratory Tests	562
57.7	References	563
Chapter 58	Fruit Beverages	565
58.1	Introduction	565
58.2	Normal Microflora	565
58.3	Pathogens	566
58.4	Spoilage	566
58.5	Recommended Methods	566
58.6	Interpretation of Data	567
58.7	References	567
Chapter 59	Soft Drinks	569
59.1	Introduction	569
59.2	Microbiology	569
59.3	Sanitation	570
59.4	Equipment, Media, and Reagents	570
59.5	Recommended Methods	570
59.6	Interpretation of Data	571

59.7 References 571

Chapter 60 Bottled Water 573

60.1 Introduction 573

60.2 Types of Microorganisms 574

60.3 Equipment, Media, and Reagents 574

60.4 Recommended Methods 574

60.5 Interpretation of Data 575

60.6 Acknowledgments 576

60.7 References 576

Chapter 61 Canned Foods—Tests for Commercial Sterility 577

61.1 Introduction 577

61.2 General Considerations 578

61.3 Equipment, Materials, and Reagents 578

61.4 Precautions 579

61.5 Procedure 579

61.6 Interpretation of Data 581

61.7 References 582

Chapter 62 Canned Foods—Tests for Cause of Spoilage 583

62.1 Introduction 583

62.2 Microbiology of Canned Foods 583

62.3 Examination Methods for Diagnosing Spoilage Conditions in Canned Foods 586

62.4 Keys to Probable Cause of Spoilage 596

62.5 Addresses for Some Firms Listed in References 596

62.6 References 596

Chapter 63 Media, Reagents, and Stains 601

63.1 Culture Media, Introduction 601

63.2 Equipment 605

63.3 Alphabetical Listing of Culture Media 607

63.4 Alphabetical Listing of Reagents, Diluents, and Indicators 636

63.5 Stains, Introduction 646

63.6 Alphabetical Listing of Stains 646

63.7 References 648

63.8 Acknowledgments 648

Chapter 64 Measurement of Water Activity (a_w), Acidity, and Brix 649

64.1 Measurement of a_w 649

64.2 Equipment 650

64.3 Calibration 652

64.4 Measurement of Samples 653

64.5 Precautions and Limitations 653

64.6 Measurement of Acidity 654

64.7 pH Measurements 654

64.8 Titratable Acidity 656

64.9 Brix 656

64.10 References 657

Index 659

Index

- AC Agar, 607
 - Accreditation, 10
 - Acetate differential agar, 607
 - Acetic acid, 521, 523, 524
 - Acetic acid dichloran yeast extract agar (ADYS), 607
 - Acetic acid-producing bacteria, 205
 - Acetobacter*, 518, 569
 - Acid foods
 - culture tests, 595–597
 - processing, 583–584
 - spoilage, 585, 599
 - Acidified MRS agar, 203
 - Acidified products
 - culture tests, 595–597
 - processing, 583–584
 - sausage, 468–469
 - spoilage, 585, 599
 - vegetables, 521–529
 - Acidity
 - measurement, 654 (See also pH measurements)
 - titratable, 527, 656
 - Acidophilic molds, 211
 - Acid phosphatase, 636
 - Acid-producing microorganisms
 - butyric, 205, 523, 527
 - dairy products, 490–493
 - equipment, materials, and reagents, 202–203
 - explanation, 201
 - general considerations, 201
 - identification and characterization, 205–206
 - limitations, 202
 - procedures for enumeration, 203–205
 - soft drinks, 571
 - Aciduric flat sour sporeformers
 - background, 239
 - classification, 239
 - equipment, materials, and reagents, 241
 - interpretation, 243
 - maintenance of cultures, 243
 - occurrence, 239–240
 - precautions and limitations of procedures, 243
 - procedures, 241–243
 - sampling, 240
 - temperature and pH requirements, 240–241
 - Aconitase, 636
 - Acridine orange stain, 39, 40, 646
 - Adenylate kinase, 636
 - Adjustable potentiometers, 652–653
 - Adsorption-elution-precipitation method, 453
 - Aerobic plate count (APC)
 - alternative methods, 65–67
 - equipment, materials, and reagents, 63–64
 - explanation, 63
 - general considerations, 63
 - impedance, conductance, and capacitance, 106, 107
 - microbiological specifications, 63
 - precautions and limitations, 64
 - standard procedures, 64–65
 - Aeromonas*
 - characteristics, 283, 296
 - characterization and speciation in genus, 286–287
 - ecology, 283
 - epidemiology, 283–284
 - equipment, materials, and reagents, 287
 - handling of samples, 287
 - interpretations, 288
 - isolation media, 285–286
 - procedures, 287–288
 - Aeromonas caviae*, 285
 - Aeromonas hydrophila*, 283–285, 287, 288, 499
 - Aeromonas salmonicida*, 283
 - Aeromonas shigelloides*, 296
 - Aeromonas sobria*, 284, 285
 - Aeromonas veronii*, 285
- Aerosol sampling
 - commercial sources, 31
 - comparison studies, 33–34
 - explanation, 30
 - filters, 32–33
 - measurement guidelines, 34
 - Aflatoxigenic molds, 211
 - Aflatoxins, 439, 441, 561
 - AGAR-2%, 607
 - Agar media, 303–304, 602
 - Agar media minikits, 97
 - Agar medium for differential enumeration of lactic streptococci, 607
 - Agarose buffer, 636
 - Agarose gels, 150, 416
 - Agar plates, 48–49, 304
 - Agricultural Research Service (USDA), 363
 - Air cleanliness standards, 34
 - Air-sampling methods
 - centrifugal samplers, 32
 - comparison studies, 33–34
 - electrostatic precipitation, 33
 - explanation, 30–31
 - filtration, 32–33
 - impaction, 31–32
 - impingement, 33
 - sedimentation, 31
 - AKI Medium, 607–608
 - Alanine dehydrogenase, 636
 - Alaria*, 435–436
 - Alcaligenes*, 484
 - Alcohol dehydrogenase, 636
 - Aldolase, 636
 - Alfalfa sprouts, 264–265
 - ALI broth/agar, 608
 - Alicyclobacillus*, 239, 240, 242, 243, 566
 - Alicyclobacillus acidocaldarius*, 239
 - Alicyclobacillus acidoterrestris*, 239–241, 243
 - Alicyclobacillus cycloheptanicus*, 239
 - Alimentary toxic aleukia (ATA), 442

- Alkaline peptone water, 636
 Alkaline phosphatase, 636
 Alpha-naphthol solution, 236
Alternaria, 439, 516, 566
 American Public Health Association (APHA), 2
 Ammonium acetate buffer, 637
 Amoebae, 431–432
 Anaerobes
 butyric, 585
 nonproteolytic, 229–230
 proteolytic, 229
 putrefactive, 229
 thermophilic, 585
 Anaerobic colony counts, 61–62
 Anaerobic egg yolk agar, 608
 Anaerobic glucose fermentation, 315
 Anaerobiosis, 6, 47
 Anamorph, 220
 Andersen's Pork Pea Agar, 608
Angiostrongylus, 434–435
 Animal facilities, 5
Anisakis, 434
 Antibiotics, 47
 Antibodies, 39
 Antibody-based methods
 enzyme immunoassay, 90
 immunoaffinity chromatography, 91
 immunofluorescence, 89–90
 immunoinmobilization, 90
 immunomagnetic separation, 91
 immunoprecipitate detection, 90–91
 latex agglutination, 90
 overview, 89
 Antimicrobial discs, 305
 AOAC International, 2, 10, 357, 363, 596
 AOAC Official Methods of Analysis, 77, 78, 357
 AOAC-RI Performance Tested Methods, 376
 A-1 Medium, 607
 API, 97–98
 API 50 CH biochemical test system, 205
 Appearance, 590
 APT agar, 204
 APT agar/broth, 608
Arcobacter
 distribution and epidemiology, 291
 general considerations, 292
 identification tests, 293–294
 introduction, 290–301
 media and reagents, 292
 procedures, 292–293
 species identification, 291–292
Arcobacter butzleri, 290–294
Arcobacter cryaerophilus, 290, 291, 293, 294
Arcobacter nitrofigilis, 291
Arcobacter skirrowii, 290, 291, 294
 Arginine glucose slants (AGS), 608
 Artesian water, 573
Arthrobacter, 484, 488
 Ascorbic acid, 528
 Aseptic sampling, 589–590
Aspergillus, 439, 443, 444, 488, 535, 555, 562, 569
Aspergillus flavus, 439, 443–444, 535
Aspergillus flavus and parasiticus agar (AFPA), 608
Aspergillus glaucus, 535
Aspergillus nidulans, 535
Aspergillus niger, 443, 535
Aspergillus nomius, 443
Aspergillus parasiticus, 443–444, 535
 Assay buffer, 637
 Association of Official Analytical Chemists International (AOAC). *See* AOAC International
 ATB, 98
 ATP bioluminescence, 99, 117–118
 Autoclaves, 5–6, 606
 Automatic pipettors, 606
 Automation, 157–158

Bacillus, 223–226, 245, 249, 484, 488, 515, 516, 533, 555, 562
Bacillus acidocaldarius, 241
Bacillus acidoterrestris, 239, 241
Bacillus anthracis, 314
Bacillus cereus, 223
 characteristics, 312–313
 confectionery products, 555, 556
 controls, 313
 data interpretation, 315
 equipment and supplies, 312
 introduction, 311
 precautions and limitations, 313
 procedure, 313–315
 reagents and media, 312–313
 salad dressing, 542
 spices, 535
 taxonomic position, 312
 treatment of sample, 312
Bacillus coagulans, 223, 239–243, 245
Bacillus licheniformis, 224, 557
Bacillus macerans, 224, 226
Bacillus mesenterocis, 541
Bacillus pastasites, 542
Bacillus polymyxa, 224, 226
Bacillus stearothermophilus, 6, 223, 241, 243, 245, 488, 534
Bacillus subtilis, 224, 226, 541, 555, 556
Bacillus thermoacidurans, 239
Bacillus thuringiensis, 314
Bacillus vulgatus, 542
 Bacterial endospores, 38
 Bacterial pectate lyases, 195
 Bacterial pectin lyases, 195
 Bacterial viruses. *See* Bacteriophages
 Bacteriological Analytical Manual (BAM), 334, 361, 363, 367
 Bacteriolysins, 118
 Bacteriophage-based detection methods
 metabolic inhibition assays, 119–121
 miscellaneous phage probe applications, 121–122
 phage-based ATP bioluminescence, 117–118
 phage-based fluorescence, 118–119
 phage-based reported genes, 113–117
 Bacteriophages
 history, 111–112
 microbiological applications, 112–113, 122
 replication, 112
 Bactometer method, 205
 Bactometer Microbial Monitoring System, 105
 BacTrac, 106
 Baird-Parker Agar, 609
 Baked goods, 551. *See also* Cereal/cereal products
 Bakery products, 224. *See also* Cereal/cereal products
 Balance, 5, 14, 606
Balantidium coli, 432
 Base wash, 637
 Basic fuchsin stain, 646
 BBL crystal, 98
 Beef, 437
 Beef Extract V, 609
 Beer, 204, 655

- Beer agar, 204
Bergey's Manual of Systematic Bacteriology, 357–358
 Beta distribution, 280
Beta vulgaris, 545
 Beverages. *See* Bottled water; Fruit beverages; Soft drinks
 Bile esculin agar, 609
 Bile salts, 602
 BIND, 376
 Binomial distribution, 280
 Biochemical and enzymatic methods
 agar media minikits, 97
 catalase and cytochrome oxidase, 163
 chromogenic media, 99
 commercial miniaturized diagnostic kits, 96–97
 dehydrated media minikits, 97–99
 miniaturized microbiological methods, 96
 overview, 96
 quantitative enzymatic methods, 99–100
 Salmonella, 362, 371, 384
 Vibrio, 415
 Bioluminescence
 ATP, 99, 571
 luc-based, 115–116
 lux-based, 113–115
 phage-based ATP, 117–118
 Bismuth sulfite (BS) agar, 609
 Blenders, 14
 Blocking buffer, 637
 Blood, 602
 Blood agar, 609
 Blood agar base, 609
 Blood hemolysis reactions, 47–48
Botrytis, 516, 566
 Bottled water
 data interpretation, 575
 equipment, media, and reagents, 574
 introduction, 573–574
 microorganisms, 574
 recommended methods, 574–575
 Botulinum toxins. *See also* *Clostridium botulinum*
 canned foods, 323
 in clinical specimens, 321–322
 identification in foods, 320–321
 precautions, 319
 Botulism
 clinical diagnosis, 318
 explanation, 317
 mice, 323
 prevention, 318
 produce, 516
 BOX element, 144
 Brain heart infusion (BHI) agar/broth, 610
Brettanomyces, 569, 570
Brettanomyces bruxellensis, 555
Brettanomyces naardenensis, 569
Brettanomyces selective media (BSM), 610
 Brilliant green bile agar/broth, 610
 Brilliant green dye solution, 637
 Brilliant green lactose bile broth, 610
 Brilliant green sulfa agar, 610
 Brix scale, 656–657
 Bromcresol green agar, 610
 Bromcresol green solution, 637
 Bromcresol purple carbohydrate broth base with carbohydrates, 610
 Bromcresol purple dye solution, 637
 Brucella broth, 610
 Brucella-FBP agar/broth, 610
 Butter, 486–487
 Butterfield's phosphate buffered dilution water, 637
 Butyric acid anaerobes, 585
 Butyric acid-producing bacteria, 205, 523, 527
Byssochlamys, 219–220, 565
Byssochlamys fulva, 220, 226
Byssochlamys nivea, 220
 Cacao products, 655. *See also* Cereal/cereal products
 Calcium, 527
 Calibrated loop method, 66
 Calibration, 653–654
 Calibration curve method, 109
 Calomel electrode, 654
 CAMP test, 351
 Camp test agar, 611
 Campy-Bap (Blaser's agar), 610
 Campy-cefex agar, 610–611
 Campy line agar, 611
Campylobacter
 distribution and epidemiology, 302
 general considerations, 302
 identification tests, 304–307
 interpretation, 307
 introduction, 301
 meat, 469
 media and reagents, 302–303
 pathology, 301–302
 procedures, 303–304
 shellfish, 507
Campylobacter charcoal differential agar (CCDA)–Preston blood-free medium, 610
Campylobacter cinaedi, 302
Campylobacter coli, 301, 305, 306, 464
Campylobacter cryaerophila, 290–294. *See also* *Arcobacter*
Campylobacter fennelliae, 302
Campylobacter fetus, 306
Campylobacter hyointestinalis, 302
Campylobacteriosis, 247
Campylobacter jejuni, 291, 301–307, 464, 476, 507
Campylobacter lari, 301, 305–306
Campylobacter perfringens, 464
Campylobacter pylori, 302
Campylobacter upsaliensis, 302
Candida, 565, 566, 569
 Candy. *See* Confectionery products
 Canned foods
 botulinum toxin, 319, 323
 cause of spoilage tests, 583–596
 commercial sterility tests, 578–582
 flat sour spores, 240
 fruit beverages, 566
 meat, 467–468
 mesophilic aerobic sporeformers, 224
 mesophilic anaerobes, 233
 pH ranges, 600
 Capacitance
 commercial systems, 105–106
 explanation, 105
 general considerations and precautions, 106–107
 result interpretation, 109–110
 typical applications, 107–109
 Carbohydrate fermentation broth, 611
 Carbohydrates, 602
 Carbol fuchsin, 646
 Carbon dioxide, 528
 Cary-Blair transport medium, 611
 Casein, 368
 Casman and Bennett Method, 398–400

- Catalase gel staining reagents, 637
 Catalase test, 100, 163, 294, 305, 637
 Cefoperazone vancomycin amphotericin B blood agar (CVA), 611–612
 Cefsulodin-irgasan-novobiocin (CIN) agar, 612
 Cell culture-based assays, 450, 455–456
 Cell growth medium, 612
 Cellobiose-colistin agar (CC), 612
 Cellular fatty acid analysis
 apparatus, 130
 explanation, 127, 130
 general instructions, 130–131
 library comparison, 131–132
 limitations, 131
 reagents, 130
 similarity index, 132
 Cell viability, 39–40
 Centers for Disease Control and Prevention (CDC), 357, 363
 Centrifugal samplers, 32
 Cereal/cereal products
 baked goods, 551
 breakfast cereal and snack food, 551
 cereal grains, 549, 551
 doughs, 551
 dry mixes, 552
 flour, 551
 introduction, 549
 methods, 552–553
 microbiological profile, 550
 pasta, 552
 soy protein products, 255, 368, 551–552
 Cheeses, 488–489, 656. *See also* Dairy products
 Chicken. *See also* Meat; Poultry
 Chloride, 527
 Chocolate confectionery products, 554–555. *See also* Confectionery products
 Chopped liver broth, 612
 Christensen's citrate agar, 612
 Christensen's urea agar, 612
 Christie-Atkins-Munch-Peterson (CAMP) test, 351
 Chromogenic media, 99
Citrobacter, 361
 Clams, 510. *See also* Molluscan shellfish
 Clarification, 454
Claviceps, 439
 Clean Rooms and Work Station Requirements, Controlled Environment Standard, 34
 Clostridia, 464
Clostridium, 229–231, 234, 235, 249, 516, 523, 562. *See also* Mesophilic anaerobic sporeformers
Clostridium baratii, 318
Clostridium botulinum, 224, 516
 canned foods, 583
 fermented products, 524
 identifying botulinum toxin in clinical specimens, 321–322
 identifying botulinum toxin in foods, 320–321
 interpreting data, 322–323
 introduction, 317–318
 precautions and limitations of methods, 319
 procedure for identifying viable, 319–320
 salad dressing, 542
 special equipment and supplies, 318–319
 treatment of specimens, 318
 type E, 499
Clostridium butyricum, 318
Clostridium nigrificans, 253
Clostridium perfringens
 cell numbers, 325
 confectionery products, 555
 data interpretation, 329
 detection, 326
 enumeration, 326
 equipment and supplies, 326
 food poisoning and enterotoxin formation, 325
 introduction, 325
 meat, 469
 precautions and limitations of methods, 327
 procedure, 327–329
 recommended controls, 327
 salad dressing, 542
 sampling, 326
 selective differential media, 325–326
 special reagents and media, 326
 spices, 535
Clostridium tertium, 523
Clostridium thermosaccharolyticum, 249
Clostridium tyrobutyricum, 489
 Coagulase plasma containing EDTA, 637
 Coagulase test, 391–392
 Coccidia, 432
 Coconut, 369
 Codex Alimentarius Commission, 268, 363, 573, 574
 Codex Schematic Framework for Risk Analysis, 269
 Colbeck's egg yolk broth, 612
 ColiComplete method, 77
 Coliforms
 bottled water, 574, 575
 eggs and egg products, 476
 explanation, 70
 fecal, 68–71, 76–79
 fruit beverages, 566
 meat and poultry, 463
 methods for enumeration, 74–76, 79
 overview, 68
 quality indicators, 79–80
 soft drinks, 571
Colletotrichum, 566
 Colony counts
 computation, 55–57, 61
 mesophilic anaerobes, 231–232
 Colony-picking technique, 48
 Colorimetry, 120
 Columbia blood agar base, 612
 CO₂ measurement, 100
 Commercial processing, 170
 Compression method, 436
 Concentration, 454
 Conductance
 commercial systems, 105–106
 explanation, 105
 general considerations, 106–107
 result interpretation, 109–110
 Salmonella, 365, 367, 375–376
 typical applications, 107–109
 Confectionery products
 chocolate, 554–555
 data interpretation, 558
 introduction, 554
 microbial control procedures, 555–556
 pathogens, 555
 recommended methods, 556
 Salmonella, 368
 spoilage, 555
 sugar, 554
 water activity, 554
 Confirmatory tests, 313–314
 Congo red brain heart infusion agarose (CRBHO), 612

- Containers
leakage, 585
rinse solution method, 27
shipment sample, 13–14
spoilage examination, 586–591
- Contamination
air, 219
food, 448
removal, 454–455
sampling procedures, 19–20
- Cooked meat medium (CMM), 612
- Cooked meat medium with starch and glucose, 612–613
- Corn syrup, 656
- Corynebacterium*, 343, 484
- Counting chambers, 40
- Crab. *See* Seafood
- Crassostrea gigas*, 509
- Cream, 241–242
- Crown Cork and Seal Company, Inc., 596
- Crustaceans. *See* Seafood
- Cryptosporidium*, 433
- Cryptosporidium parvum*, 566
- Crystal violet stain, 646
- Culture media. *See* Media
- Culture tests
acid or acidified foods, 595–597
low-acid foods, 592–595
- Cyclospora*, 433
- Cyclospora cayentanensis*, 257, 516
- Cytochrome oxidase, 163
- Cytochrome oxidase reagent, 637
- Czapek dox iprodione dichloran (CZID), 613
- Czapek yeast autolysate (CYA) agar, 613
- Dairy products
acid-producing bacteria, 490–493
butter, 486–487
cheeses, 488–489
concentrated milk, 487–488
dried milk, 241–242, 254–255, 367–368, 486, 656
examination methods, 34
fermented, 488–490
frozen, 253–255, 487
introduction, 483
pasteurized milk, 484–486
proteolytic microorganisms, 183–185
raw milk, 483–484
spoilage lactic acid producers, 204–205
- Decarboxylase basal medium with arginine, lysine, or ornithine, 613
- Deep agar tube count method, 234
- Dehydrated media, 601–602
- Dehydrated media minikits, 97–99
- Deli meat. *See* Meat
- Deminerlized water, 573
- Denaturing solution, 637
- Denhardt's solution, 637
- Deoxynivalenol, 441
- Department of Agriculture (USDA), 357, 431, 483, 561
- Desulfotomaculum nigrificans*, 253, 254
- Detergent residue, 605
- Dew point instruments, 651
- Dextrose agar/broth, 613
- Dextrose tryptase agar, 235
- Dextrose tryptase agar/broth, 613
- Dey-Engley neutralizing medium, 613
- DG18 agar, 210
- Diarrheal syndrome, 315
- Dichloran chloramphenicol peptone agar (DCPA), 613
- Dichloran 18% Glycerol Agar (DG18), 613
- Dichloran Rose Bengal Chloramphenicol (DRBC), 613
- Dichloran Rose Bengal Yeast Extract Sucrose Agar (DRYES), 613
- Differential broth for lactic streptococci, 614
- Differential clostridial agar (DCA), 614
- Differential isolation methods, 47
- Differential staining, 38
- Diffusely adherent *Escherichia coli* (DAEC), 332, 338
- Digestion method, 436
- Diluents, 14
- Dilution bottles, 606
- Dilutions, 53–54
- Diphyllobothrium*, 435
- Diplodia*, 566
- Direct epifluorescent filter technique (DEFT)**
to detect fungi, 211–212
explanation, 37, 41–42
- Direct incubation method, 219
- Direct plating, 303
- Direct staining, 38
- Direct viable count (DVC) assay, 40
- Distributions, 280–281
- DNA, 145–147
- DNA fingerprinting, 264, 294
- DNA hybridization
explanation, 93–94
Salmonella, 365, 367, 375
- DNA polymerase, 150
- DNA probes
lactic acid bacteria, 205
Salmonella, 376
Shigella, 383
Vibrio, 415
- DNase Test Agar, 614
- Dose-response assessment, 271–272
- Double layer method, 178
- Doyle and Roman Enrichment Medium, 614
- DRBC agar, 210
- Dried films, 41
- Dried milk, 241–242, 254–255, 367–368, 486, 656
- Dried yeast, 368
- Drop plate method, 66–67
- Dry rehydratable film method, 65–66
- Dulbecco's Phosphate-Buffered Saline, 637–638
- Eagle's Minimal Essential Medium (MEME), 614
- Earle's Balanced Salts (ES) Solution, 614
- EC broth, 615
- ECOR1 Buffer, 638
- Eggs/egg products
data interpretation, 478–479
flora changes in spoilage, 474–475
general considerations, 474
introduction, 473–474
normal flora, 474
pathogens, 475–476
recommended methods, 476–478
Salmonella, 367, 368, 475–476
sanitation, 476
- Egg yolk emulsion 50%, 615
- Egg yolk-free tryptose-sulfite cycloserine, 615
- Egg yolk reaction, 47
- Eh, 603
- EHEC Enrichment Broth (EEB), 615
- EHEC serotype, 333, 335–336
- Electrical impedance, 119
- Electric hygrometers, 650–652
- Electrodes, 654, 655

- Electrophoresis gels, 94, 197
 Electrostatic precipitation, 33
 ELISA (enzyme-linked immunosorbent assay), 90, 335, 638
 Ellinghausen McCullough Johnson Harris Polysorbate 80 (EMJH-P80), 615
 Elution-Precipitation Method, 453
 Emetic syndrome, 315
 Emulsification, 180
 Emulsions, 655
 End-point testing, 451
 Enrichment broth (M52), 615
 Enrichment methods
 Campylobacter, 303, 304
 Enterobacteriaceae, 74
 explanation, 45
 laboratory environment, 50
 Listeria monocytogenes, 348–349
 selective, 46–49
 Shigella, 382
Entamoeba histolytica, 431–432
 Enterococci
 confirmation, 85–86
 enumeration, 85
 equipment, materials, and reagents, 84
 general considerations, 83–84
 overview, 83
 precautions, 84–85
 produce, 518
Enterococcus, 484, 488
 Enterohemorrhagic *Escherichia coli* (EHEC), 332, 338
 Enteroinvasive *Escherichia coli* (EIEC), 332, 333, 338
 Enteropathogenic *Escherichia coli* (EPEC), 332, 333, 337–338
 Enterotoxigenic *Escherichia coli* (ETEC), 331–333, 337
 Enterotoxins
 Aeromonas, 284–285
 Clostridium perfringens, 325–329
 Escherichia coli, 331–333, 337
 Staphylococcus, 387–388, 392–400
 Enterotube II, 97
 Enumeration methods
 anaerobic or other atmospheres, 61–62
 dilution, 53–54
 membrane filtration, 61
 most probable, 58–61
 overview, 53
 plating, 54–58
 Environmental monitoring, 5
 Environmental Protection Agency (EPA)
 chloride in water, 522
 laboratory personnel, 3
 water regulations, 431
 Environmental sampling, 25–26
 Enzymatic methods. *See* Biochemical and enzymatic methods
 Enzyme activity, 39
 Enzyme immunoassay (EIA)
 description, 90
 Salmonella, 366–367, 374–375
 Vibrio, 415
 Eosin methylene blue (EMB) Agar, 615
 Epidemic curve, 263
 Equilibration, 653
 Equipment
 preventive maintenance, 6
 reliability, 5–6
 rinse solution method, 27
 samples, 1–2, 26
 types, 605–607
Erysipelothrix, 343
 Erythrosin stain, 646
Escherichia, 566
Escherichia coli
 bottled water, 574
 differentiation from *Shigella*, 384
 diffusely adherent, 332
 enteroaggregative, 332
 enterohemorrhagic, 332
 enteroinvasive, 332
 enteropathogenic, 332, 333
 enterotoxigenic, 331–332
 explanation, 71
 fermented and acidified products, 524
 fruit beverages, 566
 gums, 536, 537
 hemolytic-uremic syndrome, 257
 introduction, 71, 331
 isolation of pathogenic, 332–335
 meat, 464
 methods for enumeration, 76–79
 nut meats, 562
 overview, 68–70
 pathogenicity, 336–338
 precautions, 71–73
 produce, 516, 518
 quality indicators, 79–80
 rapid methods, 335–336
 risk model, 276
 salad dressing, 542
 seafood, 499, 511–513
 serotyping, 331, 336
 spices, 535
 virotyping, 331
Escherichia coli broth, 615
 "Esculinase" test, 85
 Esterase (EST), 638
 Ethidium bromide stain, 646
 Eugon Agar, 615
Eustrongylides, 434
 Exponential distribution, 280
 Exposure assessment, 270–271
 Extraction solution, 638
 40% glucose agar, 623
 4-methylumbelliferyl- β -D-glucuronic acid (MUG), 641
 Facilities, 4–5
 Fat blooms, 555
 Fatty acids, 555
 Fecal coliforms
 definition, 70–71, 80
 enumeration methods, 76–79
 minimal number, 71

- overview, 68
- Feces**
- enterotoxin, 327, 329
 - identifying botulinum in, 322
- Fermentation medium, 615**
- Fermented products**
- dairy, 488–490
 - sausages, 468–469
 - seafood, 502
 - vegetables, 521–529
- fGTC agar, 85**
- Filter sterilization, 604**
- Filtration methods, 32–33**
- Fish. See Seafood**
- Fish extract medium, 615**
- Fish protein concentrate (FPC), 502**
- Flat sour spoilage, 584–585**
- Flavobacterium*, 484**
- Flour, 655. See also Cereal/cereal products**
- Fluid thioglycollate medium, 615**
- Fluorescein diacetate (FDA), 39–40**
- Fluorescence, 38, 118–119**
- Fluorescent antibody technique**
- methods, 39, 40
 - Salmonella*, 365, 366, 373
- Fluorescent dyes, 211–212**
- Food and Drug Administration (FDA)**
- Bacteriological Analytical Manual*, 334, 361, 363, 367
 - bottled water, 573–575
 - dairy products, 483–485
 - inspection programs, 431
 - laboratory methods, 2, 127
 - nut meats, 562
- Foodborne illness**
- analysis, 263–264**
 - Clostridium perfringens*, 325
 - consideration of samples, 258**
 - equipment, materials, and solutions, 258, 261–262
 - etiologic agents, 447–448
 - fruit and vegetables, 516
 - fruit beverages, 566
 - incidence, 448–449
 - introduction, 257
 - investigation, 154, 258
 - investigative procedures, 262–263
 - laboratory test guide, 259–261
 - molecular subtyping techniques, 264–265
 - purpose of investigation, 257
 - risk assessment, 267–281
 - seasonality, 448
- Foodborne parasites**
- Alaria*, 435–436
 - Angiostrongylus*, 434–435
 - Anisakis*, 434
 - beef, 437
 - Diphyllobothrium*, 435
 - Eustrongylides*, 434
 - goat meat and lamb, 437
 - introduction, 429–431
 - Nanophyetus*, 435
 - Paragonimus*, 435
 - pork, 436–437
- Foodborne viruses**
- animal products, 449
 - cell culture-based virus assays, 455–456
 - detection, 449–452
 - equipment, materials, and reagents, 452
 - etiologic agents, 447–448
 - food contamination, 448
 - fruits and vegetables, 449
 - identification, 456–457
 - incidence, 449–450
 - processed foods, 449
 - result interpretation, 457
 - sample processing procedures, 452–455
 - seasonality, 448
 - shellfish, 449
 - virus reservoirs and persistence, 448
- Food dressings, 656**
- Food Laboratory Accreditation Work Group, 50**
- Food Processors Institute (FPI), 596**
- Food Safety Inspection Service (FSIS)**
- meat inspection, 431, 464
 - Microbiology Laboratory Guidebook, 334–335
- Food safety risk assessment. See Risk assessment**
- Formalinized physiological saline solution, 638**
- FPA (fluorescent peptolytic agar) medium, 615–616**
- Fraser secondary enrichment broth, 616**
- Frozen bulk materials, 21**
- Frozen foods**
- dairy, 253–255, 487
 - dough, 551
 - fruit, 518
 - fruit beverages, 567
 - seafood, 497–499**
 - vegetables, 517–518
- Fructose solution, 638**
- Fruit**
- Alicyclobacillus* isolation, 242**
 - data interpretation, 518**
 - foodborne viruses, 449**
 - fresh, 515–516**
 - introduction, 515
 - processed, 516–518**
 - recommended methods, 518**
- Fruit beverages. See also Soft drinks**
- Alicyclobacillus* isolation, 242**
 - data interpretation, 567
 - introduction, 565
 - normal microflora, 565–566
 - pathogens, 566
 - recommended methods, 566–567
 - spoilage, 566
- FSIS Microbiology Laboratory Guidebook (MLG), 334–335**
- Fumarase (FUM), 638**
- Fumonisin, 441**
- Fungal pectate lyases, 195**
- Fungal polygalacturonase, 195**
- Fungal toxins, 439**
- Fungi**
- fluorescent dyes and stains to detect, 211–212
 - heat-resistant, 219
 - toxigenic, 439–444
 - Fusarium*, 211, 439, 443, 444, 562, 566
 - Fusarium crookwellense*, 443
 - Fusarium culmorum*, 443
 - Fusarium graminearum*, 443
 - Fusarium moniliforme*, 442–443
 - Fusarium proliferatum*, 443
 - Fusarium subglutinans*, 443
- Gamma distribution, 281**
- Gas analysis, 588–589**
- GC-MS analysis, 243**
- Gelatin, 369**
- Gelatin agar, 183–184, 616**

- Gel electrophoresis, 94, 196
- Gel loading dye, 646
- Gel loading solution, 638
- Gel phosphate buffer, 638
- General Services Administration, 596
- Genius dig buffers, 638–639
- Genotypic methods
- advantages and disadvantages, 128–129
 - explanation, 127
 - Vibrio parahaemolyticus*, 413
- Geotrichum*, 541
- Geotrichum candidum*, 40–41, 518, 565
- Giardia*, 432
- Giolitti and Cantoni Broth, 616
- Glassware
- cleaning, 605
 - quality assurance, 7
- Gluconobacter*, 518, 569
- Glucose dehydrogenase (GDH), 639
- Glucose-6-phosphate dehydrogenase (G6P), 639
- Glucose utilization, 305
- Glutamate dehydrogenase, 639
- Glutamic-oxalacetic transaminase (GOT), 639
- Glyceraldehyde-phosphate dehydrogenase, 639
- Glycine tolerance, 305
- GN-Broth, 616
- Goat meat, 437. *See also* Meat
- Grains. *See* Cereal/cereal products
- Gram-negative (GN) Broth, 616
- Gram stains, 38, 646–647
- Green fluorescent protein (GFP), 117
- Ground water, 573
- Guaiacol, 242–243
- Guar gum, 369
- Guillain-Barré syndrome, 247, 301
- Gums
- data interpretation, 537–538
 - general considerations, 533–534
 - introduction, 533
 - methods, 537
 - normal flora, 534
 - post-harvest changes, 535
 - procedures, 536
- Gum Tragacanth-Arabic, 616
- Gymnothecia, 221
- Haemophilus influenzae*, 343
- Halophilic agar broth, 616
- Halophilic microorganisms
- equipment, materials, and reagents, 187, 189
 - explanation, 187
 - extremely halophilic bacteria, 190
 - moderately halophilic bacteria, 189–190
 - slightly halophilic bacteria, 189
- Halotolerant microorganisms, 190
- Ham's F-10 medium, 616–617
- Hank's Phosphate-Buffered Saline, 639
- Hansenula*, 569
- Hardshell clams, 510. *See also* Seafood
- Hazard Analysis Critical Control Point (HACCP) procedures, 1, 25–26, 276, 431, 537, 555
- Hazard characterization, 271–272
- Hazard identification, 270
- H buffer, 639
- HC (hemorrhagic colitis) agar, 617
- Heart infusion agar/broth, 617
- Heat resistance
- measurements, 167–172
 - preparation and handling of cultures, 169–170
- Heat-resistant molds
- direct incubation method, 219
 - equipment, materials, and reagents, 217
 - explanation, 217
 - general considerations, 217
 - interpretation, 219
 - petri dish method, 218
 - precautions, 219
 - taxonomy, 219–221
 - tolerance, 218
- Hektoen enteric agar, 617
- Hemolytic activity, 314
- Hemolytic-uremic syndrome, 247
- Hemorrhagic colitis agar (HC), 333–334
- Hensenula*, 541
- Hepatitis A, 448, 450, 507
- Hexokinase (HEX), 639
- HGMF. *See* Hydrophobic grid membrane filter (HGMF)
- HHD agar, 204
- HHD medium, 617
- Hide powder azure (HPA) assay, 184, 185
- High-performance liquid chromatography (HPLC), 121
- High temperature short time (HTST) pasteurization, 172
- Hippurate hydrolysis, 305
- HL Agar, 617
- Hoag-Erickson medium, 617
- Homogenates, 22, 54
- Homogenization, 157
- Horseradish peroxidase (HRP), 639
- Hot-air sterilization, 6, 604, 606
- Hot dogs, 264. *See also* Meat
- Housekeeping, 5
- Howard mold count, 40
- H₂S indicators, 47
- H₂S production, 305
- Humidity, 4
- Hunt broth, 617–618
- HYA agar, 618
- Hybridization, 93–94
- Hybridization solution, 639–640
- Hybridization wash buffer, 640
- Hydrochloric acid, 640
- Hydrogen tests, 589
- Hydrophobic grid membrane filter (HGMF)
- counting and dilution strategies for quantitative analysis, 102–103
 - disadvantages, 101
 - equipment, 101
 - explanation, 66, 76, 100
 - general procedure for quantitative analysis, 101–102
 - MUG method, 78
 - Salmonella*, 103, 365, 366, 373
 - sample preparation for quantitative analysis, 101
 - Vibrio*, 412
- Hygrometers
- electric, 650–651
 - precautions, 653
 - temperature requirement, 651–652
- Ice cream, 656
- Ice nucleation, 116–117
- IDEXX SimPlate Coliforms/*E. coli* test, 78–79
- Immersed sealed-tube method, 171–172
- Immobilised-phage capture assay, 121
- Immunoaffinity chromatography, 91
- Immunoassay, 365, 366, 373–374
- Immunofluorescence, 89–90
- Immunoimmobilization, 90

- Immunomagnetic separation, 91, 108
 Immunoprecipitate detection, 90–91
 Impaction methods, 31–32
 Impedance
 commercial systems, 105–106
 explanation, 105
 general considerations and precautions, 106–107
 psychrotrophs, 162–163
 result interpretation, 109–110
 typical applications, 107–109
 Impingement methods, 33
 IMViC tests, 72
 Incubation temperature
 impedance assay, 106
 lipases, 178, 179
 psychrotrophs, 162
 Incubators, 6
 Indole oxidant-accelerated reagent, 640
 Indophenol oxidase (IPO), 640
 Infant botulism, 317
 Inositol Brilliant Green Bile Salts (IBB) Agar, 618
 Inositol Gelatin Deeps, 618
 International Association of Microbiological Societies (ICMSF), 363
 International Commission of Microbiological Specifications for Foods (ICMSF), 2, 537
 International Organization for Standardization (ISO), 364, 533
 Iron milk medium, 618
 Isocitrate dehydrogenase (IDH), 640
 Isoelectric focusing gels, 197
 Isolation method, 46–49
Isospora, 432
 Johnson Murano Agar, 618–619
 Johnson Murano Semi-Solid Enrichment Broth, 618
 K Agar, 619
 Kanagawa test, 412
 Kaper's Medium, 619
 Keshan disease, 443
 Ketoconazol Agar, 622–623
 KF streptococcal agar, 83–85
 KG agar, 313
 Kim-Goepfert Agar, 619
 Kinyoun stain, 647
Klebsiella, 516, 566
 Kligler Iron Agar, 619
 KM Agar, 619
 Koser's Citrate Medium, 619
 KOT medium, 204
 Kovac's Reagent, 640
 Labeling supplies, 13–14
 Lab-Lemco Meat Extract Powder, 619
 Laboratory quality assurance
 accreditation, 10
 equipment and instrumentation, 5–6
 facilities, 4–5
 general laboratory operations, 2–3
 introduction, 1
 laboratory glassware and plasticware, 7
 management role, 1–2
 media and reagents, 7–9
 personnel, 3
 record keeping, 9–10
 Lactate dehydrogenase (LDH), 640
 Lactic acid bacteria
 beneficial, 204–205
 fermented and acidified products, 521, 526
 fruit beverages, 565
 RiboPrint system, 206
 spoilage, 203–204
 Lactic acid medium, 619
 Lactic agar, 619
 Lactic streak agar, 619–620
 Lactic streptococci, 491, 607
Lactobacillus, 223, 484, 488, 489, 541, 565, 566, 569
Lactobacillus brevis, 522
Lactobacillus casei, 543
Lactobacillus delbrueckii
 Lactobacillus fructivorans, 28, 542, 543
 Lactobacillus Heteroferm Screen Broth, 620
 Lactobacillus plantarum, 522, 543
Lactobacillus selection agar, 620
 Lactococci, 491–492
Lactococcus lactis subsp. cremoris, 486
Lactococcus lactis subsp. lactis, 486
 Lactose broth, 620
 Lactose gelatin medium, 620
 Lamb, 437. *See also* Meat
 Laminar flow hoods, 6
 Latex agglutination, 90, 391
 Lauryl sulfate broth, 620
 Lauryl tryptose broth, 620
 LB Agar, 620
 LBS Oxgall Agar, 620
 Leakage, container, 585
 Lee's Agar, 620
 L-EMB
 E. coli confirmation, 76–77
 general limitations, 71–72
 LES Endo Agar, 620
 Leucine aminopeptidase (LAP), 640
 Leucine dehydrogenase (LED), 640
Leuconostoc, 486, 562, 565
Leuconostoc mesenteroides, 522
 Levine Eosine Methylene Blue Agar, 620
 Lighting, 4
 Limulus amoebocyte lysate (LAL) assay, 99, 163
 Line samples, 21
 Lipases
 confectionery products, 555
 detection, 177
 explanation, 175, 176
 production, 176
 stability, 176–177
 Lipid globule stain, 648
 Lipolytic microorganisms
 enumeration procedures, 178–179
 enzymatic lipid hydrolysis, 175–176
 fat substrates, 178
 food types, 176
 lipase detection, 177
 lipase production, 176
 lipase stability, 176–177
 media, 178
 precautions, 179–180
 reagents, 177–178
 Liquefaction, 453
 Liquid line samples, 21
 Liquid material, 20
 Liquid-phase hybridization, 93–94
Listeria
 cheese, 489
 description and taxonomy, 343–344
 detection and confirmation, 345–346
 ecology, 344

- fruit beverages, 566
- isolation, 45
- serology, 352
- spices, 535
- Listeria Enrichment Broth, 621
- Listeria monocytogenes*
 - data interpretation, 353
 - description and taxonomy of genus, 343–344
 - disease syndrome, 344
 - eggs and egg products, 476
 - enrichment and direct plating methods, 348–350
 - environmental stress, 345
 - epidemiology, 344–345
 - fermented and acidified products, 524
 - food contamination, 345
 - fruit beverages, 566
 - identification from isolation agars, 350–351
 - isolation, 25, 46–48, 50, 346
 - meat, 264, 464, 469
 - media, reagents, and equipment, 346–347
 - pathogenicity, 353
 - precautions and limitations of methods, 347–348
 - production, 518
 - rapid detection methods, 351–352
 - seafood, 499, 507–508, 511, 512
 - serology, 352
 - spices, 534
 - subtyping, 352–353
 - treatment of sample, 346
- Listeria Repair Broth, 621
- Listeriosis, 344–345, 566
- Litmus Milk, 621
- Litmus milk assay, 184, 185
- Liver Broth, 621
- Liver Broth for Mesophilic Anaerobic Sporeformers, 621
- Liver Broth Plus Salt, 621
- Liver Veal Agar, 621
- Liver Veal Egg Yolk Agar, 621
- Lobster. *See* Seafood
- Lognormal distribution, 281
- Low-acid foods
 - canned, 583, 584–585, 592–595
 - culture tests, 592–595
 - mesophilic aerobic sporeformers, 224
 - spoilage causes, 598
- Low contamination levels, 19–20
- Low temperature long time (LTLT) pasteurization, 170–171
- LPM Agar, 621
- LPM Agar Plus Esculin and Ferric Iron, 621
- luc*-based bioluminescence, 115–116
- Lugol's Iodine Solution, 640
- Luria Broth, 622
- lux*-based bioluminescence, 113–115
- Lysine Artginine Iron Agar (LAIA), 622
- Lysine Decarboxylase Broth, 622
- Lysine Iron Agar, 622
- Lysozyme Broth, 622
- Lysozyme resistance, 315
- Lytic phages, 118
- MacConkey Agar, 622
- MacConkey Glucose Agar, 622
- MacFarland Standards, 640
- Macrococcus*, 488
- M 16 Agar, 622
- M 17 Agar, 622
- Malachite green, 648
- Malate dehydrogenase (MDH), 640–641
- Malic enzyme (ME), 641
- Malonate Broth, 622
- Malonate Broth Modified, 622
- Malt Acetic Acid Agar, 622
- Malt Extract Agar, 622
- Malt Extract Yeast Extract, 623
- Malt Extract Yeast Extract Chloramphenicol, 622
- Malt Extract Yeast Extract 50% Glucose Agar, 623
- Malthus-V, 106
- Mannitol-1-phosphate dehydrogenase (MIP), 641
- Mannitol Yolk Polymyxin Agar, 623
- Mannose phosphate isomerase (MPI), 641
- Marinated oil products, 655
- M-Broth, 622
- MD Medium, 623
- Meat
 - foodborne viruses, 449
 - introduction, 463
 - Listeria monocytogenes*, 264
 - parasites, 429, 431, 436–437
 - pathogens, 469
 - raw, 464–466
 - ready-to-eat, 466–469
 - recommended methods, 469
 - Salmonella*, 369
- Meat extracts, 602
- Media
 - adjusting reaction, 603
 - alphabetical listing, 607–636
 - cleaning glassware, 605
 - components, 602
 - dehydrated, 601–602
 - detergent residues, 605
 - enrichment, 288
 - errors in preparation, 7
 - isolation, 285–286
 - performance and sterility testing, 9
 - preparation, 602–603
 - productivity and selectivity testing, 8
 - quality assurance, 49–50
 - quality control, 604–605
 - receipt, 8
 - redox potential, 603
 - sterilization and storage, 603–604
 - storage, 8
 - types, 601
 - water for microbiological applications, 605
- Media minikits, 97–99
- Membrane filter microscope factor (MFMF), 42
- Membrane filtration
 - analysis of microbial content, 65
 - basic principles, 61
 - hydrophobic grid membrane filter, 100–103
 - osmophilic microorganisms, 191
 - rinse solutions, 27
 - soft drinks, 570
- Membrane washing solution, 641
- M-Endo Medium, 623
- Menthyl red indicator for MR test, 641
- Mesophilic aerobic sporeformers
 - classification, 223
 - equipment, materials, and media, 225
 - error sources, 224
 - interpretation, 226
 - modifications, 226
 - nature and characteristics, 223
 - procedures, 225–226
 - significance in food, 223–224

- sources and growth requirements, 223
- spoilage, 224
- Mesophilic anaerobic sporeformers
 - equipment, materials, and media, 232
 - food spoilage, 230–231
 - general considerations, 231–232
 - introduction, 229
 - nonproteolytic anaerobes, 229–230
 - precautions, 232
 - procedures, 232–235
 - proteolytic anaerobes, 229
 - result interpretation, 235
- Metabolic inhibition assays, 119–121
- Methylation solution, 641
- Methylene blue, 648
- MF Endo Broth, 623
- M-Green Yeast and Mold Medium, 623
- M-HPC Agar, 623
- Microaerobic requirements, 304
- Microbacterium*, 484
- Microbicide, 13
- Microbiological monitoring
 - aerosol sampling and measurement guidelines, 34
 - air-sampling strategies, 30–34
 - environmental sampling strategies, 25–26
 - overview, 25
 - rinse solution method, 27
 - surface contract methods, 27–30
- Micrococcus*, 484, 498, 562
- Micrococcus varians*, 392
- MicroID, 98, 363
- Microscope factor (MF), 41
- Microscopic methods
 - canned food, 590–591
 - fluorescence microscopy, 38–40
 - general procedures, 37
 - overview, 37
 - quantitation, 40–42
- Milk. *See also* Dairy products
 - acid-producing bacteria, 490–493
 - concentrated, 487–488
 - dried, 241–242, 254–250, 367–368, 486, 656
 - pasteurized, 484–486
 - proteolytic microorganisms, 183–185
 - raw, 483–484
 - titratable acidity measurement, 656
- Minerals Modified Glutamate Agar, 623
- Mineral water, 573
- Miniaturized diagnostic kits, 96–97
- Miniaturized microbiological methods, 96–97
- Minimal Essential Medium with Earle's Salts, 623
- Minimal Essential Medium with Hank's Salts, 623–624
- Minitek, 98
- Mixers, 14
- Modified Campylobacter Blood-Free Selective Agar, 624
- Modified Cellobiose-Polymyxin-Colistin Agar, 624
- Modified Duncan Strong Medium, 624
- Modified EC Broth, 624
- Modified Fecal Coliform Agar, 624
- Modified Lactic Agar for Yogurt Bacteria, 625
- Modified McBride Agar, 625
- Modified MRS agar, 203–204
- Modified NBB medium, 204, 625
- Modified Nickels and Leesment Agar, 625
- Modified Oxford Agar, 625
- Modified PA 3679 Agar, 625
- Modified Rappaport Broth, 625–626
- Modified SA Agar, 626
- Modified Sodium Lactate Agar, 626
- Modified Sporulation Medium, 624
- Modified Trypticase Soy Broth, 626
- Modified V-P Broth, 626
- Molds. *See also specific molds*
 - confectionery products, 555–558, 562
 - detection and identification, 211–212, 440
 - equipment, materials, and reagents, 210
 - explanation, 209, 439
 - fruit beverages, 565–566
 - general considerations, 209–210
 - heat-resistant, 217–221
 - interpretation, 211
 - mycotoxins, 439–441
 - nut meats, 562, 563
 - precautions, 210
 - procedures, 210–211
 - produce, 516
 - sausages, 468
 - soft drinks, 569, 570
 - spices, 535
- Molecular biological techniques, 450–452
- Molecular typing
 - advantages and disadvantages, 128–129
 - cellular fatty acid analysis, 127, 130–132
 - multilocus enzyme electrophoresis, 132–135
 - overview, 127
 - pulsed field gel electrophoresis, 154–156
 - rapid PCR-based methods, 140–151
 - restriction fragment length polymorphism fingerprinting, 138–140
 - ribotyping, 136–138
 - subtyping techniques, 264–265
- Molluscan shellfish. *See also* Seafood
 - data interpretation, 511–512
 - examination, 508–509
 - international microbiological standards, 512–513
 - introduction, 507–508
 - microbiological procedures, 511
 - rapid methods, 512
 - sample preparation, 509–511
- Monte Carlo analysis, 274–275
- Moraxella*, 498
- Moseley Keeping Quality test, 485
- Most probable number (MPN) techniques
 - Bacillus cereus*, 313
 - basic principles, 58
 - coliforms, 75
 - "completed," 76
 - EC broth, 76
 - limitations, 71
 - LST-MUG, 77
 - mesophilic anaerobes, 231, 234
 - procedures, 58–59
 - table use, 59–61
- Motility enrichment, 47
- Motility-nitrate medium, 626
- Motility test medium, 626
- Motility test medium with TTC, 626
- Motility tests, 314
- MP-5 Medium, 626
- MP-7 Medium, 626–627
- MRS agar/broth, 627
- MRS agar with APT agar overlay, 203
- MRS broth-MPN procedure, 204
- MRS-S agar, 204
- MR-VP broth, 627
- MS agar, 627
- Mucor*, 555, 563

- Mucor species, 211
 Multilocus enzyme electrophoresis (MEE)
 buffer systems, 641–642
 enzymes and foodborne pathogens studies, 134
 explanation, 132–133
 method used, 133, 135
 Multiple replicate sampling, 171–172
 Multiple sampling attribute plans, 17
 Mussels. *See* Molluscan shellfish
 Mycotoxicosis
 confectionery products, 555
 explanation, 441–443
 Mycotoxins
 explanation, 439–440
 molds, 443–444
 nut meats, 562
 test kits, 442, 443
 MYP agar, 313, 315

 NaCl tolerance, 305
Nanophyetus, 435
 NASA Standards for Clean Rooms and Work Stations for the
 Microbially Controlled Environment, 34
 National Bureau of Standards (NBS), 5
 National Food Processors Association (NFPA), 546, 596
 National Food Safety Initiative, 264
 National Marine Fisheries Service (NMFS), 429
 National Oceanographic and Atmospheric Administration (NOAA),
 429, 431
 National Shellfish Sanitation Program (NSSP), 508, 511
 NBT/BCIP color reagent, 642
Neosartorya, 220
Neosartorya fischeri, 220, 565
 Nessler's reagent, 642
 Neutralizing Buffer, 627
 Nitrate Broth, 627
 Nitrate reduction, 305, 315
 Nitrate reduction medium, 627
 Nitrate reduction reagent, 642
 Nonfat dry milk
 bacillus coagulans isolation, 241–242
 reconstituted, 627
 Salmonella, 367–368
 sulfide spoilage, 254–255
 titratable acidity measurement, 656
 Nonproteolytic anaerobes, 229–230
 Normal distribution, 281
 North Aniline oil-methylene blue stain, 648
 Norwalk illness, 448, 450
 Novobiocin solution, 642
 Nucleic acid-based methods
 hybridization, 93–94
 overview, 93
 polymerase chain reaction, 94–95
 Nucleoside phosphorylase (NSP), 642
 Nut meats
 general considerations, 561–562
 introduction, 561
 laboratory tests, 562–563
 microflora, 562
 molds and mycotoxins, 562
 pathogens, 562
 Nutrient agar, 627
 Nutrient agar with manganese, 627
 Nutrient broth, 627
 Nutrient overlay agar, 627

 Ochratoxin A, 441
 Odor, 590
 Oligonucleotide probes, 39
 O157 monoclonal antibody solution, 642
 Osmophilic microorganisms
 equipment, materials, and reagents, 191
 explanation, 187
 general considerations, 190–191
 interpretation, 191–192
 procedures, 191
 Oxford medium, 627–628
 Oxidase reagent, 642
 Oxidase test, 305
 Oxidation-fermentation medium for campylobacter, 628
 Oxidation-fermentation test medium, 628
 Oxoid *Salmonella* latex test, 376
 Oxoid *Salmonella* rapid test, 376
 Oxytetracycline glucose yeast extract agar, 628
 Oysters, 509. *See also* Molluscan shellfish
 Ozone, 574

 Packing, modified-atmosphere, 502–503
 Palcam selective agar, 628
Paragonimus, 435
 Parasites
 foodborne, 429–431, 434–437
 list of, 430–431
 staining eggs, 39
 waterborne, 429–434
 Park and Sanders Enrichment Broth, 628
 Pasta products, 552
 Pasteurization
 dairy products, 484–486
 eggs and egg products, 474
 pickle products, 529
 Pathogenicity
 Escherichia coli, 336–337
 Listeria monocytogenes, 353
 Vibrio, 412–413
 Patulin, 566
 PCA supplemented with chloramphenicol, 210
 PCR. *See* Polymerase chain reaction (PCR)
 PCR buffer without MgCl₂, 642
 PCR machines, 150
 PCR-RFLP, 144
 PCR-Ribotyping, 144–145
 PCR-SSCP, 144
 Pectate lyase, 195, 197
 Pectinesterase, 197
 Pectin gel method, 66, 76
 Pectin lyase, 195
 Pectinolytic microorganisms, 194–198
 Pectolytic microorganisms, 194–198
Pediococcus cerevisiae, 522
 Pe-2 medium, 628–629
Penicillium, 211, 439, 443, 444, 488, 516, 535, 555, 562, 566, 569
Penicillium aurantiogriseum, 444
Penicillium expansum, 443, 518
Penicillium verrucosum, 443, 444
Penicillium viridicatum, 443, 444
 Peptidase (PEP), 643
 Peptone, 602
 Peptone broth, 629
 Peptone sorbitol bile broth, 628
 Peptone/Tween 80 Diluent (PT), 643
 Peptone Tween Salt Diluent (PTS), 643
 Peptone water diluent, 643
 Peptone yeast extract glucose starch agar, 629

Personnel

- equipment maintenance, 6
 - evaluation, 3
 - management, 3
 - safety, 4–5
- Petri dish containers, 606
- Petri dishes, 218, 219, 606
- Petrifilm coliform count plate, 75–76
- Petrifilm *E. coli* count plate, 78
- Petrifilm high-sensitivity coliform count plate, 76
- Petrifilm methods
 - aerobic count, 29–30
 - Enterobacteriaceae*, 74
 - lactic acid bacteria, 205
 - plate, 65–66, 74–76, 78, 157–158
- Petrifilm series 2000 rapid coliform count plate, 76
- Phage-based applications, 120–121
- Phage-based fluorescence, 118–119
- Phage-based reported genes, 113–117
- Phage-linked immunosorbent assays (PHALISA), 121–122
- Phage nucleic acid, 118–119
- Phage probes. *See also* Bacteriophages
 - bacterial viruses, 111–113
 - bacteriophage-based detection methods, 113–122
- Phenol red carbohydrate broth, 629
- Phenol red dextrose broth, 629
- Phenol red sorbitol-mug agar, 629
- Phenotypic typing, 127, 128
- Phenyl alanine deaminase agar, 629
- pH indicators, 47
- pH measurements
 - accuracy, 5
 - canned food, 591, 600
 - electrodes, 654
 - paper, 655–656
 - precautions and limitations, 654–655
 - samples, 21, 23, 654–655
 - standardization, 654
- pH meter, 606, 654
- Phomopsis*, 566
- Phosphate buffer, 643
- Phosphate buffered saline, 643
- Phosphoglucomutase (PGM), 643
- Phosphoglucose isomerase (PGI), 643
- Physiological saline solution 0.85%, 643
- Phytone yeast extract (PYE) agar, 629
- Phytophthora*, 116
- PI Agar, 629
- Pichia*, 541, 569
- Pickles. *See also* Acidified products; Fermented products
 - fish, 502
 - vegetable, 523–524, 529
- Pipette containers, 606
- Pipettes, 606
- Plasticware, 7
- Plate amplification assays, 122
- Plate count agar, 629
- Plate count agar with antibiotic, 629
- Plating swab rinse solutions, 28
- Plating techniques
 - basic principles of, 54
 - labor-saving, 157–158
 - mesophilic anaerobes, 231, 234
 - precautions and limitations of, 54
 - procedures for, 54–58
 - selective, 360–362
 - Shigella*, 382–383
 - with VRBG agar, 74
- Plesiomonas shigelloides*
 - ecology, 296–297
 - equipment, materials, and solutions, 297
 - introduction, 296
 - isolation and identification, 297
 - procedure, 297–298
 - seafood, 499
- PMP broth, 629
- Poisson distribution, 280
- Polygalacturonase, 195, 196
- Polymerase chain reaction (PCR). *See also* Rapid PCR-based methods
 - cholera toxin gene, 410–411
 - explanation, 93
 - foodborne illness, 258, 265, 450, 457
 - procedures, 94–95
 - Shigella*, 383–384
 - Vibrio vulnificus*, 416
- Polypectate gel medium, 629–630
- Polysaccharide precipitant, 643
- Pork, 436–437. *See also* Meat
- Pork plasma-fibrinogen overlay agar, 630
- Potassium hydroxide solution, 643
- Potato dextrose agar, 630
- Poultry. *See also* Meat
 - introduction, 463
 - pathogens, 469
 - raw, 464–466
 - ready-to-eat, 466–469
 - recommended methods, 469
- Pour plate method
 - explanation, 54–57
 - procedures, 65
 - psychrotrophs, 162
- Preenrichment
 - considerations, 46
 - explanation, 45–46
 - Salmonella*, 360, 367–369
- Pre-hybridization/hybridization buffer, 643–644
- Preservative-resistant yeast, 211, 570
- Preservative resistant yeast medium, 630
- Probes, 39
- Processed food
 - foodborne viruses, 449
 - fruit and vegetables, 516–518
 - insufficient processing, 584
- Process inactivation, 451
- Processing equipment systems, 27
- Produce. *See* Fruit; Vegetables
- Propionibacteria, 493
- Protein A peroxidase conjugate, 644
- Proteinase K solution, 644
- Proteolytic anaerobes, 229
- Proteolytic microorganisms
 - equipment, materials, and reagents, 184
 - explanation, 183
 - gelatin agar, 183–184
 - hide power azure assay, 184, 185
 - interpretation, 185
 - litmus milk assay, 184, 185
 - precautions, 185
 - skim milk agar, 183, 184
 - soft agar gelatin overlay method, 184–185
 - standard methods caseinate agar method, 184
 - thin-layer enzyme assay, 184, 185
 - trinitrobenzenesulfonic acid method, 184, 185
- Protease extract agar, 630
- Proteus*, 361
- Protozoan cysts, 39

- Providencia*, 361
- Pseudomonas*, 484, 497, 498, 515, 516, 562
- Psychrotrophic microorganisms
- enumerate methods, 160–162
 - enumeration precautions, 162–164
 - enumeration procedures, 162
 - equipment, media, materials, and reagents, 162
 - food spoilage, 159–160, 463
 - growth, 159
 - overview, 159–160
 - rapid detection, 162–163
 - sample preparation, 162
- Psychrotrophic plate counts, 108
- Psychrophiles
- explanation, 159
 - food spoilage, 159
 - growth, 159
- Pulsed field gel electrophoresis (PFGE)
- E. coli*, 154–156
 - foodborne outbreak investigation, 154, 258, 264
 - introduction, 154
 - protocol choice, 154
- PulseNet, 264
- Purified water, 573
- Purple carbohydrate broth, 630
- Putrefactive anaerobes, 229
- Pyrazinamidase agar, 630
- PYR test, 85
- Quality assurance. *See* Laboratory quality assurance
- Quality control, 604–605
- Quantitative enzymatic methods, 99–100
- Questionnaires, 258, 261
- R2A agar, 631
- RABIT for Windows, 105–106
- Random amplified polymorphic DNA (RAPD), 140–141
- Rapid confirmatory tests, 314
- Rapid detection methods
- Listeria monocytogenes*, 351–352
 - psychrotrophs, 162–163
 - Salmonella*, 362–363, 366–367, 372–373
- RapID One System, 98–99
- Rapid PCR-based methods
- BOX, 144
 - controls, 145
 - explanation, 140
 - genomic DNA preparation, 145–147
 - notes, 149–151
 - PCR-RFLP, 144
 - PCR-Ribotyping, 144–145
 - PCR-SSCP, 144
 - preparation, amplification, detection, and analysis of PCR, 147–149
 - random amplified polymorphic DNA, 140–141
 - REP and ERIC, 141, 144
 - whole cell preparations and crude lysates, 147
- Rappaport-Vassiliadis medium, 630–631
- Raw milk, 483–484
- Reagents
- alphabetical listing, 636–646
 - errors in preparation, 7
 - performance and sterility testing, 9
 - productivity/selectivity testing, 8–9
 - receipt, 8
 - samples, 1–2
 - storage, 8
- Recond keeping, 9–10
- Redigel ColiChrome method, 78
- Redox potential (Eh), 603
- Refrigerators, 6, 606
- Reiser, Conaway, and Bergdoll Method, 397–398
- Reiter's Syndrome, 301–302
- Repetitive extragenic palindromic (REP) elements, 141
- Restriction fragment length polymorphism fingerprinting (RFLP), 138–140
- Reveal Bio-Plate, 78–79
- Reversed passive latex agglutination (RPLA) method, 325
- Rhizoid growth, 314
- Rhizopus*, 555, 563
- Rhodotorula*, 565, 569
- RiboPrint system, 206
- Ribotyping
- automated, 137–138
 - data processing, 137
 - DNA digestion and electrophoresis, 137
 - electrophoretic transfer, denaturation, and UV cross-linking, 137
 - explanation, 136
 - hybridization and detection, 135
 - lysis of bacteria and DNA extraction, 137
 - reagent preparation, 136
- Rinse solution method, 27
- Risk assessment
- applications, 276
 - approaches, 268–270
 - background, 267
 - exposure assessment, 270–271
 - function, 267–268
 - hazard characterization and dose-response assessment, 271–272
 - hazard identification, 270
 - mathematical approaches, 272–274, 280, 281
 - Monte Carlo analysis, 274–275
 - preliminary considerations, 270
 - risk characterization, 272
 - summary, 276–277
 - terminology, 268
 - uncertainty and variability, 275–276
- Risk characterization, 272
- RMW broth/agar, 631
- RODAC plate method, 6, 29
- Rogosa SL broth/agar, 631
- Rope spores, 224–226
- Ropy bread spoilage, 224
- RYU flagella stain, 648
- 6-phosphogluconate dehydrogenase (6PG), 643
- SA Agar, 631
- Sabouraud dextrose agar, 631
- Saccharomyces*, 541, 542, 565
- Saccharomyces bailii*, 28, 542
- Saccharomyces globiformis*, 542
- Saccharum officinarum*, 545
- Salad dressings
- data interpretation, 543–544
 - equipment, materials, and solutions, 542–543
 - flora change in spoilage, 541–542
 - general considerations, 541
 - human disease microorganisms, 542
 - introduction, 541
 - microbial indicators of poor sanitation, 542
 - normal flora, 541
 - recommended methods, 543
- Saline solution, 644
- Salmonella*
- AOAC-RI performance tested methods, 376
 - association, agency, and international methods, 363–364

- biochemical and serological reactions, 358
- biochemical media, 362
- cheese, 489
- confectionery products, 555, 556
- dairy products, 486
- data interpretation, 372
- dry food processing, 26
- eggs and egg products, 475–479
- equipment and supplies, 364–365
- fermented and acidified products, 524, 526
- gums, 537
- hydrophobic grid membrane filter (HGMF), 103, 365, 366, 373
- high-performance liquid chromatography, 121
- identification, 362, 370–372
- introduction, 357
- isolation, 45–47, 50, 357–358, 369–370
- meat, 464, 469
- nut meats, 561, 562
- other methods, 376
- precautions and limitations of methods, 365–367
- preenrichment, 360, 367–369
- produce, 518
- rapid cultural methods, 362–363
- rapid screening tests, 372–375
- risk assessment, 276
- salad dressing, 542
- sampling, 358–360, 364, 365
- selective enrichment, 360
- selective plating media, 360–362
- shellfish, 499, 511, 512
- spices, 535, 536
- Salmonella abettatube*, 50
- Salmonella anatum*, 562
- Salmonella enteritidis*, 475–476
- Salmonella senftenberg*, 562
- Salmonella Shigella* agar, 631
- Salmonella typhi*, 507, 566
- Salmonella typhimurium*, 46–47, 534, 562, 566
- Salmonellosis, 357
- Samples
 - criteria for acceptance, 2
 - equipment, materials, and reagents, 13–14, 27
 - general considerations, 13
 - handling, 2
 - measurement, 653
 - precautions, 14
 - preparation, 655
- Sampling plans
 - definitions, 14–16
 - explanation, 14, 16
 - multiple attribute, 17
 - summary, 20
 - three-class attribute, 17–18
 - variables, 19, 20
- Sampling procedures
 - aseptic, 589–590
 - bulk liquid materials, 20
 - bulk solids or semisolids, 20
 - Campylobacter*, 303–304
 - environmental, 25–26
 - finished products, 20
 - frozen bulk materials, 21
 - homogenates preparation, 22
 - line samples, 21
 - low contamination levels, 19–20
 - pH determinations, 23
 - single, 16–17
 - storage and shipment, 21–22
 - surfaces, equipment and physical plant, 26
 - swab contact methods, 28
 - water activity testing, 21, 23
- Sanitary and Phytosanitary Agreement (World Trade Organization), 276
- Sanitary survey, 451
- Saponification solution, 644
- Saturated salts, 652
- Sausages, 468–469
- Seafood. *See also* Molluscan shellfish
 - breaded and prepared, 500–501
 - contamination, 448
 - cooked crustaceans, 499–500
 - fermented, 502
 - fresh and frozen, 497–499
 - halophilic bacteria, 189
 - introduction, 497
 - methods, 503
 - minced flesh, surimi, and seafood analogs, 501–502
 - modified-atmosphere packaging and storage, 502–503
 - modified MacConkey procedure, 76
 - Norwalk illness, 448
 - parasites, 434–435
 - result interpretation, 503
 - Vibrio*, 405–407, 411, 415
 - viruses, 449, 452, 454
- Sea water agar, 631
- Sedimentation methods, 31
- Selective enrichment
 - Campylobacter*, 304
 - introduction, 46–49
 - Salmonella*, 360
- Selectivity testing, 49–50
- Selenite cystine broth, 631
- Semisolid agar microslide method, 393–397
- Semisolid Brucella-FBP Medium, 631
- Semisolid Brucella Medium, 631
- Semisolid materials, 20
- Sensor contamination, 653–654
- Serological tests
 - Enterococcus*, 85–86
 - Listeria*, 352
 - Salmonella*, 358, 362, 370–371
 - Shigella*, 383, 384
 - Vibrio*, 412
- SE wash solution, 644
- SFP agar with egg yolk, 631
- Shelf-life, 108
- Shellfish. *See* Molluscan shellfish; Seafood
- Shigella*
 - differentiation from *E. coli*, 384
 - in foods, 381–382
 - introduction, 381
 - precautions, 384–385
 - procedures, 382–384
 - produce, 518
 - seafood, 499
- Shigella* broth, 631
- Shigella dysenteriae*, 296, 381
- Shigella flexneri*, 296, 542
- Shigella sonnei*, 296
- Shipment, samples, 21–22
- Shrimp. *See* Seafood
- Sieve samplers, 32
- Simmons citrate agar, 631
- SimPlate, 67, 158
- Single layer plating method, 178
- Single sampling attribute plans, 16–17

- Skim milk agar, 183, 184, 631
- Slit samplers, 32
- Snow Mountain virus, 450
- Sodium carbonate, 644
- Sodium chloride, 644
- Sodium hydroxide, 644
- Sodium lactate agar, 631
- Soft agar gelatin overlay, 184–185, 631
- Soft drinks. *See also* Fruit beverages
 data interpretation, 571
 introduction, 569
 microbiology, 569–570
 recommended methods, 570–571
 sanitation, 570
- Solid line samples, 21
- Solid materials, 20
- Solid-phase hybridization, 93
- Sorbitol-MacConkey agar, 333, 631
- Soy protein products
 factors affecting bioload, 551–552
Salmonella, 368
 sulfide spoilage, 255
- Sparkling bottled water, 573
- Special purpose samples, 21
- Special structural stains, 38–39
- Spicer-Edwards EN Complex Antibody Solution, 644
- Spices
 data interpretation, 537–538
 general considerations, 534
 introduction, 533
 methods, 537
 normal flora, 534–535
 post-harvest changes, 535–536
 procedures, 536–537
Salmonella, 368
- Spiral plate method, 66
- Spoilage
 canned foods, 583–600
 lactic acid bacteria, 203–205
 mesophilic aerobic sporeformers, 224
 mesophilic anaerobic sporeformers, 230–231
 psychrotrophic microorganisms, 159–160
 thermophilic, 584–585
- Sponge contact method, 28–29
- Sporeformers
 aciduric flat sour, 239–243
 canned foods, 584, 585
 frozen dairy products, 253–255
 mesophilic aerobic, 223–226
 mesophilic anaerobic, 229–235
 sulfide spoilage, 253–255
 thermophilic anaerobic, 249–251
 thermophilic flat sour, 246–248
- Spores, rope, 224–226
- Spore stain, 648
- Sporolactobacillus*, 223
- Sporolactobacillus inulinus*, 223
- Sporovibrio*, 253
- Spread plate method
 explanation, 57–58, 65
 psychrotrophs, 162
- Spring water, 573
- Sprouts (vegetable), 516
- SS Agar, 631
- SSC/SDS, 644
- SS-Deoxycholate agar, 632
- Stabilizer solution, 644
- ST agar, 632
- Stains
 to detect fungi, 211–212
 differential, 38
 direct, 38
 gram, 38
 special structural, 38–39
 types, 646–648
- Standard curve, 652
- Standard methods agar, 632
- Standard methods caseinate agar, 184, 632
- Standard Methods for the Examination of Dairy Products (SMEDP), 2, 5, 8, 34
- Standard Procedures for the Microbiological Examination of Space Hardware, 34
- Standard reference samplers, 34
- Standard saline citrate (SSC) solution, 644
- Staphylococcal enterotoxins
 examination, 393–397
 in foods, 397–400
 general considerations, 392–393
 introduction, 387–388
- Staphylococcus*
 dairy products, 486, 487, 489
 salad dressing, 542
- Staphylococcus aureus*
 confectionery products, 555
 equipment, reagents, and media, 390
 introduction, 387–388
 isolation, 388–389
 meat, 464, 469
 precautions and limitations of methods, 389–390
 procedures, 390–392
 salad dressing, 542
 seafood, 499
 spices, 534
- Staphylococcus epidermidis*, 292, 387
- Staphylococcus hyicus*, 389
- Staphylococcus intermedius*, 387, 389
- Starches
 data interpretation, 547
 general considerations, 545–546
 introduction, 545
 normal and indicator flora, 546
 pathogens, 547
 recommended methods, 547
 spoilage organisms, 546–547
- Steam sterilization, 604
- Sterile water, 573
- Sterility testing
 glassware and plasticware, 7
 media and reagents, 9, 49
 results, 109–110
 ultra-high temperature products, 109
- Sterilization
 filter, 604
 hot-air, 6, 604
 procedure, 603–604
 steam, 604
- Storage, 21–22, 603–604
- Storage areas, 4
- Storage buffer, 644
- Storage materials, 38–39
- Streaking technique, 48
- Streptococcus*, 484, 488, 562
- Streptococcus faecalis*, 518, 522, 534
- Streptococcus thermophilus*, 489, 492
- Streptococcus viridans*, 542
- Sublethal injury, 107

- Subtyping
Campylobacter, 306
Listeria monocytogenes, 352–353
 molecular, 264–265
- Sugar blooms, 555
- Sugar confectionery products, 554. *See also* Confectionery products
- Sulfide spoilage sporeformers
 equipment, materials, and reagents, 254
 general considerations, 253–254
 interpretation, 255
 introduction, 253
 procedure, 254–255
- Sulfite agar, 632
- Sulfobacillus*, 566
- Surface contact methods, 27–28
- Surface plate method
 explanation, 57–58, 65
Staphylococcus aureus, 391
- Surface rinse technique, 303
- Surimi, 501
- Suspect products testing, 451–452
- Swab contact method, 27–28
- Swab sample technique, 303
- Sweeteners
 data interpretation, 547
 general considerations, 545–546
 introduction, 545
 normal and indicator flora, 546
 pathogens, 547
 recommended methods, 547
 spoilage organisms, 546–547
- Synthetic sea water, 632
- Taenia saginata*, 437
- Taenia solium*, 437
- Tag DNA polymerase, 150
- Talaromyces*, 220–221
- Tartaric acid solution, 644
- TBE buffer, 644
- TE buffer, 644–645
- TECRA Unique *Salmonella* Screening Test, 376
- Teleomorph, 220
- Tellurite-Cefixime Sorbitol MacConkey Agar (TC-SMAC), 333–334, 632
- Temperature, laboratory, 4
- Temperature abuse, 108–109
- Temperature control, 49
- Tergitol 7 agar, 632
- Tergitol anionic 7, 645
- Tetrathionate broth, 632
- Thermal processing, 556
- Thermoacidurans Agar, 632
- Thermodurics, 167–172
- Thermometers
 accuracy, 5, 13
 use, 606–607
- Thermophilic anaerobe, 585
- Thermophilic anaerobic sporeformers
 equipment, materials, and solutions, 249
 general considerations, 249
 interpretation, 251
 introduction, 249
 precautions, 250
 procedures, 250–251
- Thermophilic flat sour sporeformers
 equipment, materials, and reagents, 246
 general considerations, 245–246
 introduction, 247
 precautions, 246
 procedure, 246–247
 result interpretation, 247–248
- Thermophilic spoilage, 584–585
- Thin-layer enzyme assay, 184, 185
- Thin-layer enzyme assay plate, 632
- Thioglycollate agar, 632
- Thiosulfate citrate bile salts sucrose agar, 632
- Three-class attribute plans, 17–18
- Threonine dehydrogenase (THD), 645
- Titrateable acidity, 527, 656
- TMAO, 305
- T₁N₁ agar/broth, 632
- Toluidine blue agar, 632
- Toluidine blue DNA agar, 632–633
- Tomatoes, 239–241, 243
- Tomato liver broth, 633
- Torula*, 488
- Torulopsis*, 565, 566, 569
- Torulopsis etchellsii*, 555
- Toxicity testing, 7
- Toxigenic fungi
 equipment, materials, and reagents, 444
 explanation, 439
 fruit beverages, 566
 media and procedures, 444
 precautions, 444
- Toxin neutralization tests, 321
- Toxoplasma*, 436
- Toxoplasma gondii*, 431, 436
- Triangular distribution, 281
- Trichinella spiralis*, 431, 436
- Trichothecenes, 441
- Trichuris trichiura*, 429
- Tricothecium*, 555
- Trimethylamine N-oxide medium, 633
- Trinitrobenzenesulfonic acid (TNBS) method, 184, 185
- Triphenyltetrazolium chloride (TTC), 645
- Triple sugar iron agar, 633
- Tris buffered saline (TBS), 645
- Tris buffer 1.0 M, 645
- Tris EDTA, 645
- Triton X-100, 645
- Trypsin stock solution, 645
- Trypticase peptone agar, 235, 633
- Trypticase peptone glucose yeast extract broth, 633
- Trypticase soy agar/broth, 633
- Trypticase soy agar plus 3% NaCl, 633
- Trypticase soy agar–yeast extract, 633
- Trypticase soy broth–yeast extract, 633
- Trypticase soy polymyxin broth, 633
- Trypticase-soy-sheep blood agar, 633–634
- Trypticase-soy-tryptose broth, 634
- Tryptic soy agar/broth, 634
- Tryptic soy agar-magnesium sulfate-NaCl, 634
- Tryptic soy-fast green agar, 634
- Tryptone bile agar, 634
- Tryptone broth, 634
- Tryptone glucose extract agar, 634
- Tryptone glucose yeast agar, 634
- Tryptone glucose yeast extract acetic acid agar, 634
- Tryptone glucose-yeast extract agar, 634
- Tryptone phosphate broth, 634
- Tryptophan broth, 634
- Tryptose agar, 634
- Tryptose cycloserine dextrose, 235
- Tryptose cycloserine dextrose agar, 634
- Tryptose-sulfite cycloserine agar, 634–635
- TSAYE plate, 350, 351

- TSI cultures, 370
 TTNE buffer, 645
 Tubed media, 48–49
 Turbidimetry, 119–120
 Turkey X Disease, 439
 Tyrosine decomposition, 315
- Ultra-high temperature products, 109
 Uniform distribution, 281
 Universal beer agar, 204, 634–635
 Urea broth, 634–635
 UVM broth, 634–635
- Vacuum measurement, 588–589
 Variables sample plans, 19
 Vaspar, 645
 Veal infusion agar and broth, 634–635
 Vegetables
 data interpretation, 518
 fermented and acidified, 521–529
 foodborne viruses, 449
 fresh, 515–516
 introduction, 515
 processed, 516–518
 recommended methods, 518
 Ventilation, 4
Verticillium, 555
Vibrio, 296
 distribution and sources of contamination, 406
 equipment, materials, and reagents, 408–409
 general considerations, 407–408
 interpretation, 416
 introduction, 405–406
 isolation methods, 406–407
 precautions, 409
 procedures, 409–416
 shellfish, 507, 511
Vibrio alginolyticus, 405, 406, 507
Vibrio cholerae, 405–407, 409–411, 416, 498, 507, 512
Vibrio damsela, 507
Vibrio fluvialis, 405, 406, 507
Vibrio furnissii, 405, 406
Vibrio hollisae, 405, 406, 507
Vibrio metschnikovii, 405, 406
Vibrio mimicus, 405, 416, 507
 Vibrionaceae, 283, 286, 297. *See also* *Aeromonas*
Vibrio parahaemolyticus, 405–407, 411–415, 497, 498, 507, 512
Vibrio parahaemolyticus sucrose agar, 635
 Vibriostatic agent O/129, 645
Vibrio vulnificus, 405–407, 415–416, 498, 507
Vibrio vulnificus agar, 635
 Violet red bile agar, 635
 Violet red bile agar-glucose, 635
 Violet red bile agar-mug, 635
 Viruses. *See also* Bacteriophages
 foodborne, 447–457
 molecular subtyping techniques, 265
 PCR to detect, 95
 Voges-Proskauer Test Reagents, 645
 VP tests, 315
 Vracko-Sherris Indole Reagent, 645–646
 VRBA/MUG method, 77–78
 VRBG, 74, 75
- Wagatsuma agar, 635
 Wang's transport/storage medium, 635–636
 Wash solutions, 646
- Water
 artesian, 573
 bottled, 573–576
 laboratory-grade, 4
 microbiological applications, 605
 sample preparation, 655
 Water activity
 calibration, 652–653
 confectionery products, 555
 equipment, 650–652
 measurement, 649–650
 precautions and limitations, 653–654
 samples, 21, 23
 selective media, 47
 Water baths, 6, 607
 Waterborne parasites
 amoebae, 431–432
 Balantidium coli, 432
 Cryptosporidium, 433
 Cyclospora, 433
 Giardia, 432
 introduction, 429–431
 Isospora, 432
 Well water, 573
 Wine, 655, 656
 World Health Organization, 364
 World Trade Organization (WTO), 276
- Xanthomonas*, 562
 Xerophilic fungi, 211
 Xylose-lysine-desoxycholate agar (XLD), 636
- Yeast extract agar, 235, 636
 Yeast extracts, 602
 Yeasts
 confectionery products, 555–558
 detection and identification, 211–212
 equipment, materials, and reagents, 210
 explanation, 209
 fermented and acidified products, 522, 525–526
 fruit beverages, 565, 566
 general considerations, 209–210
 interpretation, 211
 nut meats, 563
 osmophilic, 187, 190
 precautions, 210
 procedures, 210–211
 salad dressings, 542
 sausages, 468
 soft drinks, 569, 570
 sweeteners, 546
Yersinia
 analysis in foods, 422–426
 identification tests, 426
 introduction, 421–422
Yersinia agar, 636
Yersinia enterocolitica, 421–425, 476, 499
Yersinia pseudotuberculosis, 422, 426
 Yogurt, 489–490, 492
- Zearalenone, 441
 Ziehl-Neelsen's Carbol Fuchsin Stain, 648
Zygosaccharomyces, 541, 543, 569, 570
Zygosaccharomyces bailii, 569
Zygosaccharomyces rouxii, 555
Zymomonas, 518