

## Supercritical Fluids as Solvents and Reaction Media



Edited by G. Brunner

## Supercritical Fluids as Solvents and Reaction Media

Edited by

## **G. BRUNNER**

Technische Universität Hamburg-Harburg Department of Chemical Engineering Eissendorfer Strasse 38 D-21073 Hamburg, Germany



Amsterdam – Boston – Heidelberg – London – New York – Oxford – Paris San Diego – San Francisco – Singapore – Sydney – Tokyo

## TABLE OF CONTENTS

Preface Contents		v vii
1	Phase Equilibrium Solubility	1
1.1	H Gardeler and I Gmehling	3
	Experimental determination of phase equilibria and comprehensive	5
	examination of the predictive capabilities of group contribution equations	
	of state with a view to the synthesis of supercritical extraction processes	
1.2.	H. Dörr, M. Kinzl, G. Luft and O. Ruhl	39
	Influence of additional components on the solvent power of	
	supercritical ethylene	
1.3.	C. Beyer and L. R. Oellrich	61
	High Pressure Phase Equilibria of Copolymer Solutions – Experiments	
	and Correlation	
1.4.	A. Stratmann, G. Schweiger	85
	Fluid phase equilibria of binary mixtures with supercritical solvents	
15	D. Tume, P. Wagner and C. M. Schneider	121
1.5.	High pressure solubility measurement of solids in peer, and	121
	supercritical fluids	
16	M Türk A Diefenbacher and G Unner	147
1.0.	Phase behaviour of organic solid solutes and supercritical fluids	147
	with respect to particle formation processes	
1.7.	G. Sieder and G. Maurer	163
	Supercritical carbon dioxide as solvent for organic compounds	
	present in aqueous salt solutions	
1.8.	U. K. Deiters	185
	Correlation and prediction of high-pressure phase equilibria and related	
	thermodynamic properties of simple fluid mixtures	
1.9.	L. V. Yelash und T. Kraska	211
	Development of simplified equation of state for molecular fluids	
	and their applications for the investigation of supercritical chain molecule	
1.10	Th Kraska K O Leonhard L Jurtzik D Tuma and G M Schneider	241
1.10.	Correlation of the solubility of low-volatile organic compounds	241
	in near- and supercritical fluids based on an accurate equation of state	
1.11.	E. Weidner, C. Brake and D. Richter	269
	Thermo- and fluiddynamic aspects of the hydrogenation of triglycerides	207
	and esters in presence of supercritical fluids	
1.12.	J. Gross and G. Sadowski	295
	Perturbed-Chain-SAFT: development of a new equation of	
	state for simple, associating, multipolar and polymeric compounds	
1.13.	B. W. Wenclawiak, A. Wolf and S. Wilnewski	323
	Extractability of As-chelates and solubility of different Rh, Pd-chelates	
	in supercritical fluid CO <sub>2</sub>	

2	Properties	341
2.1.	T. Groß, Liuping Chen, HD. Lüdemann <i>P.T.</i> dependence of molecular mobility in supercritical fluids studied	343
	by high pressure NMR	
2.2.	R. Eggers and P. Jaeger	363
	Interfacial Phenomena in Countercurrent and Spray Processing Using Supercritical Fluids	
3.	Formulation	379
3.1.	I. Smirnova and W. Arlt	381
	Synthesis of silica aerogels and their application as drug delivery system	
3.2.	A. Weber, R. Kümmel and T. Kraska	429
	Investigation and Modelling of the Gas-Antisolvent Process	
3.3.	M. Türk, B. Helfgen, P. Hils, R. Lietzow and K. Schaber	449
	Formation of nanoscale drugs by Rapid Expansion of Supercritical Solutions (RESS): – Experimental and theoretical investigations –	
4.	Extraction	463
4.1.	O. Becker and G. Heydrich	465
	Separation efficiency and axial mixing in packed high pressure	
42	G Brunner and M Budich	489
1.2.	Separation of organic compounds from aqueous solutions by means of supercritical carbon dioxide	407
4.3.	D.K. Breitinger, A. Bogner, M. Lauter and R. Loos	523
	Supercritical SO <sub>2</sub> for preparation of sulfur dioxide complexes and	010
	for recovery of precious metals from used catalysts	
5.	Reactions	531
5.1.	W. Steffen, U. Scherf, L. Berger, J. Kaddam, A. Schlewing, R. Güntner	533
	Polymerizations in Supercritical Carbon Dioxide: Surfactants,	
	Micelle Formation, and Heterophase Polymerization	
5.2.	U. Fehrenbacher, M. Ballauff	559
	The kinetics of the early stage of dispersion polymerization in	
53	supercritical $CO_2$	573
5.5.	Rate coefficients of free-radical polymerization in homogeneous	515
	fluid mixtures with carbon dioxide	
5.4.	W. Mormann, H. Jung and D. Spitzer	593
	Ammonia as reagent or reaction medium for polymers	
5.5.	H. Vogel, C. Kaul, Th. Richter, W. Henk and S. Hain	617
	Inorganic materials (metals, ceramics, glasses) under the influence	
	of reactants in supercritical aqueous solutions as well as	
	Chemical reactions (partial oxidations, hydrolysis, dehydrations) under	
	the influence of inorganic materials in supercritical aqueous solutions	

Index

viii

635