



1053
NORMEN Y CEMENTO
C:



Technical Report No.

61

Enhancing reinforced concrete durability



Guidance on selecting measures for minimising the risk of corrosion of reinforcement in concrete

P.B. Bamforth

7053
HARMON
C:

Enhancing reinforced concrete durability

Guidance on selecting measures for minimising the risk of
corrosion of reinforcement in concrete

P.B. Bamforth

INTI - CONSTRUCCIONES
BIBLIOTECA

The Concrete Society

CONTENTS

Acknowledgmentsvii

Executive summaryviii

Terminologyix

PART ONE:

GUIDANCE ON SELECTING MEASURES FOR ENHANCING REINFORCED CONCRETE DURABILITY

1	INTRODUCTION	3
1.1	Background	
1.2	The problem	
1.2.1	Actions on the structure	
1.2.2	Resistance of the concrete	
1.3	Current approach to design for durability	
1.4	Introduction to deterioration mechanisms	
1.4.1	The corrosion process	
1.4.2	Carbonation-induced corrosion	
1.4.3	Chloride-induced corrosion	
1.5	Project outputs	
	References	
2	CODE RECOMMENDATIONS	11
2.1	Introduction	
2.2	Codes of practice, guidance documents and notes	
2.3	Design philosophy and objectives	
2.4	Exposure environment	
2.5	Constituent materials	
2.6	Recommendations for preventing reinforcement corrosion	
	References	
3	MODELLING DETERIORATION PROCESSES	23
3.1	Introduction	
3.2	Carbonation-induced corrosion	
3.2.1	Mechanisms of carbonation and corrosion	
3.2.2	Model for predicting carbonation-induced corrosion	

3.2.3	Information required for service-life design	
3.2.4	Selected conditions for benchmarking	
3.2.5	Assumptions for benchmarking	
3.2.6	Predicted times to corrosion and cracking	
3.3	Chloride-induced corrosion	
3.3.1	Mechanisms of chloride ingress and corrosion	
3.3.2	Models for predicting chloride ingress	
3.3.3	Information required for service-life prediction	
3.3.4	Selected structures for benchmarking	
3.3.5	Assumptions used for benchmarking	
3.3.6	Predicted times to corrosion activation	
	References	
4	IMPROVING THE RESISTANCE OF THE CONCRETE COVER BY SELECTION OF CEMENTING MATERIALS	33
4.1	Introduction	
4.2	Pulverised fuel ash	
4.2.1	The material	
4.2.2	Use in concrete	
4.2.3	Standards and approval	
4.2.4	Influence on durability	
4.2.5	Issues relating to design, concrete production and construction	
4.3	Ground granulated blastfurnace slag	
4.3.1	The material	
4.3.2	Use in concrete	
4.3.3	Standards and approval	
4.3.4	Influence on durability	
4.3.5	Issues relating to design, concrete production and construction	
4.4	Silica fume	
4.4.1	The material	
4.4.2	Use in concrete	
4.4.3	Standards and approval	
4.4.4	Influence on durability	
4.4.5	Issues relating to design, concrete production and construction	

4.5	Metakaolin	
4.5.1	The material	
4.5.2	Use in concrete	
4.5.3	Standards and approval	
4.5.4	Influence on durability	
4.5.5	Issues relating to design, concrete production and construction	
	References	
5	IMPROVING THE RESISTANCE OF THE CONCRETE COVER BY THE USE OF ADMIXTURES AND FIBRES	45
5.1	Introduction	
5.2	Plasticising admixtures	
5.2.1	The material	
5.2.2	Use in concrete	
5.2.3	Standards and approval	
5.2.4	Influence on durability	
5.2.5	Issues relating to design, concrete production and construction	
5.3	Superplasticisers	
5.3.1	The material	
5.3.2	Use in concrete	
5.3.3	Standards and approval	
5.3.4	Influence on durability	
5.3.5	Issues relating to design, concrete production and construction	
	5.3.6 Supplementary information	
5.4	Integral water repellents	
5.4.1	The material	
5.4.2	Use in concrete	
5.4.3	Influence on durability	
5.4.4	Issues relating to design, concrete production and construction	
	5.4.5 Supplementary information	
5.5	Pore blockers	
5.5.1	The material	
5.5.2	Use in concrete	
5.5.3	Standards and approval	
5.5.4	Influence on durability	
5.5.5	Issues relating to design, concrete production and construction	
	5.5.6 Supplementary information	
5.6	Steel fibres	
5.6.1	The material	
5.6.2	Use in concrete	
5.6.3	Standards and approval	
5.6.4	Influence on durability	
5.6.5	Issues relating to design, concrete production and construction	
	5.6.6 Supplementary information	

5.7	Plastic fibres	
5.7.1	The material	
5.7.2	Use in concrete	
5.7.3	Standards and approval	
5.7.4	Influence on durability	
5.7.5	Issues relating to design, concrete production and construction	
5.8	Glass fibres	
5.8.1	The material	
5.8.2	Use in concrete	
5.8.3	Standards and approval	
5.9.4	Influence on durability	
5.8.5	Issues relating to design, concrete production and construction	
	References	
6	IMPROVING THE RESISTANCE OF THE SURFACE	57
6.1	Introduction	
6.2	Classification of surface coatings and impregnation	
6.3	Surface barrier coats	
6.3.1	The materials	
6.3.2	Use on concrete	
6.3.3	Standards and approval	
6.3.4	Influence on durability	
6.3.5	Issues relating to design, concrete production and construction	
6.4	Surface impregnants	
6.4.1	The materials	
6.4.2	Use on concrete	
6.4.3	Standards and approval	
6.4.4	Influence on durability	
6.4.5	Issues relating to design, concrete production and construction	
6.5	Controlled permeability formwork	
6.5.1	Description of the technique	
6.5.2	Standards and approval	
6.5.3	Influence on durability	
6.5.4	Issues relating to design, concrete production and construction	
	6.5.5 Supplementary information	
6.6	GRC permanent formwork	
6.6.1	Description of the technique	
6.6.2	Standards and approval	
6.6.3	Influence on durability	
6.6.4	Issues relating to design, concrete production and construction	
	6.6.5 Supplementary information	
	References	

7	IMPROVEMENTS IN TOLERANCE TO CARBONATION AND CHLORIDES	75	9	THE SELECTION PROCESS	97
7.1	Introduction		9.1	Introduction	
7.2	Chemical admixtures – corrosion inhibitors		9.2	General procedure for durability design	
7.2.1	The material		9.2.1	Specify the service life	
7.2.2	Use in concrete		9.2.2	Define the exposure environment	
7.2.3	Standards and approval		9.2.3	Identify minimum requirements of the code	
7.2.4	Influence on durability		9.2.4	Predict the service life	
7.2.5	Issues relating to design, concrete production and construction		9.2.5	Compare predicted life with required service life	
7.2.6	Supplementary information		9.2.6	Select appropriate system	
7.3	Epoxy-coated reinforcement		9.2.7	Short list by introducing other factors	
7.3.1	The material		9.2.8	Optimise the short-listed options	
7.3.2	Use in concrete		9.2.9	Select appropriate combinations of measures	
7.3.3	Standards and approval		9.3	Examples of application of the predictive model	
7.3.4	Influence on durability		9.4	Life-cycle costing	
7.3.5	Issues relating to design and construction		9.4.1	Introduction	
7.3.6	Supplementary information		9.4.2	Life-cycle costing procedures	
7.4	Galvanised steel		9.4.3	Discussion	
7.4.1	The material		9.4.4	Summary	
7.4.2	Use in concrete			References	
7.4.3	Standards and approval				
7.4.4	Influence on durability				
7.4.5	Issues relating to design and construction				
7.4.6	Supplementary information				
	References				
8	AVOIDING THE CORROSION PROCESS	85		PART TWO:	
8.1	Introduction			SUPPLEMENTARY TECHNICAL REPORTS	109
8.2	Austenitic stainless steel				
8.2.1	The material		10	MODELLING CARBONATION RATES USING THE CONCEPT OF EQUIVALENT CHEMICAL BUFFERING CAPACITY	111
8.2.2	Use in concrete		10.1	Introduction	
8.2.3	Standards and approval		10.2	Wierig, 1984	
8.2.4	Influence on durability		10.2.1	Data provided	
8.2.5	Issues relating to design and construction		10.2.2	Carbonation rates	
8.2.6	Supplementary information		10.2.3	Buffering capacity	
8.3	Non-metallic reinforcement		10.2.4	Relating carbonation rate to buffering capacity	
8.3.1	The material		10.2.5	Predicting carbonation depths	
8.3.2	Use in concrete		10.3	Hobbs, 1988 and 1994	
8.3.3	Standards and approval		10.3.1	Data provided	
8.3.4	Influence on durability		10.3.2	Carbonation rates	
8.3.5	Issues relating to design and construction		10.3.3	Buffering capacity	
8.4	Cathodic prevention		10.4	Nagataki <i>et al.</i> , 1986	
8.4.1	Description of the technique		10.4.1	Data provided	
8.4.2	Use of cathodic protection		10.4.2	Carbonation rates	
8.4.3	Standards and approval		10.4.3	Buffering capacity	
8.4.4	Influence on durability		10.5	Skjolsvold, 1986	
8.4.5	Issues relating to design and construction		10.5.1	Data provided	
	References		10.5.2	Carbonation rates	
			10.5.3	Buffering capacity	
			10.6	Development of a general model	
			10.6.1	Comparison of data sources	
			10.6.2	Global analysis of data	
			10.6.3	Normalised values of carbonation rate	

- 10.7 Development of a design method
 - 10.7.1 Deriving design curves and constants
 - 10.7.2 Procedure for predicting carbonation
 - 10.7.3 Predicting the corrosion rate
- 10.8 The spreadsheet model
- 10.9 Rationale behind the proposed model
- 10.10 Conclusions
 - References

APPENDIX EXAMPLES OF CARBONATION MODELS 125

- 10.A.1 Carbonation model of CEB TG V, 1+2
- 10.A.2 Carbonation model of P. Schiessl
- 10.A.3 Carbonation model of L.J. Parrott
- 10.A.4 Carbonation model of K. Tuutti
- 10.A.5 Carbonation model from R. Bakker

11 A PREDICTIVE MODEL FOR CHLORIDE-INDUCED CORROSION 127

- 11.1 Introduction
- 11.2 Corrosion activation and cracking
- 11.3 Predicting chloride ingress and the onset of corrosion
 - 11.3.1 Factors influencing chloride ingress
 - 11.3.2 Approach to modelling
- 11.4 Quantifying the input parameters
 - 11.4.1 Level of chloride at the surface
 - 11.4.2 Apparent diffusion coefficient
 - 11.4.3 Threshold levels for corrosion
- 11.5 Corrosion rate
- 11.6 Time to cracking
- 11.7 Influence of temperature
 - 11.7.1 Influence of temperature on rate of chloride ingress
 - 11.7.2 Influence of temperature on chloride threshold level
- 11.8 Dealing with additional protection strategies
 - 11.8.1 Integral waterproofers
 - 11.8.2 Corrosion inhibitors
 - 11.8.3 Type of reinforcement
 - 11.8.4 Controlled permeability formwork
 - 11.8.5 Permanent GRC formwork
 - 11.8.6 Coatings and surface treatments
- 11.9 The spreadsheet model
- 11.10 Comparison with observed data
 - 11.10.1 Predicting chloride penetration
 - 11.10.2 Predicting corrosion
- 11.11 Selection of design input data in relation to the level of risk
- 11.12 Example application
- 11.13 Conclusions
 - References

12 SERVICE-LIFE DESIGN AND PREDICTIVE MODELLING 147

- 12.1 Introduction
- 12.2 Basic concepts
- 12.3 Probabilistic model for chloride-induced corrosion
 - 12.3.1 The deterministic equations used
 - 12.3.2 The probability function
 - 12.3.3 Taking account of uncertainty
 - 12.3.4 Variability of cover
 - 12.3.5 Uncertainty about threshold levels
 - 12.3.6 Review of input parameters and distribution functions
- 12.4 Modelling corrosion propagation
 - References

13 LIFE-CYCLE COST MODELLING USING PROBABILISTIC ANALYSIS 153

- 13.1 General approach
- 13.2 Using probabilistic analysis to predict deterioration
 - 13.2.1 The approach
 - 13.2.2 Input data
 - 13.2.3 Example for chloride-induced corrosion of reinforcement
- 13.3 Spreadsheet model for life-cycle costing
 - 13.3.1 Financial data
 - 13.3.2 Capital costs
 - 13.3.3 Time-dependent costs
 - 13.3.4 Design life and rate of deterioration
 - 13.3.5 The life-cycle cost
- 13.4 The spreadsheet

14 EXAMPLE APPLICATION OF PROBABILISTIC MODELLING AND LIFE-CYCLE COST ANALYSIS 159

- 14.1 Purpose
- 14.2 The design elements
- 14.3 Methodology
- 14.4 Results and discussion

PART THREE: SUPPLEMENTARY DATA REPORTS 163

15 BACKGROUND INFORMATION ON PORTLAND CEMENT CONCRETE 165

- 15.1 Chloride-induced corrosion
 - 15.1.1 Primary factors
 - 15.1.2 Surface chloride levels
 - 15.1.3 Chloride diffusion coefficient
 - 15.1.4 Chloride threshold level
- 15.2 Carbonation
 - References

16	BACKGROUND INFORMATION ON CONCRETES CONTAINING PULVERISED FUEL ASH	173
16.1	Chloride-induced corrosion	
16.1.1	Primary factors	
16.1.2	Surface chloride levels	
16.1.3	Chloride diffusion coefficient	
16.1.4	Chloride threshold level	
16.2	Carbonation	
	References	
17	BACKGROUND INFORMATION ON CONCRETES CONTAINING GROUND GRANULATED BLAST FURNACE SLAG	181
17.1	Chloride-induced corrosion	
17.1.1	Primary factors	
17.1.2	Surface chloride levels	
17.1.3	Chloride diffusion coefficient	
17.1.4	Chloride threshold level	
17.2	Carbonation	
	References	
18	BACKGROUND INFORMATION ON CONCRETES CONTAINING MICROSILICA	187
18.1	Chloride-induced corrosion	
18.1.1	Primary factors	
18.1.2	Surface chloride levels	
18.1.3	Chloride diffusion coefficient	
18.1.4	Chloride threshold level	
18.2	Carbonation	
	References	
19	BACKGROUND INFORMATION ON CONCRETES CONTAINING METAKAOLIN	195
19.1	Chloride-induced corrosion	
19.1.1	Primary factors	
19.1.2	Chloride diffusion coefficient and surface chloride levels	
19.1.3	Chloride threshold level	
19.2	Carbonation	
	References	
	INDEX	201

ACKNOWLEDGEMENTS

The following companies are thanked for their assistance in the collation of this report. Appreciation is also extended to those companies and individuals, too numerous to mention, that provided information and comments.

Taywood Engineering Ltd
Department of the Environment
Allied Bar Coaters
BCA
Cementitious Slag Makers Association
Cem-fil International
CIS Construction Products

The Concrete Society
Elkem Chemicals Ltd
ECC International Ltd
Fosroc International Ltd
Grace Construction Products
Quality Ash Association
Stainless Steel Reinforcement Ltd