



The Textile Institute

# Textile Progress

September 2011

Vol 43 No 3

ISSN 0040-5167

ISBN-13: 978-0-415-50603-8

ISBN-10: 0-415-50603-8

**Nanotechnology – a new route to  
high-performance functional textiles**

M. Joshi  
and A. Bhattacharyya



Taylor & Francis  
Taylor & Francis





# CONTENTS

|  |     |
|--|-----|
| 1. Introduction  | 156 |
| 2. From functional to smart and intelligent textiles                 | 156 |
| 3. Nanotechnology in multifunctional, smart and intelligent textiles | 157 |
| 3.1. Nanofinishing   | 159 |
| 3.1.1. Oil and water repellent nanofinishes                          | 160 |
| 3.1.2. Super hydrophobic nanofinishes                                | 162 |
| 3.1.3. Photocatalytic self-cleaning nanofinishes                     | 164 |
| 3.1.4. Hydrophilic nanofinishes                                      | 165 |
| 3.1.5. Antibacterial nanofinishes                                    | 166 |
| 3.1.6. UV protective nanofinishes                                    | 170 |
| 3.1.7. Antistatic nanofinishes                                       | 170 |
| 3.2. Nanocoating   | 171 |
| 3.2.1. Self-assembly based nanocoating                               | 172 |
| 3.2.2. Plasma polymerization assisted nanocoating                    | 172 |
| 3.2.3. Sol-gel   | 174 |
| 3.2.4. Layer-by-layer  | 176 |
| 3.2.5. Other nanocoating techniques                                  | 177 |
| 3.3. Nanocomposite coating   | 178 |
| 3.3.1. Clay based nanocomposite coating                              | 179 |
| 3.3.2. Silica based nanocomposite coating                            | 182 |
| 3.3.3. Carbon nanomaterial based nanocomposite coating               | 183 |
| 3.3.4. Other nanoparticles based nanocomposite coating               | 186 |
| 3.4. Nanodyeing  | 187 |
| 3.4.1. Modification in substrate and dye                             | 187 |
| 3.4.2. Surface texturing using plasma                                | 188 |
| 3.4.3. Surface texturing using $UV/O_3$                              | 189 |
| 4. Nanotechnology in multifunctional fibers and nanofibrous forms    | 189 |
| 4.1. Nanocomposite fiber   | 190 |
| 4.1.1. Polymer/clay nanocomposite fibers                             | 191 |
| 4.1.1.1. Nylon/clay nanocomposite fibers                             | 193 |
| 4.1.1.2. Polyethylene terephthalate (PET)/clay nanocomposite fibers  | 194 |
| 4.1.1.3. Viscose/clay nanocomposite fibers                           | 195 |
| 4.1.1.4. Polyurethane/clay nanocomposite fiber                       | 195 |
| 4.1.1.5. Polypropylene/clay nanocomposite fiber                      | 196 |
| 4.1.2. Polymer/carbon nanotube nanocomposite fibers                  | 197 |
| 4.1.2.1. Nylon/CNT-based nanocomposite fibers                        | 198 |
| 4.1.2.2. Liquid crystal polymer/CNT-based nanocomposite fibers       | 198 |
| 4.1.2.3. Polyurethane/CNT-based nanocomposite fibers                 | 199 |

|           |   |            |
|-----------|---|------------|
|           | 4.1.2.4. Polyethylene/CNT-based nanocomposite fibers    | 199        |
|           | 4.1.3. Other nanoparticle-based nanocomposite fibers    | 199        |
| 4.2.      | Nanofibers  | 201        |
|           | 4.2.1. Electrospinning                                  | 201        |
|           | 4.2.1.1. Background                                     | 202        |
|           | 4.2.1.2. Process  | 202        |
|           | 4.2.1.3. Taylor cone formation                          | 205        |
|           | 4.2.1.4. Approaches to produce a nanofiber              | 205        |
|           | 4.2.1.5. Instability of jets                            | 207        |
|           | 4.2.1.6. Collectors                                     | 209        |
|           | 4.2.2. Effect of process parameters                     | 210        |
|           | 4.2.2.1. Effect of instrument variables                 | 210        |
|           | 4.2.2.2. Effect of salt addition                        | 211        |
|           | 4.2.2.3. Effect of jet diameter                         | 211        |
|           | 4.2.2.4. Effect of solvent                              | 211        |
|           | 4.2.2.5. Nanofiber morphology: voltage dependence       | 212        |
|           | 4.2.2.6. Nanofiber morphology: concentration dependence | 213        |
|           | 4.2.2.7. Nanofiber morphology: temperature dependence   | 214        |
|           | 4.2.3. Nanofiber properties                             | 214        |
|           | 4.2.3.1. Surface area                                   | 214        |
|           | 4.2.3.2. Crystallinity                                  | 215        |
|           | 4.2.3.3. Residual charge                                | 215        |
|           | 4.2.3.4. Size and size distribution                     | 216        |
|           | 4.2.3.5. Morphology                                     | 216        |
|           | 4.2.3.6. Cross-sectional shape                          | 218        |
|           | 4.2.4. Melt spinning of nanofibers                      | 218        |
|           | 4.2.5. Nanofibers from a variety of polymers            | 219        |
|           | 4.2.6. Functionalized nanofibers                        | 221        |
|           | 4.2.7. Nanofiber applications                           | 221        |
|           | 4.2.8. Other techniques to produce nanofibers           | 225        |
| <b>5.</b> | <b>Conclusion</b>                                       | <b>226</b> |