

MANUAL OF PLASTICS ANALYSIS

129036

ISBN 0-306-45912-4

© 1998 Plenum Press, New York
A Division of Plenum Publishing Corporation
233 Spring Street, New York, N.Y. 10013

<http://www.plenum.com>

10987654321

All rights reserved

No part of this book may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording, or otherwise, without the prior written permission from the Publisher

Printed in the United States of America

PART 1, REVIEW OF METHODOLOGY

CHAPTER 1 POLYMER ANALYSIS

- 1.1 Polyethylene and polypropylene
 - 1.1.1 Volatiles and water
 - 1.1.2 Additives
 - 1.1.2.1 General discussion
 - 1.1.2.2 Phenolic antioxidants
 - 1.1.2.3 Amine antioxidants
 - 1.1.2.4 Diorganosulphide (and tertiary phosphite) antioxidants
 - 1.1.2.5 Ultraviolet absorbers and optical brighteners
 - 1.1.3 Fractionation
- 1.2 Polystyrene
 - 1.2.1 Volatiles and water
 - 1.2.1.1 Monomers and aromatic volatiles
 - 1.2.1.2 Aliphatic expanding agents
 - 1.2.2 Oligomers
 - 1.2.3 Impurities in styrene monomer
 - 1.2.4 Additives
 - 1.2.4.1 Phenolic antioxidants
 - 1.2.4.2 Ultraviolet absorbers
 - 1.2.4.3 Organic peroxide residues
 - 1.2.4.4 Inhibitors in styrene monomer
 - 1.2.5 Fractionation and molecular weight
- 1.3 Poly(vinyl chloride)
 - 1.3.1 Water, volatiles, monomers and chlorohydrocarbons
 - 1.3.2 Additives
 - 1.3.2.1 Phenolic and amine antioxidants
 - 1.3.2.2 Plasticizers
 - 1.3.2.3 Organotin stabilizers
 - 1.3.2.4 Other types of stabilizers
 - 1.3.3 Fractionation and molecular weight
- 1.4 Vulcanized and non-vulcanized rubber (polyisoprene)
 - 1.4.1 Volatiles
 - 1.4.2 Additives
 - 1.4.2.1 Accelerators and antioxidants
 - 1.4.2.2 Antioxidants and antiozonants
 - 1.4.3 Fractionation and molecular weight
- 1.5 Polyesters and polyamides

- 1.5.1.4 C-O-C groups
- 1.5.1.5 Amino groups
- 1.5.1.6 Acidic and glycol repeat units
- 1.5.2 Volatiles and water
- 1.5.3 Oligomers
- 1.5.4 Additives
 - 1.5.4.1 Flame retardants
 - 1.5.4.2 Residual organic peroxides
 - 1.5.4.3 Unreacted starting materials
- 1.6 Polyacrylates
 - 1.6.1 Functional groups
 - 1.6.2 Monomers and water
 - 1.6.3 Oligomers
 - 1.6.4 Additives
 - 1.6.4.1 Phenolic antioxidants
 - 1.6.5 Fractionation and molecular weight
- 1.7 Poly(ethylene glycol) and Poly(propylene glycol)
 - 1.7.1 Oligomers
 - 1.7.2 Functional groups
 - 1.7.2.1 Hydroxy groups
 - 1.7.2.2 Ether linkages
 - 1.7.3 Fractionation and molecular weight
- 1.8 Polybutadiene
 - 1.8.1 Additives
 - 1.8.1.1 Amine antioxidants and antiozonants
- 1.9 Cellulose
 - 1.9.1 Water
- 1.10 Polyamides, polyimides and polyamides-imides
 - 1.10.1 Functional groups
 - 1.10.1.1 Amino
 - 1.10.1.2 Carboxyl
- 1.11 Polyacrylamides
 - 1.11.1 Monomers
- 1.12 Polyurethanes
 - 1.12.1 Volatiles
 - 1.12.2 Characterisation
- 1.13 Polyvinyl alcohol
 - 1.13.1 Functional groups
 - 1.13.1.1 Hydroxy
- 1.14 Silicones and siloxanes
 - 1.14.1 Functional groups
 - 1.14.1.1 Alkyl and aryl
 - 1.14.1.2 Si OH and Si H groups
 - 1.14.2 Oligomers
 - 1.14.3 Fractionation and molecular weight

- 1.17 Poly(styrene sulphonates)
 - 1.17.1 Fractionation and molecular weight
- 1.18 Fluoropolymers
 - 1.18.1 Oligomers
 - 1.18.2 Fractionation and molecular weight
- 1.19 Polycarbonates
 - 1.19.1 Composition
 - 1.19.2 Oligomers
- 1.20 Polyvinylpyridine
 - 1.20.1 Fractionation and molecular weight
- 1.21 Alkyl ketenes
 - 1.21.1 Oligomers
- References

CHAPTER 2 COPOLYMERS AND CONDENSATION PRODUCTS

- 2.1 Styrene-butadiene
 - 2.1.1 Functional groups
 - 2.1.1.1 Unsaturation
- 2.1.2 Monomers and other volatiles
 - 2.1.3 Additives
 - 2.1.3.1 Stearic acid and sodium stearate
 - 2.1.3.2 Tertiary phosphite antioxidants
 - 2.1.3.3 Antioxidants and stabilisers
 - 2.1.4 Fractionation
- 2.2 Styrene-acrylonitrile
 - 2.2.1 Characterization
 - 2.2.2 Monomers
 - 2.2.3 Fractionation
- 2.3 Vinyl chloride, butadiene, acrylonitrile, 2-ethyl-hexylacrylate copolymers and terpolymers
 - 2.3.1 Characterization
 - 2.3.2 Monomers
- 2.4 Ethylene oxide - propylene oxide - glycerol condensates
 - 2.4.1 Functional groups
 - 2.4.1.1 Hydroxyl
 - 2.4.1.2 Alkoxy
- 2.5 Ethylene oxide - propylene oxide - polyhydric alcohol and ethylene propylene oxide - amine condensates
 - 2.5.1 Functional groups
 - 2.5.1.1 Oxyethylene and oxypropylene
- 2.6 Ethylene - propylene - diene terpolymers
 - 2.6.1 Functional groups
 - 2.6.1.1 Unsaturation
- 2.7 Acrylate copolymers
 - 2.7.1 Functional groups

- 2.8 Acrylamide copolymers
 - 2.8.1 Functional groups
 - 2.8.1.1 Alkoxy
 - 2.9 Octadecene - maleic anhydride copolymers
 - 2.9.1 Functional groups
 - 2.9.1.1 Anhydride groups
 - 2.10 Epoxy resins
 - 2.10.1 Volatiles
 - 2.10.2 Functional groups
 - 2.10.2.1 Epoxy
 - 2.11 Tert-octyl phenol ethylene oxide condensates
 - 2.11.1 Oligomers
 - 2.11.2 Molecular weight
- References

CHAPTER 3 DETERMINATION OF ELEMENTS

- 3.1 Minor metallic constituents
 - 3.1.1 Catalyst residues
 - 3.1.1.1 Iron, aluminium and titanium
 - 3.1.1.2 Zinc
 - 3.1.1.3 Aluminium
 - 3.1.1.4 Aluminium and vanadium
 - 3.1.1.5 Chromium
 - 3.1.1.6 Silica
 - 3.1.1.7 Sodium and lithium
 - 3.1.2 Adventitious metal impurities
 - 3.2 Metal-containing additives
 - 3.2.1 Antimony
 - 3.2.2 Arsenic
 - 3.2.3 Tin
 - 3.2.4 Zinc
 - 3.3 Organic and inorganic pigments
 - 3.4 Non-metallic elements
 - 3.4.1 Halogens
 - 3.4.2 Sulphur
 - 3.4.3 Nitrogen
 - 3.4.4 Phosphorus
- References

CHAPTER 4 COMPOSITIONAL ANALYSIS

- 4.1 Styrene - butadiene copolymers
- 4.2 Acrylonitrile - butadiene - styrene terpolymers
- 4.3 Natural rubber, styrene - butadiene rubber and ethylene terpolymer in cured stocks

- 4.5.2 Ethylene-butene copolymers
 - 4.5.3 Ethylene - alpha olefin copolymers
 - 4.6 Other ethylene copolymers
 - 4.6.1 Ethylene-vinyl acetate copolymers
 - 4.6.2 Ethylene-tetrafluoroethylene copolymers
 - 4.7 Acrylic copolymers
 - 4.7.1 Styrene-acrylate copolymers
 - 4.7.2 Styrene-methacrylate copolymers
 - 4.7.3 Methyl methacrylate - methacrylic acid copolymers
 - 4.7.4 Butyl methacrylate-methyl methacrylate copolymers
 - 4.7.5 Acrylic and methacrylic and copolymers
 - 4.7.6 Functional groups in acrylics
 - 4.7.7 Vinyl chloride - vinylidene chloride copolymers
 - 4.8 Hexa fluoropropylene - vinylidene fluoride copolymers
 - 4.8.1 ¹⁹F NMR
 - 4.8.2 Pyrolysis gas chromatography
- References

CHAPTER 5 ADDITIVE MIXTURES

- 5.1 Separation methods for additive mixtures
 - 5.1.1 Solvent extraction methods
 - 5.1.2 Solution - precipitation methods
 - 5.1.3 Vacuum thermal displacement - extraction method
 - 5.2 Chromatographic methods
 - 5.2.1 Gas chromatography
 - 5.2.2 Thin-layer chromatography
 - 5.2.3 High performance liquid chromatography
 - 5.2.4 Supercritical flow chromatography
 - 5.3 Mass spectrometry
 - 5.3.1 Secondary ion mass spectrometry
 - 5.3.2 Liquid chromatography - mass spectrometry
 - 5.3.3 Gas chromatography - mass spectrometry
 - 5.4 Additive degradation techniques
 - 5.4.1 Photolytic degradation - gas chromatography
 - 5.4.2 Pyrolysis - gas chromatography - mass spectrometry
 - 5.5 Infrared spectroscopy
 - 5.5.1 Infrared laser Raman spectroscopy
 - 5.5.2 Laser desorption - Fourier transform techniques
 - 5.5.3 Gas chromatography - infrared spectroscopy
- References

CHAPTER 6 PRELIMINARY QUALITATIVE IDENTIFICATION

- 6.1 Preliminary removal of additives from polymers
- 6.2 Classification of polymers
 - 6.2.1 By elements

- 6.3.1 Filament (or coil) pyrolyzers
 - 6.3.2 Combustion furnace pyrolyzers
 - 6.4 Laser pyrolysis - gas chromatography
 - 6.5 Photoysis - gas chromatography
 - 6.6 Pyrolysis - mass spectrometry
 - 6.7 Typical polymer pyrograms
 - 6.7.1 Filament and furnace pyrolysis
 - 6.7.2 Curie point pyrolysis
 - 6.7.3 Laser pyrolysis
 - 6.8 Polymer identification by infrared spectroscopy
 - 6.9 Polymer identification by laser desorption - ion mobility
 - 6.10 Other mass spectrometric techniques
 - 6.11 Examination of polymer surfaces
- References

Method Number

- 1 Determination of water and volatiles in polyalkenes, polyacrylic
 - 1.1 Summary
 - 1.2 Apparatus
 - 1.3 Method
 - 1.4 Experimental procedure
 - 1.5 Discussion of results

- 2 Determination of water in polyalkenes. Semi-automated Karl Fischer titration method
 - 2.1 Summary
 - 2.2 Apparatus

- 3 Determination of Santonox R phenolic antioxidant in polyethylene 2,2' - dipyridyl spectrophotometric method
 - 3.1 Summary
 - 3.2 Apparatus
 - 3.3 Reagents
 - 3.4 Method
 - 3.5 Experimental procedure
 - 3.6 Typical results
 - 3.7 Discussion of results

- 4 Determination of phenolic antioxidants in polyethylene. p-nitroresorcinol coupling - spectrophotometric method
 - 4.1 Summary
 - 4.2 Apparatus
 - 4.3 Reagents
 - 4.4 Method
 - 4.5 Experimental procedure
 - 4.6 Discussion of results

- 5 Determination of Ionol phenolic antioxidant in polyethylene. Ultraviolet spectroscopy
 - 5.1 Summary
 - 5.2 Apparatus
 - 5.3 Reagents
 - 5.4 Method
 - 5.5 Experimental procedure
 - 5.6 Discussion of results

- 6 Determination of Santonox R phenolic antioxidant in polyethylene. Ultraviolet spectroscopy
 - 6.1 Summary
 - 6.2 Apparatus

- 7 Determination of 2,6-di-tert-butyl 4-methylphenol and 4-2,6-xyleneol phenolic antioxidants in polypropylene. Der ultraviolet spectroscopy
- 7.1 Summary
 - 7.2 Apparatus
 - 7.3 Reagents
 - 7.4 Method
 - 7.5 Experimental procedure
 - 7.6 Discussion of results
- 8 Determination of Topanol OC, Binox M and Ionox 330 p antioxidants in polyethylene. Ultraviolet shift method
- 8.1 Summary
 - 8.2 Apparatus
 - 8.3 Reagents
 - 8.4 Method
 - 8.5 Experimental procedure
 - 8.6 Discussion of results
- 9 Determination of Santonox R phenolic antioxidant in pol Thin layer chromatography
- 9.1 Summary
 - 9.2 Apparatus
 - 9.3 Reagents
 - 9.4 Method
 - 9.5 Experimental procedure
 - 9.6 Discussion of results
- 10 Determination of phenolic antioxidants in polyalkenes. chromatography
- 10.1 Summary
 - 10.2 Apparatus
 - 10.3 Reagents
 - 10.4 Method
 - 10.5 Experimental procedure
 - 10.6 Typical results
 - 10.7 Discussion of results
- 11 Determination of phenolic and amine antioxidants, ultra-absorbers and organotin stabilizers in polyalkenes and of Thin layer chromatography
- 11.1 Summary
 - 11.2 Apparatus
 - 11.3 Reagents
 - 11.4 Method

- 12 Determination of Irganox 1076, Irganox 1010 and butylated hydroxytoluene phenolic antioxidants in polyethylene. High performance liquid chromatography
- 12.1 Summary
 - 12.2 Apparatus
 - 12.3 Reagents
 - 12.4 Method
 - 12.5 Experimental procedure
 - 12.6 Typical results
 - 12.7 Discussion of results
- 13 Determination of Nonox CI amine antioxidant in polyalkenes. Acid hydrogen peroxide spectrophotometric method
- 13.1 Summary
 - 13.2 Apparatus
 - 13.3 Reagents
 - 13.4 Method
 - 13.5 Experimental procedure
 - 13.6 Discussion of results
- 14 Determination of amine antioxidants in polyalkenes and other polymers. p-nitro aniline coupling - spectrophotometric procedure
- 14.1 Summary
 - 14.2 Apparatus
 - 14.3 Reagents
 - 14.4 Method
 - 14.5 Experimental procedure
 - 14.6 Typical results
 - 14.7 Discussion of results
- 15 Determination of diorganosulphide and tertiary phosphite antioxidant in polyethylene. Chloroperoxybenzoic acid - oxidation method
- 15.1 Summary
 - 15.2 Apparatus
 - 15.3 Reagents
 - 15.4 Method
 - 15.5 Experimental procedure
 - 15.6 Typical results
 - 15.7 Discussion of results
- 16 Determination of diorganosulphide antioxidants in polyalkenes. GC chromatography
- 16.1 Summary
 - 16.2 Apparatus
 - 16.3 Reagents
 - 16.4 Method

- Infrared spectroscopy
- 17.1 Summary
- 17.2 Apparatus
- 17.3 Experimental procedure
- 17.4 Typical results
- 18 Determination of Cyasorb UV531 ultraviolet absorber in polyethylene
Thin layer chromatography
- 18.1 Summary
- 18.2 Apparatus
- 18.3 Reagents
- 18.4 Experimental procedure
- 18.5 Discussion of results
- 19 Determination of Tinuvin 326 ultraviolet absorber in polyethylene
Ultraviolet spectroscopy
- 19.1 Summary
- 19.2 Apparatus
- 19.3 Reagents
- 19.4 Method
- 19.5 Experimental procedure
- 19.6 Discussion of results
- 20 Determination of aromatic volatiles in polystyrene. Gas chromatography
- 20.1 Summary
- 20.2 Apparatus
- 20.3 Reagents
- 20.4 Experimental procedure
- 20.5 Typical results
- 20.6 Discussion of results
- 21 Determination of aromatic volatiles in polystyrene. Headspace gas chromatography
- 21.1 Summary
- 21.2 Apparatus
- 21.3 Method
- 21.4 Experimental procedure
- 21.5 Discussion of results
- 22 Determination of volatiles in polystyrene. Head-space gas chromatography
- 22.1 Summary
- 22.2 Apparatus
- 22.3 Reagents
- 22.4 Method
- 22.5 Experimental procedure
- 22.6 Typical results

- 23.3 Reagents
- 23.4 Method
- 23.5 Experimental procedure
- 23.6 Typical results
- 23.7 Discussion of results

- 24 Determination of residual iso-hexane in expandable and expanded polystyrene. Gas chromatography
 - 24.1 Summary
 - 24.2 Apparatus
 - 24.3 Reagents
 - 24.4 Method
 - 24.5 Experimental procedure
 - 24.6 Discussion of results

- 25 Determination of residual n- and isopentane in expandable and expanded polystyrene. Gas chromatography
 - 25.1 Summary
 - 25.2 Apparatus
 - 25.3 Reagents
 - 25.4 Method
 - 25.5 Experimental procedure
 - 25.6 Typical results
 - 25.7 Discussion of results

- 26 Determination of residual neo-hexane in expanded and expandable polystyrene. Gas chromatography
 - 26.1 Summary
 - 26.2 Apparatus
 - 26.3 Reagents
 - 26.4 Method
 - 26.5 Experimental procedure
 - 26.6 Typical results
 - 26.7 Discussion of results

- 27 Solvent-free procedure for the determination of residual n- and iso- in expandable and expanded polystyrene. Gas chromatography
 - 27.1 Summary
 - 27.2 Apparatus
 - 27.3 Method
 - 27.4 Experimental procedure

- 28 Determination of down to 5 ppm hydrocarbon impurities in styrene monomers. Gas chromatography
 - 28.1 Summary

- | | | |
|----|--|------------------------|
| | 28.6 | Typical results |
| | 28.7 | Discussion of results |
| 29 | Determination of hydrocarbon impurities in styrene
Temperature programmed gas chromatography | |
| | 29.1 | Summary |
| | 29.2 | Apparatus |
| | 29.3 | Method |
| | 29.4 | Experimental procedure |
| | 29.5 | Typical results |
| | 29.6 | Discussion of results |
| 30 | Determination of benzaldehyde in styrene monomer | |
| | 30.1 | Summary |
| | 30.2 | Apparatus |
| | 30.3 | Method |
| | 30.4 | Experimental procedure |
| | 30.5 | Typical results |
| | 30.6 | Discussion of results |
| 31 | Determination of phenolic antioxidants in polystyrene
coupling - spectrophotometric procedure | |
| | 31.1 | Summary |
| | 31.2 | Apparatus |
| | 31.3 | Reagents |
| | 31.4 | Method |
| | 31.5 | Experimental procedure |
| | 31.6 | Discussion of results |
| 32 | Determination of Uvitex UB ultraviolet absorber in
Fluorimetric procedure | |
| | 32.1 | Summary |
| | 32.2 | Apparatus |
| | 32.3 | Reagents |
| | 32.4 | Method |
| | 32.5 | Experimental procedure |
| | 32.6 | Discussion of results |
| 33 | Determination of p-tert-butyl perbenzoate in polystyrene
polarography | |
| | 33.1 | Summary |
| | 33.2 | Apparatus |
| | 33.3 | Reagents |
| | 33.4 | Method |
| | 33.5 | Experimental procedure |
| | 33.6 | Discussion of results |

- 34.3 Reagents
- 34.4 Method
- 34.5 Experimental procedure
- 34.6 Discussion of results

- 35 Rapid semi-quantitative tests for inhibitors in styrene monomer
 - 35.1 Summary
 - 35.2 Apparatus
 - 35.3 Method
 - 35.4 Experimental procedure
 - 35.5 Discussion of results

- 36 Determination of hydroquinone, p-tert-butyl catechol and p-met phenol inhibitors in monomers. Spectrophotometric method
 - 36.1 Summary
 - 36.2 Apparatus
 - 36.3 Reagents
 - 36.4 Method
 - 36.5 Experimental procedure
 - 36.6 Discussion of results

- 37 Determination of hydroquinone inhibitor in monomers. Cathod polarography
 - 37.1 Summary
 - 37.2 Apparatus
 - 37.3 Reagents
 - 37.4 Method
 - 37.5 Experimental procedure
 - 37.6 Discussion of results

- 38 Determination of p-tert-butyl catechol inhibitor in styrene monomer. Spectrophotometric method
 - 38.1 Summary
 - 38.2 Apparatus
 - 38.3 Reagents
 - 38.4 Method
 - 38.5 Experimental procedure
 - 38.6 Discussion of results

- 39 Identification of dialkyltin stabilizers in PVC
 - 39.1 Summary
 - 39.2 Apparatus
 - 39.3 Reagents
 - 39.4 Method
 - 39.5 Experimental procedure

- | | | |
|----|--|------------------------|
| | 40.3 | Reagents |
| | 40.4 | Method |
| | 40.5 | Experimental procedure |
| | 40.6 | Discussion of results |
| 41 | Identification of accelerators in nonvulcanized rubber | |
| | Thin-layer chromatography | |
| | 41.1 | Summary |
| | 41.2 | Apparatus |
| | 41.3 | Reagents |
| | 41.4 | Method |
| | 41.5 | Experimental procedure |
| | 41.6 | Discussion of results |
| 42 | Determination of additives in rubber vulcanizates. Ma | |
| | 42.1 | Summary |
| | 42.2 | Apparatus |
| | 42.3 | Method |
| | 42.4 | Experimental procedure |
| | 42.5 | Typical results |
| 43 | Determination of acid and glycol units in terylene and | |
| | Hydrolysis-gas chromatography | |
| | 43.1 | Summary |
| | 43.2 | Apparatus |
| | 43.3 | Reagents |
| | 43.4 | Method |
| | 43.5 | Experimental procedure |
| | 43.6 | Discussion of results |
| 44 | Determination of water in polyesters. Derivatization | |
| | 44.1 | Summary |
| | 44.2 | Apparatus |
| | 44.3 | Reagents |
| | 44.4 | Method |
| | 44.5 | Experimental procedure |
| | 44.6 | Discussion of results |
| 45 | Determination of acrylic acid monomer in polyacrylate | |
| | performance liquid chromatography | |
| | 45.1 | Summary |
| | 45.2 | Apparatus |
| | 45.3 | Reagents |
| | 45.4 | Method |
| | 45.5 | Experimental procedure |
| | 45.6 | Typical results |

- 46.2 Apparatus
- 46.3 Reagents
- 46.4 Method
- 46.5 Experimental procedure
- 46.6 Typical results
- 46.7 Discussion of results

- 47 Determination of amine antioxidants and antidegradants in rubber permeation chromatography
 - 47.1 Summary
 - 47.2 Apparatus
 - 47.3 Reagents
 - 47.4 Method
 - 47.5 Experimental procedure
 - 47.6 Discussion of results

- 48 Determination of water in celluloses. Karl Fischer titration
 - 48.1 Summary
 - 48.2 Apparatus
 - 48.3 Reagents
 - 48.4 Method
 - 48.5 Experimental procedure
 - 48.6 Discussion of results

- 49 Determination of amino groups in aromatic polyamides, polyimide poly(amide-imide). Sodium hydroxide fusion-gas chromatography
 - 49.1 Summary
 - 49.2 Apparatus
 - 49.3 Reagents
 - 49.4 Method
 - 49.5 Experimental procedure
 - 49.6 Typical results
 - 49.7 Discussion of results

- 50 Determination of acrylamide monomer in polyacrylamide. Differential pulse polarography
 - 50.1 Summary
 - 50.2 Apparatus
 - 50.3 Reagents
 - 50.4 Method
 - 50.5 Experimental procedure
 - 50.6 Typical results
 - 50.7 Discussion of results

- 51 Determination of acrylonitrile and methacrylonitrile monomers in polyacrylamide. High performance liquid chromatography
 - 51.1 Summary

- 57 Determination of vinyl chloride, butadiene, acrylonitrile, styrene and 2-ethylhexyl acrylate monomers in polymers. Head-space analysis
- 57.1 Summary
 - 57.2 Apparatus
 - 57.3 Reagents
 - 57.4 Method
 - 57.5 Experimental procedure
 - 57.6 Typical results
 - 57.7 Discussion of results
- 58 Determination of hydroxyl number of glycerol-alkylene oxide polyethers and butane 1,4-diol adipic acid polyesters. Direct injection method
- 58.1 Summary
 - 58.2 Apparatus
 - 58.3 Reagents
 - 58.4 Experimental procedure
 - 58.5 Typical results
 - 58.6 Discussion of results
- 59 Determination of primary and secondary hydroxyl groups in ethylene glycol tipped glycerol propylene oxide condensates. Phenyl isocyanate method
- 59.1 Summary
 - 59.2 Apparatus
 - 59.3 Reagents
 - 59.4 Method
 - 59.5 Experimental procedure
 - 59.6 Typical results
 - 59.7 Discussion of results
- 60 Determination of oxyalkylene and polyether bases in polyurethane polymers. Mixed anhydride cleavage-gas chromatography
- 60.1 Summary
 - 60.2 Apparatus
 - 60.3 Reagents
 - 60.4 Method
 - 60.5 Experimental procedure
 - 60.6 Discussion of results
- 61 Identification of acrylic acid and methacrylic acid in acrylic copolymers. Propylation-pyrolysis-gas chromatography
- 61.1 Summary
 - 61.2 Apparatus
 - 61.3 Reagents
 - 61.4 Method

	reduction-gas chromatography
	62.1 Summary
	62.2 Apparatus
	62.3 Reagents
	62.4 Method
	62.5 Experimental procedure
	62.6 Discussion of results
63	Determination of combined vinyl acetate in vinyl acetate copolymers. Isotopic dilution-derivative method
	63.1 Summary
	63.2 Apparatus
	63.3 Reagents
	63.4 Method
	63.5 Experimental procedure
	63.6 Discussion of results
64	Determination of etherification levels in acrylamide. Alcohol exchange-gas chromatography
	64.1 Summary
	64.2 Apparatus
	64.3 Reagents
	64.4 Method
	64.5 Experimental procedure
	64.6 Typical results
7.3	DETERMINATION OF ELEMENTS
65	Determination of iron, titanium and aluminium catalysts in polyalkene and polyalkene copolymers. Ashing-spectrophotometry
	65.1 Summary
	65.2 Apparatus
	65.3 Reagents
	65.4 Method
	65.5 Experimental procedure
	65.6 Discussion of results
66	Determination of aluminium and vanadium catalysts in polyalkene and polyalkene copolymers. Ashing-spectrophotometry
	66.1 Summary
	66.2 Apparatus
	66.3 Reagents
	66.4 Method
	66.5 Experimental procedure
	66.6 Discussion of results

- 67.3 Reagents
- 67.4 Method
- 67.5 Experimental procedure
- 67.6 Discussion of results
- 68 Determination of silica catalyst support in high density polyethylene. Infrared spectroscopy and NMR spectroscopy
- 68.1 Summary
- 68.2 Apparatus
- 68.3 Method
- 68.4 Experimental procedure
- 68.5 Typical results
- 68.6 Discussion of results
- 69 Determination of sodium neutralizing acid in high density polyethylene and polypropylene. Emission spectrography and flame photometry
- 69.1 Summary
- 69.2 Apparatus
- 69.3 Reagents
- 69.4 Method
- 69.5 Experimental procedure
- 69.6 Typical results
- 69.7 Discussion of results
- 70 Determination of lithium in polyalkenes and copolymers. Ashing-atomic photometry
- 70.1 Summary
- 70.2 Apparatus
- 70.3 Reagents
- 70.4 Method
- 70.5 Experimental procedure
- 70.6 Discussion of results
- 71 Determination of traces of nickel, copper, zinc, iron, manganese, cadmium and chromium in polymers. Ashing-atomic absorption spectrometry
- 71.1 Summary
- 71.2 Apparatus
- 71.3 Reagents
- 71.4 Method
- 71.5 Experimental procedure
- 71.6 Typical results and discussion
- 72 Determination of traces of copper in polyalkenes. Matrix ashing-spectrophotometric procedure
- 72.1 Summary
- 72.2 Apparatus

	72.6	Typical results
	72.7	Discussion of results
73		Determination of traces of arsenic in acrylic fibres containing trioxide. Acid digestion-atomic absorption spectrometry
	73.1	Summary
	73.2	Apparatus
	73.3	Reagents
	73.4	Method
	73.5	Experimental procedure
	73.6	Typical results
	73.7	Discussion of results
74		Identification of pigments in polymers. Thermal ultraviolet spectroscopy
	74.1	Summary
	74.2	Apparatus
	74.3	Method
	74.4	Experimental procedure
	74.5	Typical results
	74.6	Discussion of results
75		Determination of traces of chlorine in polyalkenes and poly copolymers. Sodium carbonate fusion-titration procedure
	75.1	Summary
	75.2	Apparatus
	75.3	Reagents
	75.4	Method
	75.5	Experimental procedure
	75.6	Typical results
	75.7	Discussion of results
76		Determination of up to 1% of chlorine in chlorobutyl and chloro containing polymers. Oxygen flask combustion-turbidimetry
	76.1	Summary
	76.2	Apparatus
	76.3	Reagents
	76.4	Method
	76.5	Experimental procedure
	76.6	Discussion of results
77		Determination of up to 80% of chlorine, bromine and iodine in polymers. Oxygen flask combustion-titration procedure
	77.1	Summary
	77.2	Apparatus
	77.3	Reagents
	77.4	Method

- 78.1 Summary
 - 78.2 Apparatus
 - 78.3 Reagents
 - 78.4 Method
 - 78.5 Experimental procedure
 - 78.6 Discussion of results
- 79 Determination of fluorine in polymers. Oxygen flask combustion-spectrophotometric procedure
- 79.1 Summary
 - 79.2 Apparatus
 - 79.3 Reagents
 - 79.4 Method
 - 79.5 Experimental procedure
 - 79.6 Typical results
 - 79.7 Discussion of results
- 80 Determination of traces of sulphur in polyalkenes. Oxygen flask combustion-titration procedure
- 80.1 Summary
 - 80.2 Apparatus
 - 80.3 Reagents
 - 80.4 Method
 - 80.5 Experimental procedure
 - 80.6 Discussion of results
- 81 Determination of macro amounts of sulphur in polymers. Sodium titration procedure
- 81.1 Summary
 - 81.2 Apparatus
 - 81.3 Reagents
 - 81.4 Method
 - 81.5 Experimental procedure
 - 81.6 Discussion of results
- 82 Determination of sulphur in polymers. Oxygen flask combustion procedure
- 82.1 Summary
 - 82.2 Apparatus
 - 82.3 Reagents
 - 82.4 Method
 - 82.5 Experimental procedure
 - 82.6 Discussion of results

- 83.3 Reagents
 83.4 Method
 83.5 Experimental procedure
 83.6 Discussion of results
- 84 Determination of 1 to 90% organic nitrogen in polymers. digestion-boric acid titration method
 84.1 Summary
 84.2 Apparatus
 84.3 Reagents
 84.4 Method
 84.5 Experimental procedure
 84.6 Discussion of results
- 85 Determination of 0.002 - 75% organic nitrogen in polymers digestion-spectrophotometric indophenol blue procedure
 85.1 Summary
 85.2 Apparatus
 85.3 Reagents
 85.4 Method
 85.5 Experimental procedure
 85.6 Discussion of results
- 86 Determination of 1 - 5% organic nitrogen in polymers. M combustion procedure
 86.1 Summary
 86.2 Apparatus
 86.3 Reagents
 86.4 Method
 86.5 Experimental procedure
 86.6 Discussion of results
- 87 Determination of 0.01 to 2% phosphorus in polymers. Ox combustion-spectrophotometric procedure
 87.1 Summary
 87.2 Apparatus
 87.3 Reagents
 87.4 Method
 87.5 Experimental procedure
 87.6 Discussion of results
- 88 Determination of 2 - 15% phosphorus in polymers. Oxyg combustion-spectrophotometric procedure
 88.1 Summary
 88.2 Apparatus
 88.3 Reagents

- 89 Microdetermination of phosphorus in polymers. Digestion-spectrophotometric procedure
- 89.1 Summary
 - 89.2 Apparatus
 - 89.3 Reagents
 - 89.4 Method
 - 89.5 Experimental procedure
 - 89.6 Discussion of results
- 7.4 COMPOSITIONAL ANALYSIS
- 90 Determination of natural rubber, styrene butadiene rubber and ethylene-propylene-diene terpolymer in compounded rubber stocks. Pyrochromatography
- 90.1 Summary
 - 90.2 Apparatus
 - 90.3 Reagents
 - 90.4 Method
 - 90.5 Experimental procedure
 - 90.6 Typical results
 - 90.7 Discussion of results
- 91 Determination of bound ethylene in ethylene-propylene copolymer containing greater than 95% bound propylene. Infrared spectroscopy
- 91.1 Summary
 - 91.2 Apparatus
 - 91.3 Method
 - 91.4 Experimental procedure
 - 91.5 Typical results
 - 91.6 Discussion of results
- 92 Determination of bound ethylene in ethylene propylene copolymer (up to 95% propylene). NMR spectroscopy
- 92.1 Summary
 - 92.2 Apparatus
 - 92.3 Reagents
 - 92.4 Method
 - 92.5 Experimental procedure
 - 92.6 Typical results
 - 92.7 Discussion of results
- 93 Determination of bound styrene in styrenated alkyd resins. Infrared spectroscopy
- 93.1 Summary
 - 93.2 Apparatus
 - 93.3 Reagents
 - 93.4 Method

- 94 Determination of styrene and methacrylate units in styrene and styrene - n-butyl methacrylate copolymers. NMR spectroscopy
- 94.1 Summary
- 94.2 Apparatus
- 94.3 Reagents
- 94.4 Method
- 94.5 Experimental procedure
- 94.6 Discussion of results
- 95 Determination of styrene and methacrylate units in styrene and styrene n-butyl methacrylate copolymers. Pyrolysis
- 95.1 Summary
- 95.2 Apparatus
- 95.3 Reagents
- 95.4 Method
- 95.5 Experimental procedure
- 95.6 Discussion of results
- 96 Determination of compositional analysis of methyl methacrylate copolymers. Fourier transform ¹³C NMR spectroscopy
- 96.1 Summary
- 96.2 Apparatus
- 96.3 Reagents
- 96.4 Method
- 96.5 Experimental procedure
- 96.6 Discussion of results
- 97 Determination of hexafluoropropylene and vinylidene fluoride in polyhexafluoropropylene - vinylidene fluoride copolymers by gas chromatography
- 97.1 Summary
- 97.2 Apparatus
- 97.3 Reagents
- 97.4 Method
- 97.5 Experimental procedure
- 97.6 Typical results
- 97.7 Discussion of results
- 7.5 ADDITIVE MIXTURES
- 98 Determination of mixtures of additives in polymers. Thin layer chromatography-infrared/ultraviolet spectroscopy
- 98.1 Summary
- 98.2 Apparatus
- 98.3 Reagents
- 98.4 Method

- liquid chromatography
- 99.1 Summary
- 99.2 Apparatus and experimental procedure
- 99.3 Typical results
- 99.4 Discussion of results

100 Determination of additives in polypropylene. Chemical ionization spectrometry

- 100.1 Summary
- 100.2 Apparatus
- 100.3 Reagents
- 100.4 Method
- 100.5 Experimental procedure
- 100.6 Typical results
- 100.7 Discussion of results

101 Determination of additives in polypropylene. Liquid chromatography spectrometry

- 101.1 Summary
- 101.2 Apparatus
- 101.3 Reagents
- 101.4 Method
- 101.5 Experimental procedure
- 101.6 Typical results
- 101.7 Discussion of results

102 Identification and determination of additives in polymers. Photol

- 102.1 Summary
- 102.2 Apparatus
- 102.3 Method
- 102.4 Experimental procedure
- 102.5 Typical results
- 102.6 Discussion of results

103 Identification of additives in polymers. Gas chromatography-infrared spectroscopy

- 103.1 Summary
- 103.2 Apparatus
- 103.3 Method
- 103.4 Experimental procedure
- 103.5 Discussion of results

7.6 PRELIMINARY QUALITATIVE IDENTIFICATION

104 Qualitative detection of elements in polymers

- 104.1 Summary

- 104.6 Discussion of results
- 105 Identification of polymer films. Thermal method
- 105.1 Summary
- 105.2 Apparatus
- 105.3 Experimental procedure
- 105.4 Typical results
- 106 Pyrolysis-gas chromatography of polymers. Curie point
pyrolyser technique
- 106.1 Summary
- 106.2 Apparatus
- 106.3 Method
- 106.4 Experimental procedure
- 106.5 Typical results
- 107 Pyrolysis-gas chromatography of polymers. Platinum r
procedures
- 107.1 Summary
- 107.2 Apparatus
- 107.3 Method
- 107.4 Experimental procedure
- 108 Pyrolysis-gas chromatography of polymers. Laser pyro
- 108.1 Summary
- 108.2 Apparatus
- 108.3 Method
- 108.4 Experimental procedure
- References

INDEX