

5 JUN 2006



Instituto Nacional  
de Tecnología Industrial  
Extensión y Desarrollo  
División Biblioteca

# STANDARD METHODS

FOR THE EXAMINATION OF WATER & WASTEWATER



## 21st Edition

# 2005

### PREPARED AND PUBLISHED JOINTLY BY

*American Public Health Association*

*American Water Works Association*

*Water Environment Federation*

### JOINT EDITORIAL BOARD

*Andrew D. Eaton, AWWA, Chair*

*Lenore S. Clesceri, WEF*

*Eugene W. Rice, APHA*

*Arnold E. Greenberg (deceased), APHA*

### MANAGING EDITOR

*Mary Ann H. Franson*

### PUBLICATION OFFICE

*American Public Health Association*

*800 I Street, NW*

*Washington, DC 20001-3710*

## Centennial Edition

13-1802

Copyright © 1917, 1920, 1923, and 1925 by  
American Public Health Association

Copyright © 1933, 1936, and 1946 by  
American Public Health Association  
American Water Works Association

Copyright © 1955 by  
American Public Health Association  
American Water Works Association  
Federation of Sewage and Industrial Waste Associations

Copyright © 1960 by  
American Public Health Association  
American Water Works Association  
Water Pollution Control Federation (formerly Federation of  
Sewage and Industrial Waste Associations)

Copyright © 1965, 1971, 1976, 1981, 1985, and 1989 by  
American Public Health Association  
American Water Works Association  
Water Pollution Control Federation

Copyright © 1992 by  
American Public Health Association  
American Water Works Association  
Water Environment Federation (formerly Water Pollution  
Control Federation)

Copyright © 1995, 1998, and 2005 by  
American Public Health Association  
American Water Works Association  
Water Environment Federation

All rights reserved. This publication is protected by copyright. No part of this publication may be reproduced in any form or by any means, including photocopying, or utilized by any information storage and retrieval system without the prior written permission of the publishers.

5M09/2005

ISBN 0-87553-047-8

ISSN 55-1979

Printed and bound in the United States of America.

Composition: Cadmus Professional Communications, Linthicum, MD

Set in: Times Roman

Printing: Port City Press, Baltimore, Maryland

Binding: Port City Press, Baltimore, Maryland

Cover Design: Irma Rodenhuis, APHA

Cover Photographs: Merced River, by Robert Franson

# TABLE OF CONTENTS

		PAGE			
<b>Part 1000</b>	<b>INTRODUCTION</b>		<b>Part 2000</b>	<b>PHYSICAL AND AGGREGATE PROPERTIES</b>	
1010	INTRODUCTION . . . . .	1-1	2010	INTRODUCTION . . . . .	2-1
	A. Scope and Application of Methods. . . . .	1-1	2020	QUALITY ASSURANCE/QUALITY CONTROL . . . . .	2-1
	B. Statistics . . . . .	1-1	2110	APPEARANCE . . . . .	2-1
	C. Glossary . . . . .	1-3	2120	COLOR . . . . .	2-1
1020	QUALITY ASSURANCE. . . . .	1-4		A. Introduction . . . . .	2-1
	A. Introduction . . . . .	1-4		B. Visual Comparison Method. . . . .	2-2
	B. Quality Control . . . . .	1-5		C. Spectrophotometric Method—Single- Wavelength Method (PROPOSED) . . . . .	2-3
	C. Quality Assessment . . . . .	1-12		D. Spectrophotometric Method—Multi- Wavelength Method . . . . .	2-4
1030	DATA QUALITY. . . . .	1-13		E. Tristimulus Spectrophotometric Method . . . . .	2-7
	A. Introduction . . . . .	1-13		F. ADMI Weighted-Ordinate Spectrophotometric Method . . . . .	2-7
	B. Measurement Uncertainty. . . . .	1-13	2130	TURBIDITY . . . . .	2-8
	C. Method Detection Level . . . . .	1-17		A. Introduction . . . . .	2-8
	D. Data Quality Objectives. . . . .	1-18		B. Nephelometric Method . . . . .	2-9
	E. Checking Correctness of Analyses . . . . .	1-21	2150	ODOR. . . . .	2-11
1040	METHOD DEVELOPMENT AND EVALUATION . . . . .	1-22		A. Introduction . . . . .	2-11
	A. Introduction . . . . .	1-22		B. Threshold Odor Test . . . . .	2-12
	B. Method Validation . . . . .	1-22	2160	TASTE . . . . .	2-16
	C. Collaborative Testing . . . . .	1-24		A. Introduction . . . . .	2-16
1050	EXPRESSION OF RESULTS . . . . .	1-25		B. Flavor Threshold Test (FTT) . . . . .	2-16
	A. Units . . . . .	1-25		C. Flavor Rating Assessment (FRA) . . . . .	2-18
	B. Significant Figures . . . . .	1-26	2170	FLAVOR PROFILE ANALYSIS. . . . .	2-19
1060	COLLECTION AND PRESERVATION OF SAMPLES . . . . .	1-27		A. Introduction . . . . .	2-19
	A. Introduction . . . . .	1-27		B. Flavor Profile Analysis . . . . .	2-19
	B. Collection of Samples. . . . .	1-29	2310	ACIDITY . . . . .	2-24
	C. Sample Storage and Preservation. . . . .	1-34		A. Introduction . . . . .	2-24
1080	REAGENT WATER. . . . .	1-36		B. Titration Method . . . . .	2-24
	A. Introduction . . . . .	1-36	2320	ALKALINITY . . . . .	2-27
	B. Methods for Preparation of Reagent Water . . . . .	1-36		A. Introduction . . . . .	2-27
	C. Reagent Water Quality . . . . .	1-37		B. Titration Method . . . . .	2-27
1090	LABORATORY OCCUPATIONAL HEALTH AND SAFETY . . . . .	1-38	2330	CALCIUM CARBONATE SATURATION. . . . .	2-30
	A. Introduction . . . . .	1-38		A. Introduction . . . . .	2-30
	B. Safe Laboratory Practices. . . . .	1-39		B. Indices Indicating Tendency of a Water to Precipitate CaCO <sub>3</sub> or Dissolve CaCO <sub>3</sub> . . . . .	2-31
	C. Laboratory Facility/Fixed Equipment. . . . .	1-44		C. Indices Predicting the Quantity of CaCO <sub>3</sub> That Can Be Precipitated or Dissolved . . . . .	2-34
	D. Hazard Evaluation. . . . .	1-45		D. Diagrams and Computer Codes for CaCO <sub>3</sub> Indices . . . . .	2-35
	E. Personal Protective Equipment . . . . .	1-46	2340	HARDNESS . . . . .	2-37
	F. Worker Protection Medical Program. . . . .	1-49		A. Introduction . . . . .	2-37
	G. Provisions for Work with Particularly Hazardous Substances . . . . .	1-50		B. Hardness by Calculation . . . . .	2-37
	H. Biological Safety . . . . .	1-50		C. EDTA Titrimetric Method . . . . .	2-37
	I. Radiological Safety . . . . .	1-51	2350	OXIDANT DEMAND/REQUIREMENT . . . . .	2-40
	J. Chemical Hygiene Plan . . . . .	1-54			
1100	WASTE MINIMIZATION AND DISPOSAL . . . . .	1-55			
	A. Introduction . . . . .	1-55			
	B. Waste Minimization. . . . .	1-55			
	C. Waste Treatment and Disposal . . . . .	1-55			

A. Introduction . . . . .	2-40	G. Capillary Suction Time . . . . .	2-83
B. Chlorine Demand/Requirement . . . . .	2-41	H. Time-to-Filter . . . . .	2-85
C. Chlorine Dioxide Demand/Requirement . . . . .	2-42	I. Modified Settled Sludge Volume . . . . .	2-86
D. Ozone Demand/Requirement—Batch Method . . . . .	2-43	2720 ANAEROBIC SLUDGE DIGESTER GAS ANALYSIS . . . . .	2-87
E. Ozone Demand/Requirement Semi- Batch Method . . . . .	2-43	A. Introduction . . . . .	2-87
2510 CONDUCTIVITY . . . . .	2-44	B. Volumetric Method . . . . .	2-88
A. Introduction . . . . .	2-44	C. Gas Chromatographic Method . . . . .	2-89
B. Laboratory Method . . . . .	2-47	2810 DISSOLVED GAS SUPERSATURATION . . . . .	2-92
2520 SALINITY . . . . .	2-48	A. Introduction . . . . .	2-92
A. Introduction . . . . .	2-48	B. Direct-Sensing Membrane-Diffusion Method . . . . .	2-92
B. Electrical Conductivity Method . . . . .	2-49	<b>Part 3000 METALS</b>	
C. Density Method . . . . .	2-50	3010 INTRODUCTION . . . . .	3-1
D. Algorithm of Practical Salinity . . . . .	2-50	A. General Discussion . . . . .	3-1
2530 FLOATABLES . . . . .	2-51	B. Sampling and Sample Preservation . . . . .	3-2
A. Introduction . . . . .	2-51	C. General Precautions . . . . .	3-3
B. Particulate Floatables . . . . .	2-51	3020 QUALITY ASSURANCE/QUALITY CONTROL . . . . .	3-4
C. Trichlorotrifluoroethane-Soluble Floatable Oil and Grease . . . . .	2-53	A. Introduction . . . . .	3-4
2540 SOLIDS . . . . .	2-55	B. Quality Control Practices . . . . .	3-4
A. Introduction . . . . .	2-55	3030 PRELIMINARY TREATMENT OF SAMPLES . . . . .	3-5
B. Total Solids Dried at 103–105°C . . . . .	2-56	A. Introduction . . . . .	3-5
C. Total Dissolved Solids Dried at 180°C . . . . .	2-57	B. Filtration for Dissolved and Suspended Metals . . . . .	3-6
D. Total Suspended Solids Dried at 103–105°C . . . . .	2-58	C. Treatment for Acid-Extractable Metals . . . . .	3-6
E. Fixed and Volatile Solids Ignited at 550°C . . . . .	2-59	D. Digestion for Metals . . . . .	3-7
F. Settleable Solids . . . . .	2-59	E. Nitric Acid Digestion . . . . .	3-8
G. Total, Fixed, and Volatile Solids in Solid and Semisolid Samples . . . . .	2-60	F. Nitric Acid-Hydrochloric Acid Digestion . . . . .	3-9
2550 TEMPERATURE . . . . .	2-61	G. Nitric Acid-Sulfuric Acid Digestion . . . . .	3-10
A. Introduction . . . . .	2-61	H. Nitric Acid-Perchloric Acid Digestion . . . . .	3-10
B. Laboratory and Field Methods . . . . .	2-61	I. Nitric Acid-Perchloric Acid- Hydrofluoric Acid Digestion . . . . .	3-10
2560 PARTICLE COUNTING AND SIZE DISTRIBUTION . . . . .	2-62	J. Dry Ashing . . . . .	3-11
A. Introduction . . . . .	2-62	K. Microwave-Assisted Digestion . . . . .	3-11
B. Electrical Sensing Zone Method . . . . .	2-66	3110 METALS BY ATOMIC ABSORPTION SPECTROMETRY . . . . .	3-13
C. Light-Blockage Methods . . . . .	2-68	3111 METALS BY FLAME ATOMIC ABSORPTION SPECTROMETRY . . . . .	3-13
D. Light-Scattering Method . . . . .	2-69	A. Introduction . . . . .	3-13
2570 ASBESTOS . . . . .	2-70	B. Direct Air-Acetylene Flame Method . . . . .	3-17
A. Introduction . . . . .	2-70	C. Extraction/Air-Acetylene Flame Method . . . . .	3-19
B. Transmission Electron Microscopy Method . . . . .	2-71	D. Direct Nitrous Oxide-Acetylene Flame Method . . . . .	3-20
2580 OXIDATION-REDUCTION POTENTIAL (ORP) . . . . .	2-75	E. Extraction/Nitrous Oxide-Acetylene Flame Method . . . . .	3-22
A. Introduction . . . . .	2-75	3112 METALS BY COLD-VAPOR ATOMIC ABSORPTION SPECTROMETRY . . . . .	3-23
B. Oxidation-Reduction Potential Measurement in Clean Water . . . . .	2-76	A. Introduction . . . . .	3-23
2710 TESTS ON SLUDGES . . . . .	2-79	B. Cold-Vapor Atomic Absorption Spectrometric Method . . . . .	3-23
A. Introduction . . . . .	2-79	3113 METALS BY ELECTROTHERMAL ATOMIC ABSORPTION SPECTROMETRY . . . . .	3-25
B. Oxygen-Consumption Rate . . . . .	2-79		
C. Settled Sludge Volume . . . . .	2-80		
D. Sludge Volume Index . . . . .	2-81		
E. Zone Settling Rate . . . . .	2-82		
F. Specific Gravity . . . . .	2-83		

	A. Introduction . . . . .	3-25	3500-Ir	IRIDIUM . . . . .	3-75
	B. Electrothermal Atomic Absorption Spectrometric Method . . . . .	3-27	3500-Fe	IRON . . . . .	3-76
3114	ARSENIC AND SELENIUM BY HYDRIDE GENERATION/ATOMIC ABSORPTION SPECTROMETRY . . . . .	3-32	3500-Pb	LEAD . . . . .	3-79
	A. Introduction . . . . .	3-32		A. Introduction . . . . .	3-79
	B. Manual Hydride Generation/Atomic Absorption Spectrometric Method . . . . .	3-33	3500-Li	LITHIUM . . . . .	3-82
	C. Continuous Hydride Generation/Atomic Absorption Spectrometric Method . . . . .	3-37		A. Introduction . . . . .	3-82
3120	METALS BY PLASMA EMISSION SPECTROSCOPY . . . . .	3-38	3500-Mg	MAGNESIUM . . . . .	3-83
	A. Introduction . . . . .	3-38		A. Introduction . . . . .	3-83
	B. Inductively Coupled Plasma (ICP) Method . . . . .	3-39	3500-Mn	MANGANESE . . . . .	3-84
3125	METALS BY INDUCTIVELY COUPLED PLASMA/MASS SPECTROMETRY . . . . .	3-45		A. Introduction . . . . .	3-84
	A. Introduction . . . . .	3-45	3500-Hg	MERCURY . . . . .	3-86
	B. Inductively Coupled Plasma/Mass Spectrometry (ICPMS) Method . . . . .	3-45	3500-Mo	MOLYBDENUM . . . . .	3-86
3130	METALS BY ANODIC STRIPPING VOLTAMMETRY . . . . .	3-53	3500-Ni	NICKEL . . . . .	3-87
	A. Introduction . . . . .	3-53	3500-Os	OSMIUM . . . . .	3-87
	B. Determination of Lead, Cadmium, and Zinc . . . . .	3-54	3500-Pd	PALLADIUM . . . . .	3-87
3500-Al	ALUMINUM . . . . .	3-57	3500-Pt	PLATINUM . . . . .	3-87
	A. Introduction . . . . .	3-57	3500-K	POTASSIUM . . . . .	3-88
	B. Eriochrome Cyanine R Method . . . . .	3-58		A. Introduction . . . . .	3-88
3500-Sb	ANTIMONY . . . . .	3-60		B. Flame Photometric Method . . . . .	3-88
3500-As	ARSENIC . . . . .	3-61		C. Potassium-Selective Electrode Method . . . . .	3-89
	A. Introduction . . . . .	3-61	3500-Re	RHENIUM . . . . .	3-90
	B. Silver Diethyldithiocarbamate Method . . . . .	3-61	3500-Rh	RHODIUM . . . . .	3-90
3500-Ba	BARIUM . . . . .	3-63	3500-Ru	RUTHENIUM . . . . .	3-90
3500-Be	BERYLLIUM . . . . .	3-63	3500-Se	SELENIUM . . . . .	3-91
3500-Bi	BISMUTH . . . . .	3-64		A. Introduction . . . . .	3-91
3500-B	BORON . . . . .	3-64		B. Sample Preparation . . . . .	3-92
3500-Cd	CADMIUM . . . . .	3-64		C. Colorimetric Method . . . . .	3-94
3500-Ca	CALCIUM . . . . .	3-65		D. Determination of Volatile Selenium . . . . .	3-96
	A. Introduction . . . . .	3-65		E. Determination of Nonvolatile Organic Selenium Compounds . . . . .	3-96
	B. EDTA Titrimetric Method . . . . .	3-65	3500-Ag	SILVER . . . . .	3-98
3500-Cs	CESIUM . . . . .	3-66	3500-Na	SODIUM . . . . .	3-98
3500-Cr	CHROMIUM . . . . .	3-67		A. Introduction . . . . .	3-98
	A. Introduction . . . . .	3-67		B. Flame Emission Photometric Method . . . . .	3-99
	B. Colorimetric Method . . . . .	3-67	3500-Sr	STRONTIUM . . . . .	3-101
	C. Ion Chromatographic Method . . . . .	3-69		A. Introduction . . . . .	3-101
3500-Co	COBALT . . . . .	3-71		B. Flame Emission Photometric Method . . . . .	3-101
3500-Cu	COPPER . . . . .	3-71	3500-Te	TELLURIUM . . . . .	3-103
	A. Introduction . . . . .	3-71	3500-Tl	THALLIUM . . . . .	3-103
	B. Neocuproine Method . . . . .	3-72	3500-Th	THORIUM . . . . .	3-103
	C. Bathocuproine Method . . . . .	3-73	3500-Sn	TIN . . . . .	3-103
3500-Ga	GALLIUM . . . . .	3-74	3500-Ti	TITANIUM . . . . .	3-104
3500-Ge	GERMANIUM . . . . .	3-75	3500-U	URANIUM . . . . .	3-104
3500-Au	GOLD . . . . .	3-75	3500-V	VANADIUM . . . . .	3-104
3500-In	INDIUM . . . . .	3-75		A. Introduction . . . . .	3-104
				B. Gallic Acid Method . . . . .	3-105
			3500-Zn	ZINC . . . . .	3-106

A. Introduction . . . . .	3-106		
B. Zincon Method . . . . .	3-106		
<b>Part 4000 INORGANIC NONMETALLIC CONSTITUENTS</b>			
4010 INTRODUCTION . . . . .	4-1		
4020 QUALITY ASSURANCE/QUALITY CONTROL . . . . .	4-1		
A. Introduction . . . . .	4-1		
B. Quality Control Practices . . . . .	4-1		
4110 DETERMINATION OF ANIONS BY ION CHROMATOGRAPHY . . . . .	4-3		
A. Introduction . . . . .	4-3		
B. Ion Chromatography with Chemical Suppression of Eluent Conductivity . . . . .	4-3		
C. Single-Column Ion Chromatography with Direct Conductivity Detection . . . . .	4-6		
D. Ion Chromatographic Determination of Oxyhalides and Bromide . . . . .	4-7		
4120 SEGMENTED CONTINUOUS FLOW ANALYSIS . . . . .	4-11		
A. Introduction . . . . .	4-11		
B. Segmented Flow Analysis Method . . . . .	4-11		
4130 INORGANIC NONMETALS BY FLOW INJECTION ANALYSIS . . . . .	4-13		
A. Introduction . . . . .	4-13		
B. Quality Control . . . . .	4-13		
4140 INORGANIC ANIONS BY CAPILLARY ION ELECTROPHORESIS . . . . .	4-14		
A. Introduction . . . . .	4-14		
B. Capillary Ion Electrophoresis with Indirect UV Detection . . . . .	4-14		
4500-B BORON . . . . .	4-23		
A. Introduction . . . . .	4-23		
B. Curcumin Method . . . . .	4-23		
C. Carmine Method . . . . .	4-25		
4500-Br <sup>-</sup> BROMIDE . . . . .	4-25		
A. Introduction . . . . .	4-25		
B. Phenol Red Colorimetric Method . . . . .	4-26		
C. (Reserved) . . . . .	4-27		
D. Flow Injection Analysis . . . . .	4-27		
4500-CO <sub>2</sub> CARBON DIOXIDE . . . . .	4-28		
A. Introduction . . . . .	4-28		
B. Nomographic Determination of Free Carbon Dioxide and the Three Forms of Alkalinity . . . . .	4-28		
C. Titrimetric Method for Free Carbon Dioxide . . . . .	4-33		
D. Carbon Dioxide and Forms of Alkalinity by Calculation . . . . .	4-34		
4500-CN <sup>-</sup> CYANIDE . . . . .	4-34		
A. Introduction . . . . .	4-34		
B. Preliminary Treatment of Samples . . . . .	4-37		
C. Total Cyanide after Distillation . . . . .	4-39		
D. Titrimetric Method . . . . .	4-41		
E. Colorimetric Method . . . . .	4-41		
F. Cyanide-Selective Electrode Method . . . . .	4-43		
G. Cyanides Amenable to Chlorination after Distillation . . . . .	4-44		
H. Cyanides Amenable to Chlorination without Distillation (Short-Cut Method) . . . . .	4-46		
I. Weak Acid Dissociable Cyanide . . . . .	4-47		
J. Cyanogen Chloride . . . . .	4-48		
K. Spot Test for Sample Screening . . . . .	4-49		
L. Cyanates . . . . .	4-50		
M. Thiocyanate . . . . .	4-51		
N. Total Cyanide after Distillation, by Flow Injection Analysis . . . . .	4-53		
O. Total Cyanide and Weak Acid Dissociable Cyanide by Flow Injection Analysis . . . . .	4-55		
4500-Cl CHLORINE (RESIDUAL) . . . . .	4-56		
A. Introduction . . . . .	4-56		
B. Iodometric Method I . . . . .	4-58		
C. Iodometric Method II . . . . .	4-60		
D. Amperometric Titration Method . . . . .	4-62		
E. Low-Level Amperometric Titration Method . . . . .	4-64		
F. DPD Ferrous Titrimetric Method . . . . .	4-64		
G. DPD Colorimetric Method . . . . .	4-67		
H. Syringaldazine (FACTS) Method . . . . .	4-68		
I. Iodometric Electrode Technique . . . . .	4-69		
4500-Cl <sup>-</sup> CHLORIDE . . . . .	4-70		
A. Introduction . . . . .	4-70		
B. Argentometric Method . . . . .	4-70		
C. Mercuric Nitrate Method . . . . .	4-71		
D. Potentiometric Method . . . . .	4-73		
E. Automated Ferricyanide Method . . . . .	4-74		
F. (Reserved) . . . . .	4-75		
G. Mercuric Thiocyanate Flow Injection Analysis . . . . .	4-75		
4500-ClO <sub>2</sub> CHLORINE DIOXIDE . . . . .	4-77		
A. Introduction . . . . .	4-77		
B. Iodometric Method . . . . .	4-77		
C. Amperometric Method I . . . . .	4-78		
D. (Reserved) . . . . .	4-79		
E. Amperometric Method II . . . . .	4-79		
4500-F <sup>-</sup> FLUORIDE . . . . .	4-82		
A. Introduction . . . . .	4-82		
B. Preliminary Distillation Step . . . . .	4-83		
C. Ion-Selective Electrode Method . . . . .	4-84		
D. SPADNS Method . . . . .	4-85		
E. Complexone Method . . . . .	4-87		
F. (Reserved) . . . . .	4-88		
G. Ion-Selective Electrode Flow Injection Analysis . . . . .	4-88		
4500-H <sup>+</sup> PH VALUE . . . . .	4-90		
A. Introduction . . . . .	4-90		
B. Electrometric Method . . . . .	4-90		
4500-I IODINE . . . . .	4-95		

	A. Introduction . . . . .	4-95	4500-O	OXYGEN (DISSOLVED) . . . . .	4-136
	B. Leuco Crystal Violet Method. . . . .	4-95		A. Introduction . . . . .	4-136
	C. Amperometric Titration Method . . . . .	4-97		B. Iodometric Methods . . . . .	4-136
4500-I <sup>-</sup>	IODIDE . . . . .	4-97		C. Azide Modification . . . . .	4-138
	A. Introduction . . . . .	4-97		D. Permanganate Modification . . . . .	4-140
	B. Leuco Crystal Violet Method. . . . .	4-98		E. Alum Flocculation Modification . . . . .	4-141
	C. Catalytic Reduction Method . . . . .	4-99		F. Copper Sulfate-Sulfamic Acid Flocculation Modification . . . . .	4-141
	D. Voltammetric Method . . . . .	4-100		G. Membrane Electrode Method. . . . .	4-141
4500-IO <sub>3</sub> <sup>-</sup>	IODATE . . . . .	4-102	4500-O <sub>3</sub>	OZONE (RESIDUAL). . . . .	4-144
	A. Introduction . . . . .	4-102		A. Introduction . . . . .	4-144
	B. Polarographic Method. . . . .	4-102		B. Indigo Colorimetric Method . . . . .	4-144
4500-N	NITROGEN . . . . .	4-103	4500-P	PHOSPHORUS . . . . .	4-146
	A. Introduction . . . . .	4-103		A. Introduction . . . . .	4-146
	B. In-Line UV/Persulfate Digestion and Oxidation with Flow Injection Analysis . . . . .	4-104		B. Sample Preparation . . . . .	4-149
	C. Persulfate Method . . . . .	4-105		C. Vanadomolybdophosphoric Acid Colorimetric Method . . . . .	4-151
	D. Conductimetric Determination of Inorganic Nitrogen . . . . .	4-107		D. Stannous Chloride Method . . . . .	4-152
4500-NH <sub>3</sub>	NITROGEN (AMMONIA) . . . . .	4-108		E. Ascorbic Acid Method . . . . .	4-153
	A. Introduction . . . . .	4-108		F. Automated Ascorbic Acid Reduction Method . . . . .	4-155
	B. Preliminary Distillation Step . . . . .	4-109		G. Flow Injection Analysis for Orthophosphate . . . . .	4-156
	C. Titrimetric Method . . . . .	4-110		H. Manual Digestion and Flow Injection Analysis for Total Phosphorus . . . . .	4-158
	D. Ammonia-Selective Electrode Method. . . . .	4-111		I. In-line UV/Persulfate Digestion and Flow Injection Analysis for Total Phosphorus . . . . .	4-159
	E. Ammonia-Selective Electrode Method Using Known Addition. . . . .	4-112		J. Persulfate Method for Simultaneous Determination of Total Nitrogen and Total Phosphorus . . . . .	4-160
	F. Phenate Method . . . . .	4-114	4500-		
	G. Automated Phenate Method . . . . .	4-115	KMnO <sub>4</sub>	POTASSIUM PERMANGANATE . . . . .	4-162
	H. Flow Injection Analysis. . . . .	4-116		A. Introduction . . . . .	4-162
4500-NO <sub>2</sub> <sup>-</sup>	NITROGEN (NITRITE) . . . . .	4-118		B. Spectrophotometric Method . . . . .	4-163
	A. Introduction . . . . .	4-118		SILICA . . . . .	4-164
	B. Colorimetric Method . . . . .	4-118	4500-SiO <sub>2</sub>	A. Introduction . . . . .	4-164
	C. (Reserved) . . . . .	4-120		B. (Reserved) . . . . .	4-165
4500-NO <sub>3</sub> <sup>-</sup>	NITROGEN (NITRATE). . . . .	4-120		C. Molybdosilicate Method . . . . .	4-165
	A. Introduction . . . . .	4-120		D. Heteropoly Blue Method . . . . .	4-167
	B. Ultraviolet Spectrophotometric Screening Method . . . . .	4-120		E. Automated Method for Molybdate- Reactive Silica . . . . .	4-168
	C. Second-Derivative Ultraviolet Spectrophotometric Method (PROPOSED). . . . .	4-121		F. Flow Injection Analysis for Molybdate- Reactive Silicate . . . . .	4-169
	D. Nitrate Electrode Method . . . . .	4-122	4500-S <sup>2-</sup>	SULFIDE . . . . .	4-170
	E. Cadmium Reduction Method . . . . .	4-123		A. Introduction . . . . .	4-170
	F. Automated Cadmium Reduction Method . . . . .	4-125		B. Separation of Soluble and Insoluble Sulfides . . . . .	4-172
	G. (Reserved) . . . . .	4-126		C. Sample Pretreatment to Remove Interfering Substances or to Concentrate the Sulfide. . . . .	4-173
	H. Automated Hydrazine Reduction Method . . . . .	4-126		D. Methylene Blue Method . . . . .	4-174
	I. Cadmium Reduction Flow Injection Method . . . . .	4-127		E. Gas Dialysis, Automated Methylene Blue Method . . . . .	4-175
4500-N <sub>org</sub>	NITROGEN (ORGANIC) . . . . .	4-130		F. Iodometric Method . . . . .	4-176
	A. Introduction . . . . .	4-130			
	B. Macro-Kjeldahl Method. . . . .	4-131			
	C. Semi-Micro-Kjeldahl Method. . . . .	4-132			
	D. Block Digestion and Flow Injection Analysis . . . . .	4-133			

	G. Ion-Selective Electrode Method . . . . .	4-177		A. Introduction . . . . .	5-35
	H. Calculation of Un-ionized Hydrogen Sulfide . . . . .	4-179		B. Liquid-Liquid, Partition-Gravimetric Method . . . . .	5-37
	I. Distillation, Methylene Blue Flow Injection Analysis Method . . . . .	4-181		C. Partition-Infrared Method . . . . .	5-39
	J. Acid-Volatile Sulfide . . . . .	4-182		D. Soxhlet Extraction Method . . . . .	5-40
4500-SO <sub>3</sub> <sup>2-</sup>	SULFITE . . . . .	4-183		E. Extraction Method for Sludge Samples . . . . .	5-41
	A. Introduction . . . . .	4-183		F. Hydrocarbons . . . . .	5-41
	B. Iodometric Method . . . . .	4-183	5530	G. Solid-Phase, Partition-Gravimetric Method . . . . .	5-42
	C. Phenanthroline Method . . . . .	4-184		PHENOLS . . . . .	5-43
4500-SO <sub>4</sub> <sup>2-</sup>	SULFATE . . . . .	4-186		A. Introduction . . . . .	5-43
	A. Introduction . . . . .	4-186		B. Cleanup Procedure . . . . .	5-44
	B. (Reserved) . . . . .	4-186		C. Chloroform Extraction Method . . . . .	5-45
	C. Gravimetric Method with Ignition of Residue . . . . .	4-186	5540	D. Direct Photometric Method . . . . .	5-47
	D. Gravimetric Method with Drying of Residue . . . . .	4-187		SURFACTANTS . . . . .	5-47
	E. Turbidimetric Method . . . . .	4-188		A. Introduction . . . . .	5-47
	F. Automated Methylthymol Blue Method . . . . .	4-189		B. Surfactant Separation by Sublation . . . . .	5-48
	G. Methylthymol Blue Flow Injection Analysis . . . . .	4-190		C. Anionic Surfactants as MBAS . . . . .	5-50
				D. Nonionic Surfactants as CTAS . . . . .	5-53
<b>Part 5000 AGGREGATE ORGANIC CONSTITUENTS</b>			5550	TANNIN AND LIGNIN . . . . .	5-55
5010	INTRODUCTION . . . . .	5-1		A. Introduction . . . . .	5-55
	A. General Discussion . . . . .	5-1		B. Colorimetric Method . . . . .	5-55
	B. Sample Collection and Preservation . . . . .	5-1	5560	ORGANIC AND VOLATILE ACIDS . . . . .	5-56
5020	QUALITY ASSURANCE/QUALITY CONTROL . . . . .	5-1		A. Introduction . . . . .	5-56
5210	BIOCHEMICAL OXYGEN DEMAND (BOD) . . . . .	5-2		B. Chromatographic Separation Method for Organic Acids . . . . .	5-57
	A. Introduction . . . . .	5-2		C. Distillation Method . . . . .	5-58
	B. 5-Day BOD Test . . . . .	5-2		D. Gas Chromatographic Method . . . . .	5-59
	C. Ultimate BOD Test . . . . .	5-7	5710	FORMATION OF TRIHALOMETHANES AND OTHER DISINFECTION BY-PRODUCTS . . . . .	5-62
	D. Respirometric Method . . . . .	5-10		A. Introduction . . . . .	5-62
5220	CHEMICAL OXYGEN DEMAND (COD) . . . . .	5-14		B. Trihalomethane Formation Potential (THMFP) . . . . .	5-64
	A. Introduction . . . . .	5-14		C. Simulated Distribution System Trihalomethanes (SDS-THM) . . . . .	5-68
	B. Open Reflux Method . . . . .	5-15		D. Formation of Other Disinfection By-Products (DBPs) . . . . .	5-69
	C. Closed Reflux, Titrimetric Method . . . . .	5-16	5910	UV-ABSORBING ORGANIC CONSTITUENTS . . . . .	5-71
	D. Closed Reflux, Colorimetric Method . . . . .	5-18		A. Introduction . . . . .	5-71
5310	TOTAL ORGANIC CARBON (TOC) . . . . .	5-19		B. Ultraviolet Absorption Method . . . . .	5-72
	A. Introduction . . . . .	5-19			
	B. High-Temperature Combustion Method . . . . .	5-21	<b>Part 6000 INDIVIDUAL ORGANIC COMPOUNDS</b>		
	C. Persulfate-Ultraviolet or Heated-Persulfate Oxidation Method . . . . .	5-23	6010	INTRODUCTION . . . . .	6-1
	D. Wet-Oxidation Method . . . . .	5-25		A. General Discussion . . . . .	6-1
5320	DISSOLVED ORGANIC HALOGEN . . . . .	5-26		B. Sample Collection and Preservation . . . . .	6-3
	A. Introduction . . . . .	5-26		C. Analytical Methods . . . . .	6-4
	B. Adsorption-Pyrolysis-Titrimetric Method . . . . .	5-27	6020	QUALITY ASSURANCE/QUALITY CONTROL . . . . .	6-6
				A. Introduction . . . . .	6-6
5510	AQUATIC HUMIC SUBSTANCES . . . . .	5-32		B. Quality Control Practices . . . . .	6-6
	A. Introduction . . . . .	5-32	6040	CONSTITUENT CONCENTRATION BY GAS EXTRACTION . . . . .	6-8
	B. Diethylaminoethyl (DEAE) Method . . . . .	5-33		A. Introduction . . . . .	6-8
	C. XAD Method . . . . .	5-34		B. Closed-Loop Stripping, Gas Chromatographic/Mass Spectrometric Analysis . . . . .	6-8
5520	OIL AND GREASE . . . . .	5-35			



	C. Purge and Trap Technique . . . . .	6-19		B. Liquid-Liquid Extraction Gas	
	D. Solid-Phase Microextraction (SPME) . . . . .	6-19		Chromatographic Method . . . . .	6-85
6200	VOLATILE ORGANIC COMPOUNDS . . . . .	6-23		C. Liquid-Liquid Extraction Gas	
	A. Introduction . . . . .	6-23		Chromatographic/Mass Spectrometric	
	B. Purge and Trap Capillary-Column Gas			Method . . . . .	6-85
	Chromatographic/Mass Spectrometric		6440	POLYNUCLEAR AROMATIC HYDROCARBONS . . . . .	6-86
	Method . . . . .	6-25		A. Introduction . . . . .	6-86
	C. Purge and Trap Capillary-Column Gas			B. Liquid-Liquid Extraction	
	Chromatographic Method . . . . .	6-31		Chromatographic Method . . . . .	6-86
6211	METHANE . . . . .	6-35		C. Liquid-Liquid Extraction Gas	
	A. Introduction . . . . .	6-35		Chromatographic/Mass Spectrometric	
	B. Combustible-Gas Indicator Method . . . . .	6-35		Method . . . . .	6-91
	C. Volumetric Method . . . . .	6-37	6610	CARBAMATE PESTICIDES . . . . .	6-91
6231	1,2-DIBROMOETHANE (EDB) AND 1,2-			A. Introduction . . . . .	6-91
	DIBROMO-3-CHLOROPROPANE (DBCP) . . . . .	6-37		B. High-Performance Liquid	
	A. Introduction . . . . .	6-37		Chromatographic Method . . . . .	6-92
	B. Liquid-Liquid Extraction Gas		6630	ORGANOCHLORINE PESTICIDES . . . . .	6-100
	Chromatographic Method . . . . .	6-37		A. Introduction . . . . .	6-100
	C. Purge and Trap Gas Chromatographic/			B. Liquid-Liquid Extraction Gas	
	Mass Spectrometric Method . . . . .	6-40		Chromatographic Method I . . . . .	6-100
	D. Purge and Trap Gas Chromatographic			Appendix—Standardization of	
	Method . . . . .	6-40		Magnesia-Silica Gel Column by	
6232	TRihalOMETHANES AND CHLORINATED			Weight Adjustment Based on	
	ORGANIC SOLVENTS . . . . .	6-40		Adsorption of Lauric Acid . . . . .	6-107
	A. Introduction . . . . .	6-40		C. Liquid-Liquid Extraction Gas	
	B. Liquid-Liquid Extraction Gas			Chromatographic Method II . . . . .	6-108
	Chromatographic Method . . . . .	6-41		D. Liquid-Liquid Extraction Gas	
	C. Purge and Trap Gas Chromatographic/			Chromatographic/Mass Spectrometric	
	Mass Spectrometric Method . . . . .	6-46		Method . . . . .	6-115
	D. Purge and Trap Gas Chromatographic		6640	ACIDIC HERBICIDE COMPOUNDS . . . . .	6-115
	Method . . . . .	6-46		A. Introduction . . . . .	6-115
6251	DISINFECTION BY-PRODUCTS: HALOACETIC			B. Micro Liquid-Liquid Extraction Gas	
	ACIDS AND TRICHLOROPHENOL . . . . .	6-46		Chromatographic Method . . . . .	6-116
	A. Introduction . . . . .	6-46	6651	GLYPHOSATE HERBICIDE . . . . .	6-126
	B. Micro Liquid-Liquid Extraction Gas			A. Introduction . . . . .	6-126
	Chromatographic Method . . . . .	6-47		B. Liquid Chromatographic Post-Column	
6252	DISINFECTION BY-PRODUCTS: ALDEHYDES			Fluorescence Method . . . . .	6-127
	(PROPOSED) . . . . .	6-57			
	A. Introduction . . . . .	6-57			
	B. PFBHA Liquid-Liquid Extraction Gas		<b>Part 7000 RADIOACTIVITY</b>		
	Chromatographic Method . . . . .	6-58	7010	INTRODUCTION . . . . .	7-1
6410	EXTRACTABLE BASE/NEUTRALS AND ACIDS . . . . .	6-65		A. General Discussion . . . . .	7-1
	A. Introduction . . . . .	6-65		B. Sample Collection and Preservation . . . . .	7-2
	B. Liquid-Liquid Extraction Gas		7020	QUALITY ASSURANCE/QUALITY CONTROL . . . . .	7-3
	Chromatographic/Mass Spectrometric			A. Basic Quality Control Program . . . . .	7-3
	Method . . . . .	6-66		B. Quality Control for Wastewater	
6420	PHENOLS . . . . .	6-79		Samples . . . . .	7-6
	A. Introduction . . . . .	6-79		C. Statistics . . . . .	7-6
	B. Liquid-Liquid Extraction Gas			D. Calculation and Expression of Results . . . . .	7-7
	Chromatographic Method . . . . .	6-79	7030	COUNTING INSTRUMENTS . . . . .	7-8
	C. Liquid-Liquid Extraction Gas			A. Introduction . . . . .	7-8
	Chromatographic/Mass Spectrometric			B. Description and Operation	
	Method . . . . .	6-85		of Instruments . . . . .	7-8
6431	POLYCHLORINATED BIPHENYLS (PCBs) . . . . .	6-85	7040	FACILITIES . . . . .	7-13
	A. Introduction . . . . .	6-85		A. Counting Room . . . . .	7-13

B. Radiochemistry Laboratory . . . . .	7-14	G. Calculating, Analyzing, and Reporting	
C. Laboratory Safety . . . . .	7-14	Results of Toxicity Tests . . . . .	8-20
D. Pollution Prevention . . . . .	7-14	H. Interpreting and Applying Results of	
E. Waste Management . . . . .	7-15	Toxicity Tests . . . . .	8-24
7110 GROSS ALPHA AND GROSS BETA		I. Selected Toxicological Literature . . . . .	8-25
RADIOACTIVITY		8020 QUALITY ASSURANCE AND QUALITY CONTROL	
(TOTAL, SUSPENDED, AND DISSOLVED) . . . . .	7-15	IN LABORATORY TOXICITY TESTS . . . . .	8-26
A. Introduction . . . . .	7-15	A. General Discussion . . . . .	8-26
B. Evaporation Method for Gross Alpha-		B. Elements of QA/QC . . . . .	8-27
Beta . . . . .	7-15	8030 MUTAGENESIS . . . . .	8-30
C. Coprecipitation Method for Gross Alpha		A. Introduction . . . . .	8-30
Radioactivity in Drinking Water . . . . .	7-19	B. <i>Salmonella</i> Microsomal Mutagenicity	
7120 GAMMA-EMITTING RADIONUCLIDES . . . . .	7-20	Test . . . . .	8-31
A. Introduction . . . . .	7-20	8050 BACTERIAL BIOLUMINESCENCE . . . . .	8-37
B. Gamma Spectroscopic Method . . . . .	7-20	A. Introduction . . . . .	8-37
7500-Cs RADIOACTIVE CESIUM . . . . .	7-24	B. Bacterial Bioluminescence Test . . . . .	8-37
A. Introduction . . . . .	7-24	8070 P450 REPORTER GENE RESPONSE TO DIOXIN-	
B. Precipitation Method . . . . .	7-24	LIKE ORGANIC COMPOUNDS . . . . .	8-40
7500-I RADIOACTIVE IODINE . . . . .	7-25	A. Introduction . . . . .	8-40
A. Introduction . . . . .	7-25	B. The P450 RGS Test . . . . .	8-40
B. Precipitation Method . . . . .	7-26	8071 COMET/SINGLE-CELL GEL ELECTROPHORESIS	
C. Ion-Exchange Method . . . . .	7-27	ASSAY FOR DETECTION OF DNA	
D. Distillation Method . . . . .	7-28	DAMAGE . . . . .	8-42
7500-Ra RADIUM . . . . .	7-29	A. Introduction . . . . .	8-42
A. Introduction . . . . .	7-29	B. Comet/Single-Cell Gel Electrophoresis	
B. Precipitation Method . . . . .	7-29	Assay . . . . .	8-43
C. Emanation Method . . . . .	7-32	8080 SEDIMENT POREWATER TESTING . . . . .	8-46
D. Sequential Precipitation Method . . . . .	7-38	A. Introduction . . . . .	8-46
E. Gamma Spectroscopy Method . . . . .	7-40	B. Sediment Collection and Storage . . . . .	8-47
7500-Rn RADON . . . . .	7-43	C. Extraction of Sediment Pore Water . . . . .	8-47
A. Introduction . . . . .	7-43	D. Toxicity Testing Procedures . . . . .	8-49
B. Liquid Scintillation Method . . . . .	7-43	8110 ALGAE . . . . .	8-50
7500-Sr TOTAL RADIOACTIVE STRONTIUM		8111 BIOSTIMULATION (ALGAL PRODUCTIVITY) . . . . .	8-51
AND STRONTIUM-90 . . . . .	7-46	A. General Principles . . . . .	8-51
A. Introduction . . . . .	7-46	B. Planning and Evaluating Algal Assays . . . . .	8-51
B. Precipitation Method . . . . .	7-46	C. Apparatus . . . . .	8-52
7500- <sup>3</sup> H TRITIUM . . . . .	7-49	D. Sample Handling . . . . .	8-53
A. Introduction . . . . .	7-49	E. Synthetic Algal Culture Medium . . . . .	8-53
B. Liquid Scintillation Spectrometric		F. Inoculum . . . . .	8-53
Method . . . . .	7-50	G. Test Conditions and Procedures . . . . .	8-54
7500-U URANIUM . . . . .	7-51	H. Effect of Additions . . . . .	8-55
A. Introduction . . . . .	7-51	I. Data Analysis and Interpretation . . . . .	8-56
B. Radiochemical Method . . . . .	7-51	8112 PHYTOPLANKTON . . . . .	8-57
C. Isotopic Method . . . . .	7-53	A. Introduction . . . . .	8-57
<b>Part 8000 TOXICITY</b>		B. Inoculum . . . . .	8-57
8010 INTRODUCTION . . . . .	8-1	C. Test Conditions and Procedures . . . . .	8-57
A. General Discussion . . . . .	8-1	8113 MARINE MACROALGAE . . . . .	8-58
B. Terminology . . . . .	8-2	A. Introduction . . . . .	8-58
C. Basic Requirements . . . . .	8-3	B. Selecting and Preparing <i>Macrocystis</i>	
D. Conducting Toxicity Tests . . . . .	8-4	<i>pyrifera</i> Sporophylls . . . . .	8-59
E. Preparing Organisms for Toxicity		C. Toxicity Test Procedures . . . . .	8-60
Tests . . . . .	8-7	D. Data Evaluation . . . . .	8-62
F. Toxicity Test Systems, Materials,		8200 AQUATIC FLOWERING PLANTS . . . . .	8-63
and Procedures . . . . .	8-15	8211 DUCKWEED . . . . .	8-63
		A. Introduction . . . . .	8-63



	C. Media Specifications . . . . .	9-19	E. Delayed-Incubation Fecal Coliform	
9060	SAMPLES . . . . .	9-20	Procedure . . . . .	9-68
	A. Collection . . . . .	9-20	F. <i>Klebsiella</i> Membrane Filter Procedure . .	9-69
	B. Preservation and Storage . . . . .	9-22	G. MF Partition Procedures . . . . .	9-70
9211	RAPID DETECTION METHODS . . . . .	9-23	9223 ENZYME SUBSTRATE COLIFORM TEST. . . . .	9-72
	A. Introduction . . . . .	9-23	A. Introduction . . . . .	9-72
	B. Seven-Hour Fecal Coliform Test . . . . .	9-23	B. Enzyme Substrate Test . . . . .	9-72
	C. Special Techniques . . . . .	9-23	9224 DETECTION OF COLIPHAGES. . . . .	9-74
9212	STRESSED ORGANISMS . . . . .	9-25	A. Introduction . . . . .	9-74
	A. Introduction . . . . .	9-25	B. Somatic Coliphages Assay . . . . .	9-75
	B. Recovery Enhancement . . . . .	9-26	C. Male-Specific Coliphage Assay Using	
9213	RECREATIONAL WATERS . . . . .	9-28	<i>Escherichia coli</i> Famp . . . . .	9-77
	A. Introduction . . . . .	9-28	D. Male-Specific Coliphage Assay Using	
	B. Swimming Pools . . . . .	9-29	<i>Salmonella typhimurium</i> WG49 . . . . .	9-78
	C. Whirlpools . . . . .	9-31	E. Single-Agar-Layer Method . . . . .	9-80
	D. Natural Bathing Beaches . . . . .	9-31	F. Membrane Filter Method . . . . .	9-81
	E. Membrane Filter Technique for		9225 DIFFERENTIATION OF THE COLIFORM	
	<i>Pseudomonas aeruginosa</i> . . . . .	9-33	BACTERIA . . . . .	9-82
	F. Multiple-Tube Technique for		A. Introduction . . . . .	9-82
	<i>Pseudomonas aeruginosa</i> . . . . .	9-33	B. Culture Purification . . . . .	9-83
9215	HETEROTROPHIC PLATE COUNT. . . . .	9-34	C. Identification. . . . .	9-83
	A. Introduction . . . . .	9-34	D. Media, Reagents, and Procedures . . . . .	9-84
	B. Pour Plate Method . . . . .	9-37	9230 FECAL STREPTOCOCCUS AND ENTEROCOCCUS	
	C. Spread Plate Method . . . . .	9-38	GROUPS . . . . .	9-86
	D. Membrane Filter Method . . . . .	9-40	A. Introduction . . . . .	9-86
9216	DIRECT TOTAL MICROBIAL COUNT. . . . .	9-41	B. Multiple-Tube Technique. . . . .	9-88
	A. Introduction . . . . .	9-41	C. Membrane Filter Techniques . . . . .	9-88
	B. Epifluorescence Microscopic Method . .	9-41	9240 IRON AND SULFUR BACTERIA. . . . .	9-91
9217	ASSIMILABLE ORGANIC CARBON . . . . .	9-42	A. Introduction . . . . .	9-91
	A. Introduction . . . . .	9-42	B. Iron Bacteria. . . . .	9-91
	B. <i>Pseudomonas fluorescens</i> Strain P-17,		C. Sulfur Bacteria. . . . .	9-95
	<i>Spirillum</i> Strain NOX Method . . . . .	9-44	D. Bacteria Living in Acidic Environments.	9-97
9218	AEROBIC ENDOSPORES . . . . .	9-47	E. Enumeration, Enrichment, and Isolation	
	A. Introduction . . . . .	9-47	of Iron and Sulfur Bacteria. . . . .	9-101
	B. Membrane Filter Method . . . . .	9-48	9245 NITRIFYING BACTERIA . . . . .	9-106
9221	MULTIPLE-TUBE FERMENTATION TECHNIQUE FOR		A. Introduction . . . . .	9-106
	MEMBERS OF THE COLIFORM GROUP. . . . .	9-48	B. Multiple-Tube Method . . . . .	9-107
	A. Introduction . . . . .	9-48	9250 DETECTION OF ACTINOMYCETES . . . . .	9-109
	B. Standard Total Coliform Fermentation		A. Introduction . . . . .	9-109
	Technique . . . . .	9-49	B. Actinomycete Plate Count . . . . .	9-110
	C. Estimation of Bacterial Density . . . . .	9-53	9260 DETECTION OF PATHOGENIC BACTERIA . . . . .	9-111
	D. Presence-Absence (P-A) Coliform		A. Introduction . . . . .	9-111
	Test . . . . .	9-55	B. General Qualitative Isolation and	
	E. Fecal Coliform Procedure. . . . .	9-56	Identification Procedures for	
	F. <i>Escherichia coli</i> Procedure		<i>Salmonella</i> . . . . .	9-113
	(PROPOSED). . . . .	9-57	C. Immunofluorescence Identification	
9222	MEMBRANE FILTER TECHNIQUE FOR MEMBERS		Procedure for <i>Salmonella</i> . . . . .	9-116
	OF THE COLIFORM GROUP . . . . .	9-59	D. Quantitative <i>Salmonella</i> Procedures . .	9-118
	A. Introduction . . . . .	9-59	E. <i>Shigella</i> . . . . .	9-118
	B. Standard Total Coliform Membrane		F. Pathogenic <i>Escherichia coli</i> . . . . .	9-120
	Filter Procedure. . . . .	9-60	G. <i>Campylobacter jejuni</i> . . . . .	9-121
	C. Delayed-Incubation Total Coliform		H. <i>Vibrio cholerae</i> . . . . .	9-123
	Procedure . . . . .	9-65	I. <i>Leptospira</i> . . . . .	9-125
	D. Fecal Coliform Membrane Filter		J. <i>Legionella</i> . . . . .	9-127
	Procedure . . . . .	9-66	K. <i>Yersinia enterocolitica</i> . . . . .	9-130

L. <i>Aeromonas</i> . . . . .	9-131	10400 MACROPHYTES . . . . .	10-47
M. <i>Mycobacterium</i> . . . . .	9-134	A. Introduction . . . . .	10-47
9510 DETECTION OF ENTERIC VIRUSES . . . . .	9-136	B. Preliminary Survey . . . . .	10-48
A. Introduction . . . . .	9-136	C. Vegetation Mapping Methods . . . . .	10-49
B. Virus Concentration from Small Sample Volumes by Adsorption to and Elution from Microporous Filters . . . . .	9-138	D. Population Estimates . . . . .	10-51
C. Virus Concentration from Large Sample Volumes by Adsorption to and Elution from Microporous Filters . . . . .	9-141	E. Productivity . . . . .	10-54
D. Virus Concentration by Aluminum Hydroxide Adsorption-Precipitation . . . . .	9-145	10500 BENTHIC MACROINVERTEBRATES . . . . .	10-63
E. Hydroextraction-Dialysis with Polyethylene Glycol . . . . .	9-147	A. Introduction . . . . .	10-63
F. Recovery of Viruses from Suspended Solids in Water and Wastewater . . . . .	9-148	B. Sample Collection . . . . .	10-65
G. Assay and Identification of Viruses in Sample Concentrates . . . . .	9-149	C. Sample Processing and Analysis . . . . .	10-74
9610 DETECTION OF FUNGI . . . . .	9-153	D. Data Evaluation, Presentation, and Conclusions . . . . .	10-76
A. Introduction . . . . .	9-153	10600 FISHES . . . . .	10-78
B. Pour Plate Technique . . . . .	9-156	A. Introduction . . . . .	10-78
C. Spread Plate Technique . . . . .	9-157	B. Data Acquisition . . . . .	10-79
D. Membrane Filter Technique . . . . .	9-158	C. Sample Preservation . . . . .	10-88
E. Technique for Yeasts . . . . .	9-158	D. Analysis of Collections . . . . .	10-89
F. Zoosporic Fungi . . . . .	9-159	E. Investigation of Fish Kills . . . . .	10-93
G. Aquatic Hyphomycetes . . . . .	9-160	10700 BENTHIC MEIOFAUNA . . . . .	10-94
H. Fungi Pathogenic to Humans . . . . .	9-160	10750 NEMATOLOGICAL EXAMINATION . . . . .	10-95
9711 PATHOGENIC PROTOZOA . . . . .	9-161	A. Introduction . . . . .	10-95
A. Introduction . . . . .	9-161	B. Collection and Processing Techniques for Nematodes . . . . .	10-97
B. <i>Giardia</i> and <i>Cryptosporidium</i> Methods . . . . .	9-162	C. Illustrated Key to Freshwater Nematodes . . . . .	10-98
C. <i>Acanthamoeba</i> . . . . .	9-168	10900 IDENTIFICATION OF AQUATIC ORGANISMS . . . . .	10-113
<b>Part 10000 BIOLOGICAL EXAMINATION</b>		A. Procedure in Identification . . . . .	10-114
10010 INTRODUCTION . . . . .	10-1	B. Key to Major Groups of Aquatic Organisms (Plates 1-35) . . . . .	10-114
10200 PLANKTON . . . . .	10-2	Acknowledgments . . . . .	10-118
A. Introduction . . . . .	10-2	C. Key for Identification of Freshwater Algae Common in Water Supplies and Polluted Waters (Plates 1A, 1B, 28-35) . . . . .	10-152
B. Sample Collection . . . . .	10-3	D. Index to Illustrations . . . . .	10-157
C. Concentration Techniques . . . . .	10-10	E. Selected Taxonomic References . . . . .	10-160
D. Preparing Slide Mounts . . . . .	10-11		
E. Microscopes and Calibrations . . . . .	10-12	<b>SUPPLEMENT TO THE 21ST EDITION</b>	
F. Phytoplankton Counting Techniques . . . . .	10-13	6610 CARBAMATE PESTICIDES . . . . .	S-1
G. Zooplankton Counting Techniques . . . . .	10-17	A. Introduction . . . . .	S-1
H. Chlorophyll . . . . .	10-18	B. High-Performance Liquid Chromatographic Method . . . . .	S-1
I. Determination of Biomass (Standing Crop) . . . . .	10-26	6710 TRIBUTYL TIN . . . . .	S-10
J. Metabolic Rate Measurements . . . . .	10-28	A. Introduction . . . . .	S-10
10300 PERIPHYTON . . . . .	10-32	B. Gas Chromatographic/Mass Spectrometric Method . . . . .	S-10
A. Introduction . . . . .	10-32	C. Gas Chromatographic/Flame Photometric Method . . . . .	S-15
B. Sample Collection . . . . .	10-32		
C. Sample Analysis . . . . .	10-34		
D. Primary Productivity . . . . .	10-37		
E. Interpreting and Reporting Results . . . . .	10-45		
		<b>INDEX</b>	<b>I-1</b>

## FIGURES

1010:1	Normal and skewed distributions . . . . .	1-2	4140:1	Electropherogram of the inorganic anions and typically found organic acids using capillary ion electrophoresis and chromate electrolyte . . . . .	4-15
1020:1	Control charts for means . . . . .	1-9	4140:2	Electropherogram of 0.1 mg/L inorganic anions at minimum detection level . . . . .	4-16
1020:2	Duplicate analyses of a standard . . . . .	1-9	4140:3	Representative electropherograms of Youden anion standards . . . . .	4-16
1020:3	Range chart for variable concentrations . . . . .	1-10	4140:4	Linearity calibration curve for chloride, bromide, and sulfate . . . . .	4-18
1020:4	Range chart for variable ranges . . . . .	1-10	4140:5	Linearity calibration curve for fluoride and <i>o</i> -phosphate . . . . .	4-18
1020:5	Means control chart with out-of-control data . . . . .	1-10	4140:6	Linearity calibration curve for nitrite and nitrate . . . . .	4-18
1030:1	Detection level relationship . . . . .	1-17	4140:7	Electropherogram of typical drinking water . . . . .	4-18
1060:1	Approximate number of samples required in estimating a mean concentration . . . . .	1-32	4140:8	Electropherogram of typical municipal wastewater discharge, undiluted . . . . .	4-19
2120:1	Chromaticity diagrams . . . . .	2-6	4140:9	Electropherogram of typical industrial wastewater discharge, undiluted . . . . .	4-19
2150:1	Odor-free-water generator . . . . .	2-13	4500-Br <sup>-</sup> :1	FIA bromide manifold . . . . .	4-27
2530:1	Floatables sampler with mixer . . . . .	2-51	4500-CO <sub>2</sub> :1	Nomograph for evaluation of hydroxide ion concentration . . . . .	4-29
2530:2	Floatables flotation funnel and filter holder . . . . .	2-52	4500-CO <sub>2</sub> :2	Nomograph for evaluation of bicarbonate alkalinity . . . . .	4-30
2530:3	Flotation funnels and mixing unit . . . . .	2-52	4500-CO <sub>2</sub> :3	Nomograph for evaluation of carbonate alkalinity . . . . .	4-31
2530:4	Floatable oil tube, 1-L capacity . . . . .	2-54	4500-CO <sub>2</sub> :4	Nomograph for evaluation of free carbon dioxide content . . . . .	4-32
2560:1	Schematic of filtration apparatus for preparation of particle-free dilution water or electrolyte solution . . . . .	2-64	4500-CN <sup>-</sup> :1	Cyanide distillation apparatus . . . . .	4-39
2710:1	Schematic diagram of settling vessel for settled sludge volume test . . . . .	2-81	4500 CN <sup>-</sup> :2	FIA cyanide manifold . . . . .	4-53
2710:2	Schematic diagram of settling vessel for zone setting rate test . . . . .	2-82	4500 CN <sup>-</sup> :3	FIA in-line total and WAD cyanide manifold . . . . .	4-55
2710:3	Capillary suction time apparatus . . . . .	2-84	4500-Cl <sup>-</sup> :1	Example of differential titration curve (end point is 25.5 mL) . . . . .	4-73
2710:4	TTF equipment . . . . .	2-85	4500-Cl <sup>-</sup> :2	Flow scheme for automated chloride analysis . . . . .	4-74
2710:5	Schematic diagram of settling column and stirring rods for modified sludge volume test . . . . .	2-86	4500-Cl <sup>-</sup> :3	FIA chloride manifold . . . . .	4-75
2720:1	Gas collection apparatus . . . . .	2-87	4500-ClO <sub>2</sub> :1	Chlorine dioxide generation and absorption system . . . . .	4-78
2810:1	Time response for the membrane-diffusion method . . . . .	2-93	4500-F <sup>-</sup> :1	Direct distillation apparatus for fluoride . . . . .	4-83
3112:1	Schematic arrangement of equipment for measurement of mercury by cold-vapor atomic absorption technique . . . . .	3-24	4500-F <sup>-</sup> :2	Fluoride manifold . . . . .	4-87
3114:1	Manual reaction cell for producing As and Se hydrides . . . . .	3-33	4500-F <sup>-</sup> :3	FIA fluoride manifold . . . . .	4-88
3114:2	Schematic of a continuous hydride generator . . . . .	3-37	4500-H <sup>+</sup> :1	Electrode potential vs. pH . . . . .	4-91
3500-Al:1	Correction curves for estimation of aluminum in the presence of fluoride . . . . .	3-59	4500-H <sup>+</sup> :2	Typical pH electrode response as a function of temperature . . . . .	4-91
3500-As:1	Arsine generator and absorber assembly . . . . .	3-62	4500-N:1	FIA in-line total nitrogen manifold . . . . .	4-104
3500-Se:1	General scheme for speciation of selenium in water . . . . .	3-91	4500-N:2	Continuous-flow conductimetric analyzer system . . . . .	4-107
3500-Sr:1	Graphical method of computing strontium concentration . . . . .	3-102	4500-NH <sub>3</sub> :1	Ammonia manifold . . . . .	4-115
4110:1	Typical inorganic anion separation . . . . .	4-4	4500-NH <sub>3</sub> :2	FIA ammonia manifold . . . . .	4-116
4110:2	Typical inorganic anion separation . . . . .	4-6			
4110:3	Typical separation in a simulated drinking water sample . . . . .	4-8			
4120:1	Schematic of a segmented flow analyzer . . . . .	4-11			

4500-NO <sub>3</sub> <sup>-</sup> :1	Reduction column . . . . .	4-124	6040:2	One-liter "tall form" stripping bottle. . .	6-11
4500-NO <sub>3</sub> <sup>-</sup> :2	Nitrate-nitrite manifold . . . . .	4-125	6040:3	Gas heater . . . . .	6-12
4500-NO <sub>3</sub> <sup>-</sup> :3	Nitrate-nitrite manifold . . . . .	4-127	6040:4	Extraction of filter . . . . .	6-12
4500-NO <sub>3</sub> <sup>-</sup> :4	FIA nitrate + nitrite manifold. . . . .	4-128	6040:5	Flow rate through 1.5-mg carbon filter . .	6-13
4500-N <sub>org</sub> :1	Micro-kjeldahl distillation apparatus . . .	4-133	6040:6	Effect of filter resistance, measured as flow, on recovery of earthy-musty odorants and C <sub>1</sub> -C <sub>10</sub> internal standard . . . . .	6-13
4500-N <sub>org</sub> :2	FIA total kjeldahl nitrogen manifold . . .	4-134	6040:7	Mass spectrum of 2-methylisoborneol . .	6-16
4500-O:1	DO and BOD sampler assembly . . . . .	4-137	6040:8	Mass spectrum of geosmin . . . . .	6-16
4500-O:2	Effect of temperature on electrode sensitivity . . . . .	4-142	6200:1	Purging device . . . . .	6-27
4500-O:3	The salting-out effect at different temperatures . . . . .	4-142	6200:2	Trap packings and construction to include desorb capability . . . . .	6-27
4500-O:4	Typical trend of effect of stirring on electrode response . . . . .	4-143	6200:3	GC/MS chromatogram . . . . .	6-29
4500-P:1	Steps for analysis of phosphate fractions . . . . .	4-147	6200:4	PID chromatogram . . . . .	6-34
4500-P:2	Phosphate manifold for automated analytical system. . . . .	4-155	6200:5	ELCD chromatogram . . . . .	6-34
4500-P:3	FIA orthophosphate manifold . . . . .	4-156	6211:1	Combustible gas indicator circuit and flow diagram . . . . .	6-36
4500-P:4	FIA total phosphorus manifold . . . . .	4-158	6231:1	Extract of reagent water with 0.114 µg/L added EDB and DBCP . . . . .	6-39
4500-P:5	FIA in-line total phosphorus manifold . .	4-159	6232:1	Chromatogram for THMs and chlorinated organic solvents . . . . .	6-43
4500-P:6	Correlation between manual and in-line total phosphorus methods . . . . .	4-160	6251:1	Haloacetic acids separation from other commonly produced disinfection by- products on a DB-1701 column . . . . .	6-48
4500-SiO <sub>2</sub> :1	Silica manifold . . . . .	4-168	6251:2	Easy-to-use diazomethane generator apparatus for preparing small amounts of diazomethane in methyl tertiary- butyl ether (MtBE) . . . . .	6-49
4500-SiO <sub>2</sub> :2	FIA manifold . . . . .	4-169	6251:3	Easy-to-use alternative diazomethane generator for preparing small amounts of diazomethane in MtBE. . . . .	6-50
4500-S <sup>2-</sup> :1	Analytical flow paths for sulfide determination . . . . .	4-171	6251:4	Chromatogram produced by reagent water with known additions. . . . .	6-53
4500-S <sup>2-</sup> :2	Sulfide manifold . . . . .	4-175	6252:1	Chromatogram for analytical (primary) column . . . . .	6-62
4500-S <sup>2-</sup> :3	Proportions of H <sub>2</sub> S and HS <sup>-</sup> in dissolved sulfide . . . . .	4-180	6252:2	Chromatogram for confirmation column. .	6-62
4500-S <sup>2-</sup> :4	FIA sulfide manifold . . . . .	4-181	6410:1	Gas chromatogram of base/neutral fraction . . . . .	6-70
4500-S <sup>2-</sup> :5	Apparatus for acid-volatile sulfide analysis. . . . .	4-182	6410:2	Gas chromatogram of acid fraction . . . .	6-71
4500-SO <sub>3</sub> <sup>2-</sup> :1	Apparatus for evolution of SO <sub>2</sub> from samples for colorimetric analysis. . . . .	4-185	6410:3	Gas chromatogram of pesticide fraction . . . . .	6-71
4500-SO <sub>4</sub> <sup>2-</sup> :1	Sulfate manifold . . . . .	4-189	6410:4	Gas chromatogram of chlordane . . . . .	6-71
4500-SO <sub>4</sub> <sup>2-</sup> :2	FIA manifold . . . . .	4-190	6410:5	Gas chromatogram of toxaphene . . . . .	6-72
5520:1	Distillate recovery apparatus . . . . .	5-37	6410:6	Gas chromatogram of PCB-1016 . . . . .	6-72
5540:1	Sublimation apparatus . . . . .	5-49	6410:7	Gas chromatogram of PCB-1221 . . . . .	6-72
5560:1	Gas chromatogram of a fatty acid standard. . . . .	5-59	6410:8	Gas chromatogram of PCB-1232 . . . . .	6-72
5710:1	Effect of changing molar oxidant ratios of free chlorine: free bromine on molar ratios of substituted organic chloride: organic bromide, using four different precursor substrates . . . . .	5-62	6410:9	Gas chromatogram of PCB-1242 . . . . .	6-73
5710:2a	Relationships between definitions used in the formation potential test, for a sample that did not contain free chlorine at the time of sampling . . . . .	5-63	6410:10	Gas chromatogram of PCB-1248 . . . . .	6-73
5710:2b	Relationships between definitions used in the formation potential test, for a sample that already contained free chlorine at the time of sampling . . . . .	5-63	6410:11	Gas chromatogram of PCB-1254 . . . . .	6-73
6040:1	Schematic of closed-loop stripping apparatus . . . . .	6-10	6410:12	Gas chromatogram of PCB-1260 . . . . .	6-73
			6410:13	Tailing factor calculation . . . . .	6-74
			6420:1	Gas chromatogram of phenols. . . . .	6-82
			6420:2	Gas chromatogram of PFB derivatives of phenols . . . . .	6-83

6440:1	Liquid chromatogram of polynuclear aromatic hydrocarbons . . . . .	6-89	8080:1	Pneumatic system for porewater extraction . . . . .	8-47
6440:2	Liquid chromatogram of polynuclear aromatic hydrocarbons . . . . .	6-89	8080:2	Detail of porewater extraction cylinder . . . . .	8-48
6440:3	Gas chromatogram of polynuclear aromatic hydrocarbons . . . . .	6-89	8113:1	The life cycle of the giant kelp, <i>Macrocystis pyrifera</i> . . . . .	8-59
6610:1	Schematic of post-column reaction HPLC system . . . . .	6-97	8113:2	Examples of nongerminated and germinated giant kelp zoospores and germ-tube-length measurement of germinated zoospores . . . . .	8-62
6610:2	Schematic HPLC-PCD chromatogram of carbamate mix indicating relative response, separations, and retention . . . . .	6-98	8211:1	Common duckweed . . . . .	8-63
6630:1	Results of gas chromatographic procedure for organochlorine pesticides . . . . .	6-101	8220:1	<i>Echinochloa crusgalli</i> (Japanese millet or duck millet) . . . . .	8-68
6630:2	Results of gas chromatographic procedure for organochlorine pesticides . . . . .	6-101	8310:1	<i>Colpidium campylum</i> . . . . .	8-71
6630:3	Chromatogram of pesticide mixture. . . . .	6-102	8310:2	<i>Tetrahymena thermophila</i> . . . . .	8-73
6630:4	Chromatogram of pesticide mixture. . . . .	6-102	8310:3	Test apparatus for T-maze chemotactic test . . . . .	8-74
6630:5	Chromatogram of pesticide mixture. . . . .	6-103	8420:1	Schematic diagram of rotifer static life-cycle toxicity tests . . . . .	8-79
6630:6	Gas chromatogram of pesticides . . . . .	6-110	8420:2	Schedule of reproduction . . . . .	8-79
6630:7	Gas chromatogram of chlordane . . . . .	6-111	8510:1	Marine polychaetes. . . . .	8-81
6630:8	Gas chromatogram of toxaphene . . . . .	6-111	8510:2	Marine polychaetes. . . . .	8-82
6630:9	Gas chromatogram of PCB-1016 . . . . .	6-111	8510:3	Freshwater oligochaetes . . . . .	8-83
6630:10	Gas chromatogram of PCB-1221 . . . . .	6-112	8510:4	Life stages of <i>Capitella capitata</i> . . . . .	8-84
6630:11	Gas chromatogram of PCB-1232 . . . . .	6-112	8510:5	Life stages of selected marine polychaetes. . . . .	8-85
6630:12	Gas chromatogram of PCB-1242 . . . . .	6-112	8510:6	<i>Neanthes arenaceodentata</i> . . . . .	8-86
6630:13	Gas chromatogram of PCB-1248 . . . . .	6-113	8510:7	<i>Capitella capitata</i> . . . . .	8-88
6630:14	Gas chromatogram of PCB-1254 . . . . .	6-113	8510:8	Experimental setup for sediment testing . . . . .	8-89
6630:15	Gas chromatogram of PCB-1260 . . . . .	6-113	8510:9	<i>Neanthes arenaceodentata</i> . . . . .	8-90
6640:1	Chromatogram of chlorophenoxy herbicides on a primary column . . . . .	6-121	8610:1	Abalone. . . . .	8-95
6640:2	Chromatogram of the chlorophenoxy herbicides on confirmation column. . . . .	6-122	8610:2	Schematic layout of cages, consisting of mesh bags attached to PVC frames, suspended from a line attached to a buoy at water surface and anchor at bottom . . . . .	8-98
6651:1	Schematic of post-column reaction HPLC system . . . . .	6-127	8610:3	Cage suspended from a fixed mooring . . . . .	8-99
7030:1	Shape of counting rate-anode voltage curves . . . . .	7-9	8610:4	Cages placed directly on sediment and on attached legs a fixed distance above sediment . . . . .	8-99
7030:2	Calculation of the energy resolution of a pulse-type detector. . . . .	7-12	8711:1	<i>Daphnia</i> sp., adult female . . . . .	8-101
7500-I:1	Distillation apparatus for iodine analysis. . . . .	7-28	8711:2	<i>Daphnia pulex</i> . . . . .	8-102
7500-Ra:1	De-emanation assembly . . . . .	7-33	8711:3	<i>Daphnia magna</i> . . . . .	8-102
7500-Sr:1	Yttrium-90 vs. strontium-90 activity as a function of time . . . . .	7-48	8712:1	<i>Ceriodaphnia dubia</i> . . . . .	8-107
7500-U:1	Electrodeposition apparatus . . . . .	7-53	8712:2	<i>Ceriodaphnia dubia</i> . . . . .	8-107
8010:1	Holding tank design for fish and macroinvertebrates. . . . .	8-10	8712:3	<i>Ceriodaphnia dubia</i> , toothed-pecten variety . . . . .	8-108
8010:2	Algal culture units . . . . .	8-13	8714:1	<i>Neomysis mercedes</i> . . . . .	8-112
8010:3	Basic components of flow-through system . . . . .	8-15	8714:2	<i>Americamysis almyra</i> . . . . .	8-113
8050:1	Incubator diagram for acute toxicity testing of one sample at multiple dilutions . . . . .	8-38	8714:3	<i>Holmesimysis costata</i> . . . . .	8-113
			8714:4	<i>Americamysis bahia</i> . . . . .	8-114
			8714:5	<i>Americamysis bigelowi</i> . . . . .	8-114
			8740:1	Rearing and exposure beaker and automatic siphon for dungeness crab larvae. . . . .	8-123



8740:2	Egg-hatching tank for lobsters . . . . .	8-124	9240:10	Colorless filamentous sulfur bacteria: portion of a colony, showing branching of the mucoid filament, identified as <i>Thiodendron mucosum</i> . . . . .	9-96
8740:3	Hughes lobster-rearing tank . . . . .	8-125	9240:11	<i>Thiothrix unzii</i> after 24 h in lactate- thiosulfate medium . . . . .	9-96
8740:4	Crustacean embryos . . . . .	8-129	9240:12	Colorless nonfilamentous sulfur bacteria: dividing cell of <i>Thiovolum majus</i> , containing sulfur globules. . . . .	9-96
8740:5	Crustacean larvae. . . . .	8-130	9250:1	Bacterial colonies—typical colony type vs. actinomycete colony type, 50×. . . . .	9-110
8740:6	Water table . . . . .	8-130	9510:1	Two-stage microporous filter adsorption- elution method for concentrating viruses from large volumes of water with electronegative filters . . . . .	9-142
8740:7	Proportional diluter. . . . .	8-130	9510:2	Schematic of apparatus for first-stage concentration with negatively charged filters . . . . .	9-143
8810:1	Early developmental stages of sea urchins and sand dollars. . . . .	8-142	10200:1	Structural features of common water samplers, Kemmerer and Van Dorn . . . . .	10-5
8921:1	Adult fathead minnows in breeding condition . . . . .	8-157	10200:2	The Schindler-Patalas plankton trap . . . . .	10-6
8921:2	Newly hatched fathead minnow larvae . . . . .	8-157	10200:3	Examples of commonly used plankton sampling nets . . . . .	10-7
8921:3	Examples of abnormal fathead minnow larvae. . . . .	8-162	10200:4	Examples of commonly used high-speed zooplankton samplers . . . . .	10-8
8930:1	Lateral views of a normal 4-d-old larva of <i>Xenopus laevis</i> . . . . .	8-170	10200:5	Filter funnel for concentrating zooplankton . . . . .	10-10
8930:2	Lateral view of abnormal 4-d-old larva of <i>Xenopus laevis</i> . . . . .	8-170	10200:6	Ocular micrometer ruling . . . . .	10-13
8930:3	Lateral view of abnormal 4-d-old larva of <i>Xenopus laevis</i> . . . . .	8-170	10200:7	Calibration of Whipple Square . . . . .	10-13
8930:4	Lateral view of abnormal 4-d-old larva of <i>Xenopus laevis</i> . . . . .	8-170	10200:8	Counting cell (Sedgwick-Rafter), showing method of filling. . . . .	10-14
9020:1	Frequency curve (positively skewed distribution) . . . . .	9-12	10200:9	A simple, efficient device for concentrating plankton . . . . .	10-17
9215:1	Preparation of dilutions . . . . .	9-37	10200:10	The Folsom plankton splitter . . . . .	10-18
9215:2	Drying weight loss of 15-mL agar plates stored separately, inverted with lids on . . . . .	9-39	10200:11	Reverse-phase HPLC chromatogram for a fivefold dilution of EPA sample . . . . .	10-22
9215:3	Weight loss of 25-mL agar plates (100 × 15 mm) dried separately in a laminar-flow hood at room temperature (24 to 26°C), relative humidity (30 to 33%), and air velocity 0.6 m/s . . . . .	9-39	10200:12	Reverse-phase HPLC pigment chromatogram for a mixture of common algal pigments found in freshwater systems. . . . .	10-24
9221:1	Schematic outline of presumptive, confirmed, and completed phases for total coliform detection . . . . .	9-51	10300:1	Periphyton sampler. . . . .	10-33
9240:1	Filaments of <i>Crenothrix polyspora</i> showing variation of size and shape of cells within the sheath. . . . .	9-91	10300:2	Component processes in the oxygen metabolism of a section of a hypothetical stream during the course of a cloudless day . . . . .	10-39
9240:2	Filaments of <i>Sphaerotilus natans</i> , showing cells within the filaments and some free "swarmer" cells. . . . .	9-92	10300:3	Gross periphytic primary production ( $P_o$ ) determined by the O'Connell- Thomas Chamber . . . . .	10-41
9240:3	Laboratory culture of <i>Gallionella</i> <i>ferruginea</i> , showing cells, stalks excreted by cells, and branching of stalks where cells have divided. . . . .	9-92	10300:4	Calculation of gross primary production at a single station . . . . .	10-42
9240:4	Stalk of <i>Gallionella ferruginea</i> . . . . .	9-93	10300:5	Calculation of gross periphytic primary productivity from upstream- downstream diurnal curves . . . . .	10-44
9240:5	Single-celled iron bacterium <i>Siderocapsa</i> <i>treubii</i> . . . . .	9-93	10400:1	Allen curve for a cohort of a population of aquatic macrophytes . . . . .	10-57
9240:6	Multiple colonies of <i>Siderocapsa</i> spp. . . . .	9-93			
9240:7	Schematic of flowcell . . . . .	9-94			
9240:8	Photosynthetic purple sulfur bacteria . . . . .	9-95			
9240:9	Colorless filamentous sulfur bacteria: <i>Beggiatoa alba</i> trichomes, containing globules of sulfur . . . . .	9-95			

10500:1	Ponar® grab . . . . .	10-67	10600:2	A typical enclosure sampler, the drop sampler, in action . . . . .	10-83
10500:2	Petersen grab . . . . .	10-67	10600:3	Bag seine in operation in a stream . . . . .	10-83
10500:3	Van Veen grab . . . . .	10-68	10600:4	Diagram of electrofishing boat . . . . .	10-85
10500:4	Smith-McIntyre grab . . . . .	10-68	10600:5	Types of tags commonly used . . . . .	10-86
10500:5	Shipek® grab . . . . .	10-68	10600:6	Passive integrated transponder (PIT) tagging system . . . . .	10-87
10500:6	Ekman grab . . . . .	10-68	10600:7	Key organs and external body parts of a soft-rayed and spiny-rayed fish . . . . .	10-90
10500:7	Surber or square-foot sampler . . . . .	10-69	10600:8	Fish scale . . . . .	10-91
10500:8	Phleger core sampler . . . . .	10-69	10750:1	<i>Butlerius</i> sp., a freshwater nematode . . . . .	10-96
10500:9	KB® corer . . . . .	10-70	6610:1	Sample chromatogram of target analytes . . . . .	S-5
10500:10	Wilding or stovepipe sampler . . . . .	10-70	6710:1	Apparatus setup for HMB generation . . . . .	S-11
10500:11	Drift net sampler . . . . .	10-70	6710:2	Tributyl tin spectrum with selected ion monitoring . . . . .	S-14
10500:12	Hester-Dendy artificial substrate unit . . . . .	10-71			
10500:13	Basket sampler . . . . .	10-71			
10500:14	Marsh net sampler . . . . .	10-72			
10600:1	Diagram of a sunken trap net . . . . .	10-81			

## TABLES

1010:I	Critical Values for 5% and 1% Tests of Discordancy for a Single Outlier in a Normal Sample . . . . .	1-2	1090:IV	the Reagents Specified in <i>Standard Methods</i> . . . . .	1-43
1020:I	Factors for Computing Lines on Range Control Charts . . . . .	1-9	1090:V	Glove Selection for Organic Chemical Handling . . . . .	1-47
1020:II	Example Data Qualifiers . . . . .	1-11	1090:VI	Glove Selection for Inorganic Chemical Handling . . . . .	1-48
1020:III	Audit of a Soil Analysis Procedure . . . . .	1-12	2120:I	Procedures Involving Potential Exposure to Ionizing Radiation . . . . .	1-52
1030:I	Conductivity Factors of Ions Commonly Found in Water . . . . .	1-21	2120:II	Selected Ordinates for Spectrophotometric Color Determinations . . . . .	2-5
1040:I	Precision and Bias for a Single Concentration in a Single Matrix . . . . .	1-22	2150:I	Color Hues for Dominant Wavelength Ranges . . . . .	2-5
1040:II	Variations in Factors for Method Ruggedness Determination . . . . .	1-23	2150:II	Threshold Odor Numbers Corresponding to Various Dilutions . . . . .	2-14
1040:III	Factor Matrix for Method Ruggedness Determination . . . . .	1-23	2160:I	Dilutions for Various Odor Intensities . . . . .	2-14
1040:IV	Sample Collaborative Test Results . . . . .	1-24	2160:II	Flavor Threshold Numbers Corresponding to Various Dilutions . . . . .	2-17
1040:V	Method Precision and Bias . . . . .	1-25	2170:I	Dilutions for Determining the FTN . . . . .	2-17
1050:I	Conversion Factors . . . . .	1-25	2170:II	Quantitative Odor References . . . . .	2-20
1060:I	Summary of Special Sampling and Handling Requirements . . . . .	1-33	2170:III	Representative Odor Reference Standards . . . . .	2-21
1080:I	Water Purification Processes . . . . .	1-36	2170:IV	Substitute Odor Reference Standards . . . . .	2-22
1080:II	Reagent Water Specifications . . . . .	1-37	2320:I	Basic Taste Standards . . . . .	2-22
1090:I	Permissible Exposure Limits, Threshold Limit Values, Short-Term Exposure Limits, and/or Ceilings for Some Inorganic Chemicals Specified in <i>Standard Methods</i> . . . . .	1-42	2320:II	End-Point pH Values . . . . .	2-27
1090:II	Permissible Exposure Limits, Threshold Limit Values, Short-Term Exposure Limits, and/or Ceilings for Organic Solvents Specified in <i>Standard Methods</i> . . . . .	1-42	2330:I	Alkalinity Relationships . . . . .	2-29
1090:III	Permissible Exposure Limits, Threshold Limit Values, Short-Term Exposure Limits, and/or Ceilings for Some of		2330:II	Estimating Equilibrium Constants and Activity Coefficients . . . . .	2-31
			2330:III	Precalculated Values for $pK$ and $A$ at Selected Temperatures . . . . .	2-32
				Graphs and Computer Software That Can Be Used to Calculate $CaCO_3$ Saturation Indices . . . . .	2-36

2340:I	Maximum Concentrations of Interferences Permissible with Various Inhibitors . . . . .	2-38	3113:IV	Interlaboratory Overall Precision Data for Electrothermal Atomization Methods . . . . .	3-30
2510:I	Equivalent Conductivity, $\Lambda$ , and Conductivity, $k$ , of Potassium Chloride at 25.0°C . . . . .	2-45	3113:V	Interlaboratory Relative Error Data for Electrothermal Atomization Methods . . . . .	3-31
2510:II	Sample Analysis Illustrating Calculation of Conductivity, $k_{\text{calc}}$ , for Natural Waters . . . . .	2-45	3120:I	Suggested Wavelengths, Estimated Detection Levels, Alternate Wavelengths, Calibration Concentrations, and Upper Limits . . . . .	3-40
2510:III	Equivalent Conductances, $\lambda^{\circ}_{+}$ and $\lambda^{\circ}_{-}$ , (mho-cm <sup>2</sup> /equivalent) for Ions in Water at 25.0°C . . . . .	2-46	3120:II	ICP Precision and Bias Data . . . . .	3-43
2530:I	Coefficient of Variation and Recovery for Particulate Floatables Test . . . . .	2-52	3125:I	Recommended Analyte Masses, Instrumental Detection Levels (IDL), and Internal Standards . . . . .	3-46
2560:I	Example Calculations for Particle Size Distribution Analysis . . . . .	2-64	3125:II	Elemental Abundance Equations and Common Molecular Ion Correction Equations . . . . .	3-46
2580:I	Potential of ZoBell's Solution as a Function of Temperature . . . . .	2-77	3125:III	Common Molecular Ion Interferences in ICP/MS . . . . .	3-47
2580:II	Preparation of Redox Standard Solutions . . . . .	2-77	3125:IV	Suggested Analytical Run Sequence . . . . .	3-49
2580:III	Recommended Combinations for Selected Sample Types . . . . .	2-78	3125:V	Summary of Performance Criteria . . . . .	3-49
2710:I	Temperature Correction Factor . . . . .	2-83	3125:VI	Quality Control Analyses for ICP/MS Method . . . . .	3-49
2810:I	Bunsen Coefficient for Oxygen in Fresh Water . . . . .	2-94	3125:VII	Method Performance with Calibration Verification Standards . . . . .	3-50
2810:II	Vapor Pressure of Fresh Water . . . . .	2-95	3125:VIII	Method Performance for Recovery of Known Addition in Natural Waters . . . . .	3-51
3010:I	Applicable Methods for Elemental Analysis . . . . .	3-1	3125:IX	Method Performance with Low-Level Check Standards . . . . .	3-52
3030:I	Acids Used in Conjunction with HNO <sub>3</sub> for Sample Preparation . . . . .	3-7	3130:I	Precision of Cd, Pb, and Zn Analysis by ASV . . . . .	3-56
3111:I	Atomic Absorption Concentration Ranges with Direct Aspiration Atomic Absorption . . . . .	3-15	3500-Cr:I	Ion Chromatographic Conditions . . . . .	3-70
3111:II	Interlaboratory Precision and Bias Data for Atomic Absorption Methods—Direct Aspiration and Extracted Metals . . . . .	3-15	3500-Cr:II	Single-Laboratory Precision and Bias . . . . .	3-70
3111:III	Single-Operator Precision and Recommended Control Ranges for Atomic Absorption Methods—Direct Aspiration and Extracted Metals . . . . .	3-16	3500-Cr:III	Multilaboratory Determination of Bias for Hexavalent Chromium . . . . .	3-71
3112:I	Interlaboratory Precision and Bias of Cold-Vapor Atomic Absorption Spectrometric Method for Mercury . . . . .	3-24	3500-Fe:I	Selection of Light Path Length for Various Iron Concentrations . . . . .	3-78
3113:I	Potential Matrix Modifiers for Electrothermal Atomic Absorption Spectrometry . . . . .	3-26	3500-K:I	Concentration of Cations Interfering at Various Concentrations of Potassium . . . . .	3-89
3113:II	Detection Levels and Concentration Ranges for Electrothermal Atomization Atomic Absorption Spectrometry . . . . .	3-26	3500-V:I	Concentration at Which Various Ions Interfere in the Determination of Vanadium . . . . .	3-105
3113:III	Interlaboratory Single-Analyst Precision Data for Electrothermal Atomization Methods . . . . .	3-29	4110:I	Detection Level for Anions in Reagent Water . . . . .	4-3
			4110:II	Stock Standard Preparations . . . . .	4-4
			4110:III	Single-Laboratory Precision (One Standard Deviation) and Bias Data for 30 Sets of Samples over a 2-Month Period . . . . .	4-5
			4110:IV	Detection Level for Anions in Reagent Water . . . . .	4-6
			4110:V	Single-Column Chromatography Single-Operator Precision and Bias . . . . .	4-7

4110:VI	Detection Level for Anions in Reagent Water . . . . .	4-8	4500-N <sub>org</sub> :II	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-135
4110:VII	Stock Standard Preparation . . . . .	4-9	4500-O:I	Solubility of Oxygen in Water Exposed to Water-Saturated Air at Atmospheric Pressure (101.3 kPa). . . . .	4-139
4110:VIII	Single-Operator Precision and Accuracy for Bromide, Chlorate, Chlorite, and Bromate . . . . .	4-10	4500-P:I	Precision and Bias Data for Manual Phosphorus Methods . . . . .	4-148
4140:I	Collaborative Design as Four Youden Pair Sets . . . . .	4-16	4500-P:II	Comparison of Precision and Bias of Ascorbic Acid Methods . . . . .	4-154
4140:II	Anion Migration Time Reproducibility from Youden Pair Standards . . . . .	4-17	4500-P:III	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-157
4140:III	Comparison of Capillary Ion Electrophoresis and Other Methods . . . . .	4-19	4500-P:IV	Recoveries of Total Phosphorus. . . . .	4-159
4140:IV	Capillary Ion Electrophoresis Reproducibility and Precision. . . . .	4-20	4500-P:V	Comparison of Manual and In-Line Total Phosphorus Methods . . . . .	4-160
4140:V	Capillary Ion Electrophoresis Known-Addition Recovery and Precision of Performance Evaluation Standard with Drinking Water . . . . .	4-20	4500-SiO <sub>2</sub> :I	Selection of Light Path Length for Various Silica Concentrations. . . . .	4-165
4140:VI	Comparison of Capillary Ion Electrophoresis with Chromate Electrolyte with Other Methods for the Determination of Anions . . . . .	4-21	4500-SiO <sub>2</sub> :II	Preparation of Permanent Color Standards for Visual Determination of Silica . . . . .	4-166
4500-CN <sup>-</sup> :I	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-54	4500-S <sup>2-</sup> :I	Dilution of Sulfide Stock Solution for Preparation of Standards (100 mL Total Volume) . . . . .	4-178
4500-Cl <sup>-</sup> :I	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-76	4500-S <sup>2-</sup> :II	Conditional First Dissociation Constant of Hydrogen Sulfide, Fresh Water . . . . .	4-180
4500-ClO <sub>2</sub> :I	Equivalent Weights for Calculating Concentrations on the Basis of Mass. . . . .	4-81	4500-S <sup>2-</sup> :III	Conditional First Dissociation Constant of Hydrogen Sulfide, Seawater . . . . .	4-181
4500-F <sup>-</sup> :I	Concentration of Some Substances Causing 0.1-mg/L Error at 1.0 mg F <sup>-</sup> /L in Fluoride Methods . . . . .	4-82	4500-SO <sub>4</sub> <sup>2-</sup> :I	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-191
4500-F <sup>-</sup> :II	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-88	5210:I	UBOD Results for Wastewater Sample . . . . .	5-9
4500-H <sup>+</sup> :I	Preparation of pH Standard Solutions. . . . .	4-92	5220:I	Sample and Reagent Quantities for Various Digestion Vessels . . . . .	5-17
4500-H <sup>+</sup> :II	Standard pH Values . . . . .	4-93	5320:I	Intralaboratory, Single-Operator, Dissolved Organic Halogen (Microcolumn Procedure)—Precision and Bias Data . . . . .	5-31
4500-N:I	Recoveries of Total Nitrogen . . . . .	4-105	5540:I	Surfactant Recovery by Sublation. . . . .	5-50
4500-N:II	Precision Data for Total Nitrogen, Persulfate Method, Based on Triplicate Analyses of Nicotinic Acid . . . . .	4-106	5560:I	Single-Laboratory Laboratory Fortified Sample Recovery and Precision . . . . .	5-61
4500-NH <sub>3</sub> :I	Precision and Bias of Ammonia-Selective Electrode . . . . .	4-112	5560:II	Single-Laboratory Duplicate Sample Precision . . . . .	5-61
4500-NH <sub>3</sub> :II	Values of <i>Q</i> vs. $\Delta E$ (59 mV Slope) for 10% Volume Change . . . . .	4-113	5710:I	Single-Operator Precision and Bias Data for THMFP . . . . .	5-67
4500-NH <sub>3</sub> :III	Precision Data for Manual Phenate Method Based on Triplicate Analyses of Ammonium Sulfate. . . . .	4-114	5710:II	Single-Operator Precision and Bias Data for TTHM (pH = 9.2) . . . . .	5-67
4500-NH <sub>3</sub> :IV	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-117	5910:I	Precision of UV Analyses and Correlation to KHP Samples . . . . .	5-73
4500-NO <sub>3</sub> <sup>-</sup> :I	Results of Single-Laboratory Studies with Selected Matrices . . . . .	4-129	5910:II	Single-Operator Precision for UV Absorption Measurements of Fulvic Acid Solutions . . . . .	5-73
4500-N <sub>org</sub> :I	Precision Data for Kjeldahl Nitrogen Method Based on Mean of Triplicate Analyses of Nicotinic Acid . . . . .	4-132	6010:I	Analysis Methods for Specific Organic Compounds . . . . .	6-1
			6010:II	Recommended Preservation for Volatile Organic Compounds . . . . .	6-3

6040:I	Method Detection Levels for Earthy-Musty Smelling Compounds by CLSA-GC/MS . . . . .	6-9	6232:I	Precision and Bias Data for THM-Chlorinated Organic Solvent Method, DB-5 Column . . . . .	6-46
6040:II	Method Detection Levels for Selected Organic Compounds by CLSA-GC/MS . . . . .	6-9	6251:I	Method Detection Levels and Precision Data . . . . .	6-48
6040:III	Comparison of Monitoring and Quantitation Ions for Chlorodecane and Deuterated MIB and Geosmin Internal Standards . . . . .	6-14	6251:II	Analytical Standards . . . . .	6-50
6040:IV	Typical Operating Conditions for GC/MS Analysis of CLSA Extracts . . . . .	6-15	6251:III	Retention Times . . . . .	6-53
6040:V	GC/MS Data for Three Internal Standards and Two Earthy-Musty-Smelling Compounds . . . . .	6-16	6251:IV	Recommended Quantitation Limits . . . . .	6-53
6040:VI	Single-Laboratory Bias for Selected Organic Compounds Causing Taste and Odor . . . . .	6-17	6251:V	Additive Recovery in Reagent Water . . . . .	6-55
6040:VII	Precision Data for Selected Organic Compounds Causing Taste and Odor . . . . .	6-17	6251:VI	Absolute Recovery Data for Reagent Water with Known Additions . . . . .	6-55
6040:VIII	Recovery and Precision Data for Selected Priority Pollutants . . . . .	6-18	6251:VII	Sample Duplicate Data from Two Laboratories . . . . .	6-56
6040:IX	Method Detection Level (MDL) in Reagent Water for MIB, Geosmin, and IPMP . . . . .	6-20	6251:VIII	Field Sample Recovery with Known Additions to Drinking Water, in Two Laboratories . . . . .	6-56
6040:X	Internal Standard Corrected Response Factor for 5-100 ng/L Taste- and Odor-Causing Compounds in Reagent Water . . . . .	6-20	6251:IX	Relative Percent Difference (RPD) Determinations from Duplicate Samples . . . . .	6-56
6040:XI	Calibration for 1-100 ng/L Taste- and Odor-Causing Compounds without an Internal Standard at 65°C . . . . .	6-21	6251:X	Percent Recovery Determinations from Fortified Samples . . . . .	6-57
6040:XII	Comparison of Methods 6040B and D in a Single Laboratory . . . . .	6-22	6252:I	Method Detection Levels and Precision Data . . . . .	6-59
6040:XIII	Comparison of Results for MIB and Geosmin in Two Different Laboratories . . . . .	6-22	6252:II	Analytical Standards of Carbonyl Compounds Used in the PFBHA Method . . . . .	6-60
6200:I	Compounds Determinable by Gas Chromatographic Methods for Purgeable Organic Compounds . . . . .	6-24	6252:III	Recovery of Triplicate In-Situ Derivatized Aldehydes Compared to the Recovery of Pure Oxime Derivatives from Organic-Free Water . . . . .	6-61
6200:II	BFB Key <i>m/z</i> Abundance Criteria . . . . .	6-27	6252:IV	Retention Times (RTs) for Derivatized Carbonyls, Derivatized Surrogate Standard, and Internal Standard on Electron-Capture Detector . . . . .	6-63
6200:III	Primary Quantitation Ion, Retention Times and Method Detection Levels . . . . .	6-28	6410:I	Chromatographic Conditions, Method Detection Levels, and Characteristic Masses for Base/Neutral Extractables . . . . .	6-67
6200:IV	Single-Laboratory Bias and Precision Data in Reagent Water . . . . .	6-30	6410:II	Chromatographic Conditions, Method Detection Levels, and Characteristic Masses for Acid Extractables . . . . .	6-69
6200:V	Retention Times and Method Detection Levels . . . . .	6-32	6410:III	DFTPP Key Masses and Abundance Criteria . . . . .	6-69
6200:VI	Single-Laboratory Bias and Precision Data in Reagent Water . . . . .	6-33	6410:IV	Suggested Internal and Surrogate Standards . . . . .	6-70
6231:I	Chromatographic Conditions for 1,2-Dibromoethane (EDB) and 1,2-Dibromo-3-Chloropropane (DBCP) . . . . .	6-38	6410:V	QC Acceptance Criteria . . . . .	6-74
6231:II	Single-Laboratory Precision and Bias for EDB and DBCP in Tap Water . . . . .	6-39	6410:VI	Method Bias and Precision as Functions of Concentration . . . . .	6-77
			6420:I	Chromatographic Conditions and Method Detection Levels . . . . .	6-80
			6420:II	Silica Gel Fractionation and Electron Capture Gas Chromatography of PFBB Derivatives . . . . .	6-80
			6420:III	QC Acceptance Criteria . . . . .	6-84

6420:IV	Method Bias and Precision as Functions of Concentration . . . . .	6-84	6640:VI	Effect of Extract Holding Time on Recovery for Samples from a Chlorinated Surface Water Fortified with Method Analytes . . . . .	6-125
6440:I	High-Performance Liquid Chromatography Conditions and Method Detection Levels . . . . .	6-87	7010:I	Sample Handling, Preservation, and Holding Times . . . . .	7-2
6440:II	Gas Chromatographic Conditions and Retention Times . . . . .	6-87	7010:II	Usual Distribution of Common Radioelements Between the Solid and Liquid Phases of Wastewater . . . . .	7-3
6440:III	QC Acceptance Criteria . . . . .	6-90	7020:I	Laboratory Precision—One Standard Deviation Values for Various Analyses in Water Samples . . . . .	7-4
6440:IV	Method Bias and Precision as Functions of Concentration . . . . .	6-90	7020:II	Propagation-of-Error Formulas . . . . .	7-6
6610:I	Recovery of Known Additions of Selected Carbamates from Water and Estimated Detection Levels (EDL) . . . . .	6-93	7030:I	Energy Resolution for Various Detector Types . . . . .	7-12
6610:II	Storage Stability of Samples with Known Additions . . . . .	6-94	7120:I	Gamma-Emitters Recovery and Precision Estimate Regression Line Equations . . . . .	7-23
6610:III	Stability of 10 $\mu\text{g/L}$ Carbamates with Different Preservatives . . . . .	6-95	7120:II	Gamma-Emitters Study: Summary of Participants . . . . .	7-23
6610:IV	Stability of 2 $\mu\text{g/L}$ Carbamates with Different Preservatives . . . . .	6-96	7500-Ra:I	Chemical and Radiochemical Composition of Samples Used to Determine Bias and Precision of Radium-226 Method . . . . .	7-31
6610:V	Primary and Confirmatory Chromatographic Conditions and Retention Times for Selected Carbamate Pesticides . . . . .	6-97	7500-Ra:II	Factors for Decay of Radon-222, Growth of Radon-222 from Radium-226, and Correction of Radon-222 Activity for Decay During Counting . . . . .	7-35
6610:VI	Mean Recovery, Single-Analyst Standard Deviation, and Overall Standard Deviation for Collaborative Study Data . . . . .	6-99	7500-Ra:III	Results of Collaborative Precision Study . . . . .	7-42
6630:I	Retention Ratios of Various Organochlorine Pesticides Relative to Aldrin . . . . .	6-105	8010:I	Recommended Composition for Reconstituted Fresh Water . . . . .	8-10
6630:II	Precision and Bias Data for Selected Organochlorine Pesticides . . . . .	6-106	8010:II	Quantities of Reagent-Grade Chemicals to Be Added to Aerated Soft Reconstituted Fresh Water for Buffering pH . . . . .	8-11
6630:III	Chromatographic Conditions and Method Detection Levels . . . . .	6-108	8010:III	Procedure for Preparing Reconstituted Seawater . . . . .	8-11
6630:IV	Distribution of Chlorinated Pesticides and PCBs into Magnesia-Silica Gel Column Fractions . . . . .	6-110	8010:IV.A	Macronutrient Stock Solution . . . . .	8-12
6630:V	QC Acceptance Criteria . . . . .	6-114	8010:IV.B	Micronutrient Stock Solution . . . . .	8-12
6630:VI	Method Precision and Bias as Functions of Concentration . . . . .	6-115	8010:V	Nutrients for Algal Culture Medium in Seawater . . . . .	8-12
6640:I	Single-Laboratory Method Detection Levels in Reagent Water . . . . .	6-116	8010:VI	Percentage of Ammonia Un-ionized in Distilled Water . . . . .	8-18
6640:II	Chromatographic Conditions and Average Retention Time Data for Primary Column . . . . .	6-121	8020:I	Summary of Typical Test Deviations and Need for Retesting . . . . .	8-29
6640:III	Chromatographic Conditions and Average Retention Time Data for Confirmation Column . . . . .	6-122	8030:I	Diagnostic Mutagens for Tester Strains TA98 and TA100 . . . . .	8-34
6640:IV	Method Precision and Bias in Selected Matrices . . . . .	6-124	8211:I	Duckweed Nutrient Solution . . . . .	8-65
6640:V	Effect of Sample Holding Time on Recovery for Samples from a Chlorinated Surface Water Fortified with Method Analytes . . . . .	6-125	8220:I	Example of Seed Germination and Seedling Growth Test Conditions . . . . .	8-69
			8310:I	Summary of Ecological and Testing Conditions for the Freshwater Ciliate <i>Colpidium campylum</i> . . . . .	8-72
			8310:II	Summary of Ecological and Test Conditions for the Freshwater Ciliate <i>Tetrahymena thermophila</i> . . . . .	8-74

8310:III	Summary of Ecological and Test Conditions for the Soil Ciliate <i>Colpoda inflata</i> . . . . .	8-76	9221:IV	MPN Index and 95% Confidence Limits for Various Combinations of Positive Results when Five Tubes Are Used per Dilution (10 mL, 1.0 mL, 0.1 mL). . . . .	9-54
8420:I	Summary of Ecological and Test Conditions That Should Be Considered When Conducting Toxicity Tests with <i>B. calyciflorus</i> (BC) or <i>B. plicatilis</i> (BP) Rotifers. . . . .	8-78	9222:I	Suggested Sample Volumes for Membrane Filter Total Coliform Test . . . . .	9-62
8420:II	Sample Test Results . . . . .	8-80	9222:II	Confidence Limits for Membrane Filter Coliform Results Using 100-mL Sample . . . . .	9-64
8510:I	Summary of Ecological and Test Conditions for <i>Neanthes arenaceodentata</i> . . . . .	8-87	9222:III	Suggested Sample Volumes for Membrane Filter Fecal Coliform Test . . . . .	9-67
8711:I	Summary of Short-Term and Long-Term Toxicity Tests with <i>Daphnia</i> spp. . . . .	8-105	9223:I	Color Changes for Various Media . . . . .	9-73
8712:I	Summary of Ecological and Toxicological Test Conditions Using <i>Ceriodaphnia dubia</i> . . . . .	8-110	9225:I	Biochemical Reactions of Key Species of the Family Enterobacteriaceae . . . . .	9-84
8910:I	Recommended Prophylactic and Therapeutic Treatments for Freshwater Fish to Be Used for Experimental Purposes . . . . .	8-148	9230:I	Selected Key Biochemical Characteristics of the Streptococcus Species Within the Fecal Streptococcus and Enterococcus Groups . . . . .	9-90
8921:I	Test Conditions Common to Various Fathead Minnow Short-Term Tests. . . . .	8-159	9250:I	General Macroscopic Properties of Bacterial Colonies on Solid Medium . . . . .	9-111
8921:II	Test Conditions Specific to Various Fathead Minnow Short-Term Tests. . . . .	8-160	9260:I	Summary Data from Waterborne Bacterial Disease Outbreaks 1985-94 . . . . .	9-112
9020:I	Key Quality Control Practices. . . . .	9-4	9260:II	Reactions of Common Bacteria on TSI and LIA Media . . . . .	9-119
9020:II	Quality of Reagent Water Used in Microbiology Testing . . . . .	9-7	9260:III	Reactions of Enteric Bacteria on TSI and LIA Media . . . . .	9-132
9020:III	Time and Temperature for Autoclave Sterilization . . . . .	9-9	9260:IV	Reactions of <i>Aeromonas</i> and Enteric Bacteria on Kaper's Medium . . . . .	9-133
9020:IV	Holding Times for Prepared Media . . . . .	9-9	9260:V	Mycobacteria of Waterborne or Unknown Origin . . . . .	9-134
9020:V	Control Cultures for Microbiological Tests . . . . .	9-10	9260:VI	Phenotypic Characteristics of Clinically Significant Environmental Mycobacteria. . . . .	9-135
9020:VI	Calculation of Precision Criterion. . . . .	9-11	9711:I	Guidance for Selection of Sampling or Concentration Procedures for <i>Giardia</i> and <i>Cryptosporidium</i> . . . . .	9-163
9020:VII	Daily Checks on Precision of Duplicate Counts . . . . .	9-11	9711:II	Guidance for Selection of Separation/Purification Techniques . . . . .	9-164
9020:VIII	Coliform Counts and Their Logarithms . . . . .	9-12	9711:III	Guidance for Selection of <i>Giardia</i> and <i>Cryptosporidium</i> Assay Procedures . . . . .	9-165
9020:IX	Comparison of Frequency of MPN Data . . . . .	9-13	10200:I	Characteristics of Commonly Used Plankton Nets . . . . .	10-7
9020:X	Comparison of Frequency of Log MPN Data . . . . .	9-13	10200:II	Conversion Table for Membrane Filter Technique . . . . .	10-16
9211:I	Special Rapid Techniques . . . . .	9-24	10200:III	Extinction Coefficients and Chromatographic Properties of Pigments Separated by Reverse-Phase High-Performance Liquid Chromatography . . . . .	10-23
9215:I	Effect of Temperature of Drying on Weight Loss of 15-mL Agar Plates Stored Separately . . . . .	9-40	10200:IV	HPLC Solvent System Program . . . . .	10-25
9221:I	Preparation of Lauryl Tryptose Broth. . . . .	9-50	10300:I	Sample Calculation Ledger for Computation of Corrected Rate of Oxygen Change from a Single-Station Diurnal Curve . . . . .	10-43
9221:II	MPN Index and 95% Confidence Limits for All Combinations of Positive and Negative Results when Five 20-mL Portions Are Used. . . . .	9-53			
9221:III	MPN Index and 95% Confidence Limits for All Combinations of Positive and Negative Results when Ten 10-mL Portions Are Used. . . . .	9-53			

10300:II	Sample Calculation Ledger for Computation of Corrected Rates of Oxygen Change from the Upstream- Downstream Diurnal Curves of Oxygen Concentration and Temperature . . . . .	10-43	6710:I	Single-Laboratory Method Detection Level in Wastewater. . . . .	S-11
10400:I	Methods Used to Determine Macrophyte Production . . . . .	10-55	6710:II	Ion Abundance Criteria for Decafluorotriphenylphosphine (DFTPP) . . . . .	S-11
6610:I	Detection Levels in Reagent Water . . . . .	S-1	6710:III	Calibration Standards Concentration Levels and Preparation Method. . . . .	S-12
6610:II	Single-Analyst Precision and Accuracy of Compound Detection in Various Waters at Low (0.20 $\mu\text{g/L}$ ) and High (10 $\mu\text{g/L}$ ) Fortification Levels . . . . .	S-2	6710:IV	Gas Chromatograph Operating Parameters . . . . .	S-13
6610:III	Preparation of Calibration (CAL) Curve Solution . . . . .	S-4	6710:V	Assigned Quantitation Ion and Internal Standards. . . . .	S-13
6610:IV	Instrument Gradient and Conditions . . . . .	S-4	6710:VI	Calibration Acceptance Criteria . . . . .	S-13
6610:V	Retention Times for Analytes . . . . .	S-4	6710:VII	Minimum QC Samples for Each Batch and Respective Acceptance Limits . . . . .	S-13
6610:VI	Summary of Requirements for Initial Demonstration of Capability (IDC). . . . .	S-6	6710:VIII	Single-Laboratory Method Detection Level in Artificial Seawater. . . . .	S-15
6610:VII	Summary of Quality Control Requirements . . . . .	S-7	6710:IX	Gas Chromatograph Operating Parameters . . . . .	S-16



## PLATES

**Black and white plates of aquatic organisms**

1A. Cyanobacteria and green algae . . . . .	10-119
1B. Yellow-green, green, and golden-brown algae . . . . .	10-120
2A. Types of large marine algae . . . . .	10-121
2B. Types of large marine algae and marine grasses . . . . .	10-122
3A. Higher plants . . . . .	10-123
3B. Higher plants . . . . .	10-124
3C. Higher plants . . . . .	10-125
4A. Flagellates . . . . .	10-126
4B. Flagellates . . . . .	10-127
5A. Amoebas . . . . .	10-128
5B. Amoebas and nonpigmented flagellates . . . . .	10-129
6. Ciliates . . . . .	10-130
7. Sponges and coelenterates . . . . .	10-131
8. Rotifers . . . . .	10-132
9. Roundworms, flatworms, and segmented worms . . . . .	10-133
10. Segmented marine worms . . . . .	10-134
11. Crustaceans . . . . .	10-135
12. Crustaceans and Pycnogonid. . . . .	10-136
13. Stoneflies and mayflies . . . . .	10-137
14. Damselflies, dragonflies . . . . .	10-138
15. Hellgrammite and relatives, and caddisflies. . . . .	10-139

16. Two-winged flies . . . . .	10-140
17. Beetles . . . . .	10-141
18. True bugs . . . . .	10-142
19. Snails . . . . .	10-143
20. Some marine mollusks . . . . .	10-144
21. Bivalves . . . . .	10-145
22. Miscellaneous invertebrates . . . . .	10-146
23. Echinoderm types . . . . .	10-147
24. Some types of fishes . . . . .	10-148
25. Types of amphibians . . . . .	10-149
26. Bacteria and fungi . . . . .	10-150
27. Fungi . . . . .	10-151

**Color plates of algae (special color section) following 10-167**

28. Taste and odor algae
29. Filter- and screen-clogging algae
30. Fresh-water pollution algae
31. Clean-water algae
32. Plankton and other surface-water algae
33. Algae growing on surfaces
34. Wastewater-treatment-pond algae
35. Estuarine pollution algae