



# Postharvest Handling

A Systems Approach

EDITED BY

Robert L. Shewfelt  
Stanley E. Prussia

# POSTHARVEST HANDLING

## A Systems Approach

Edited by

**Robert L. Shewfelt**

Department of Food Science and Technology  
The University of Georgia  
Griffin, Georgia

**Stanley E. Prussia**

Department of Biological and Agricultural Engineering  
The University of Georgia  
Griffin, Georgia



ACADEMIC PRESS, INC.

*Harcourt Brace Jovanovich, Publishers*

San Diego New York Boston London Sydney Tokyo Toronto

# CONTENTS

Contributors	ix
Foreword	xi
Preface	xv

## **CHAPTER 1** **MARKETING SYSTEM FOR FRESH PRODUCE** **IN THE UNITED STATES** *R. Brian How*

I. Changing Patterns in Food Consumption, Markets, and Supply Sources	3
II. Marketing System for Fresh Fruits and Vegetables	13
III. Current Practices—A Critical Assessment	23
Bibliography	24

## **CHAPTER 2** **CHALLENGES IN HANDLING FRESH FRUITS AND** **VEGETABLES** *Robert L. Shewfelt and Stanley E. Prussia*

I. Handling of Fruits and Vegetables from Farm to Consumer	29
II. Toward a More Integrated Approach to Handling	33
III. Challenges Amenable to Systems Solutions	35
Bibliography	38

## **CHAPTER 3** **SYSTEMS APPROACH TO POSTHARVEST HANDLING** *Stanley E. Prussia and Robert L. Shewfelt*

I. Postharvest Systems	44
II. Systems Approaches	51
III. Applications of a Systems Approach to Postharvest Handling	56
IV. Implications of a Systems Approach to Postharvest Handling	63
V. Summary	68
Bibliography	68

## **CHAPTER 4** **PREHARVEST PHYSIOLOGICAL AND CULTURAL EFFECTS ON** **POSTHARVEST QUALITY** *R. B. Beverly, J. G. Latimer, and D. A. Smittle*

I. Introduction	74
II. Whole Plant Model: Physiological Responses to Environmental Effects	74

III. Whole Field Model: Cultural Practices to Optimize Produce Quality	80
IV. Coordinating Production and Marketing to Enhance Quality	90
V. Future Directions in Production Research and Management	92
Bibliography	93

## **CHAPTER 5**

### **MEASURING QUALITY AND MATURITY** *Robert L. Shewfelt*

I. Quality and Acceptability	100
II. Commodity-Specific Quality Attributes	101
III. Sample Collection and Preparation	103
IV. Maturity Indices	103
V. Measuring Quality	109
VI. Sensory Evaluation Techniques	114
VII. Quality in a Systems Context	118
Bibliography	119

## **CHAPTER 6**

### **MICROBIAL QUALITY** *Robert E. Brackett*

I. Microorganisms of Concern	126
II. Factors Affecting Microbial Growth	128
III. Factors Affecting Microbial Quality	134
IV. Methods to Evaluate Microbial Quality	141
V. Maintaining Optimal Quality	144
Bibliography	145

## **CHAPTER 7**

### **MEASURING AND MODELING CONSUMER ACCEPTANCE**

*Stanley M. Fletcher, Anna V. A. Resurreccion, and Sukant K. Misra*

I. Introduction	150
II. Data Collection	151
III. Modeling	157
IV. Hypothetical Illustration of a Consumer Acceptance Test	162
Bibliography	163

## **CHAPTER 8**

### **MODELING QUALITY CHARACTERISTICS** *Chi N. Thai*

I. Introduction	168
II. General Approach to Modeling	168
III. Models of Fruit and Vegetable Quality	169
IV. Conclusions	181
Bibliography	182

**CHAPTER 9****VISUAL INSPECTION AND SORTING: FINDING POOR QUALITY BEFORE THE CONSUMER DOES** *Frank Bollen, Stanley E. Prussia, and Amos Lidror*

- I. Background 188
- II. Design and Operation of Sorting Equipment 192
- III. Analysis of Sorting Operations 198
- IV. Economics of Sorting Operations 206
- V. Summary 208
- Bibliography 208

**CHAPTER 10****LATENT DAMAGE: A SYSTEMS PERSPECTIVE** *Yen-Con Hung*

- I. Types of Latent Damage 212
- II. Importance of Latent Damage 214
- III. Implications 216
- IV. Future Directions 220
- Bibliography 221

**CHAPTER 11****NONDESTRUCTIVE EVALUATION: DETECTION OF EXTERNAL AND INTERNAL ATTRIBUTES FREQUENTLY ASSOCIATED WITH QUALITY OR DAMAGE** *E. W. Tollner, J. K. Brecht, and B. L. Upchurch*

- I. Optical Evaluation: Surface Appearance and Internal Attributes 227
- II. Acoustic or Ultrasonic Evaluation: Firmness, Texture, and Maturity 234
- III. X-Ray and Gamma Ray Evaluation: Solids Distribution and Density 238
- IV. Nuclear Magnetic Resonance Evaluation: Internal Features and Composition 239
- V. Electrical Property Evaluation 243
- VI. Far-Infrared Thermography Evaluation: Surface Damage 244
- VII. Fluidized Bed Evaluation: Density 245
- VIII. "Pseudoproduct" and "Biosensors" 246
- IX. Conclusions 247
- Bibliography 249

**CHAPTER 12****STRESS PHYSIOLOGY: A CELLULAR APPROACH TO QUALITY** *Robert L. Shewfelt*

- I. Types of Postharvest Stress 258
- II. Factors in Stress Response 263
- III. Site of Stress Response 266
- IV. Molecular Biology of Harvested Tissue 269
- V. Implications for Quality Management 271
- Bibliography 272

**CHAPTER 13****QUALITY MANAGEMENT: AN INDUSTRIAL APPROACH TO PRODUCE HANDLING** *Amos Lidror and Stanley E. Prussia*

- I. Quality Management 278
- II. Outlines of Quality Control Techniques for Agricultural Products 280
- III. Quality Assurance Techniques for Further Improving Produce Quality 285
- IV. Systems Used for Quality Assurance 286
- Bibliography 291

**CHAPTER 14****PRODUCE MARKETING: NEW TECHNIQUES AT THE SUPERMARKET** *Stanley M. Fletcher*

- I. Introduction 294
- II. Historical Overview of Scanning 294
- III. Hard and Soft Benefits of Scanning 295
- IV. Bar Codes 296
- V. Marketing Opportunities 297
- Bibliography 300

**CHAPTER 15****FOOD SAFETY: CRITICAL POINTS WITHIN THE PRODUCTION AND DISTRIBUTION SYSTEM** *Robert E. Brackett, David M. Smallwood, Stanley M. Fletcher, and Dan L. Horton*

- I. Consumer Perceptions 302
- II. Chemical and Pesticide Safety 308
- III. Microbiological Safety 309
- IV. Conclusions 323
- Bibliography 323

**CHAPTER 16****INTERDISCIPLINARY SOLUTIONS TO CHALLENGES IN POSTHARVEST HANDLING** *Robert L. Shewfelt and Stanley E. Prussia*

- I. Current Disciplinary Perspectives 328
- II. Postharvest Challenges 329
- III. Interdisciplinary Solutions 332
- IV. Future Opportunities 335
- Bibliography 337

- Index 339

- Abdominal cramps, 313, 318
- Abscission, 262
- ACC, 219
- Accelerometer, 236, 246
- Acetylene, 171
- Acid composition, 230
- Acid-tolerant bacteria, 130
- Acidity, 58, 82, 85, 87, 103, 106, 113, 128–130, 132–134, 139, 171, 230, 314, 316–317, 330
- Acinetobacter*, 129, 135
- Acoustics, 171, 236–237, 246
- Actors, 54–55, 57
- Acytransferase, 270
- Adenovirus, 310
- Advertising, 157
- Aerobe, 132, 135, 139–140, 142
- Aeromonas*, 37, 129, 314
  - hydrophila*, 135, 145, 311, 313–314, 319
- Affective tests, 115, 150, 153, 155
- Aflatoxin, 231
- Age, 151
- Agricultural chemicals, 30, 37, 47, 56, 89, 92–93, 302, 304–305, 328
- AIDS, 315
- Airflow, 32, 48, 51
- Alar, 79, 86, 302–303, 307
- Alcaligenes*, 129
- Alcohol-insoluble solids, 104–106
- Algorithm, 160, 169, 189
- Alternaria*, 135, 317
- Alternating current, 244
- Alternative form method, 156
- Ameba, 318
- Amino acid, 133, 230
- Amylase, 133
- Anaerobe, 132, 137, 140, 142, 262
- Analytical sensory tests, 115
- Animal contamination, 134, 144, 188, 311, 315–316, 318–319
- Anthocyanin, 86, 104–105, 110, 231
- Anthraxnose, 213
- Antibiotic, 133–134
- Antibody, 246
- Antimicrobial, 132–134, 316
- Antisense, 269, 271
- Apple
  - chilling injury, 266
  - consumption, 5
  - damage, 212–218, 221, 237, 261
  - defect detection, 239–240, 243–244
  - ethylene, 262
  - exports, 11
  - flavor, 113
  - grading, 19
  - imports, 20
  - marketing, 91, 296
  - maturity, 104–106
  - production, 18, 56, 79, 85–86, 88–89
  - quality, 101, 158, 161, 171, 230–231, 236
  - ripening, 260
  - safety, 302–303, 309, 318
  - shipment, 32
  - sorting, 192, 194, 232–233
  - storage, 33, 48, 50
  - waxing, 47, 264
- Apricot, 79
- Archimedes' principles, 245
- Arizona, 19
- Aroma, 100, 109–110, 113–114, 151–152, 159, 262, 322
- Arrhenius equation, 171, 173
- Arthrobacter*, 129
- Ascaris lumbricoides*, 318–319
- Asco Firmness Tester, 236
- Ascorbic acid, 85–87, 114, 171, 217
- Ashing, 114
- Asparagus
  - damage, 262
  - microbial load, 136
  - microflora, 135
  - price, 16
  - production, 10
  - quality, 30, 171
  - safety, 316
- Aspergillus*, 129, 135, 317
  - clavatus*, 318
  - flavus*, 131
  - giganteus*, 318

*Aspergillus* (continued)

- niger*, 135
  - oryzae*, 130
  - pullans*, 135
  - tennis*, 135
  - terreus*, 318
- Asymptomatic carrier, 318
- Atmospheric conditions, 76-77
- Atmospheric pressure, 226
- Atomic absorption, 114
- Atomic number, 238
- Australia, 36, 58-59
- Automation, 189, 193, 294
- Auxin, 88, 263
- Availability
- of fresh produce, 31, 67, 214, 299
  - of materials, 81
  - of technology, 50, 55
- Avocado
- chilling injury, 260
  - damage, 216, 218-220
  - maturity, 104-105, 242, 245
  - quality, 236
- Bacillus*, 129, 135-136
- cereus*, 135
  - lichenformis*, 135
  - subtilis*, 130-131
- Bacteria, 127, 129-145, 310-317
- Bacteriophage, 126
- Banana
- chilling injury, 260
  - consumption, 5
  - damage, 218, 260
  - ethylene, 262
  - imports, 11, 18
  - marketing, 297
  - nutrients, 114
  - ripening, 21
  - sorting, 232
  - storage, 48
  - transport, 20
- Barley, cold shock, 268
- $\beta$ -Carotene, 86-87, 110, 114
- Beans
- cooling, 47
  - handling system, 56
  - harvesting, 46, 79
  - maturity, 104-106
  - microbial load, 136
  - microflora, 135
  - production, 85-86, 92
  - quality, 158, 171
- Beef consumption, 4
- Beer-Lambert Law, 228, 238

## Beet

- damage, 262
  - microbial load, 136
  - pigments, 111
  - quality, 247
- Belgian endive, 6
- Belt conveyor, 191
- Benzoic acid, 133, 312
- Betalains, 110-111
- Binary fission, 127
- Bioaffinity electrode, 246
- Biofilm, 133, 138, 320
- Biological control, 238, 289, 308
- Biological variability, 82, 330
- Biosensor, 226, 246-247, 249
- Bird peck, 231
- Bitterpit, 88
- Bitterness, 113-114
- Black speck, 220
- Blackberry
- microbial load, 136
  - production, 56, 87-88
- Blackheart, 88, 219
- Blackseed, 219
- Blanching, 44-45, 49, 171, 259, 311
- Blossom end rot, 78, 86, 88, 219
- Blue mold rot, 215, 218
- Blueberry
- damage, 212, 216-217, 221
  - quality, 101, 110, 158, 171
  - sample presentation, 118
  - sorting, 232
- Blush color, 233
- Body transmittance, 228, 230
- Bok choy, 6
- Bolting, 78
- Boron, 77-78, 80
- Botrytis cinerea*, 135, 218
- Botulism, 317
- Bound water, 242
- Boundary, 48, 61
- Brand labeling, 21, 37, 91, 157, 162, 306
- Brightness level, 192
- Brix-to-acid ratio, 104, 106, 113
- Broccoli
- consumption, 5-6
  - field pack, 46
  - handling system, 57-58
  - microbial load, 136
  - microflora, 129, 135
  - minimal processing, 141
  - precooling, 46-47
  - production, 10-11, 87
  - quality, 101-102, 109-110, 158, 171
  - safety, 316
  - storage, 140, 261, 263



- Browning, 83, 112, 213, 217, 219, 263, 265
- Bruise  
  detection, 233, 237, 240, 243-245  
  susceptibility, 48, 264
- Bruising, 35, 49, 59, 90, 140, 188, 212, 215-217, 261, 263, 265, 267-268
- Brushing, 85
- Brussels sprouts  
  damage, 262  
  safety, 316
- Budbreak, 78
- Buttoning, 78, 85
- Byssochlamys nivea*, 317
- Cabbage  
  damage, 265  
  maturity, 104  
  microbial load, 136  
  microflora, 135  
  production, 13, 78, 87-88  
  quality, 158  
  safety, 315-316  
  solidity, 245
- Calcium, 58, 77-80, 83, 86, 171, 219, 267-268, 270
- California, 19  
  U. S. Department of Agriculture, 307  
  grape plantings, 5  
  lettuce, 15, 18  
  orange, 15
- Callose, 268, 270
- Calmodulin, 267-268
- Camera, 233
- Canada, 280
- Cancer, 306-307, 315, 317
- Candida*, 129  
  *pseudotropicalis*, 130
- Cane fruits  
  harvesting, 46
- Canned food, 48-49
- Cantaloupe  
  imports, 11  
  maturity, 104-106  
  production, 83  
  quality, 171, 230  
  safety, 313  
  storage, 264
- Capacitance, 243
- Capital, 208
- Carbohydrate composition, 46, 132, 134, 228, 230, 245, 268
- Carbohydrate partitioning, 74-77, 87, 92
- Carbon dioxide, 33, 76-77, 79, 85, 132, 137, 140, 217, 221
- Carbon dioxide injury, 36, 262, 264, 266
- Carnation, senescence, 271
- Carotenoid, 110-111, 171
- Carrot  
  damage, 262, 264  
  defect detection, 231  
  handling, 139  
  heat shock, 268  
  microbial load, 136  
  microflora, 135  
  production, 10, 78  
  safety, 311, 316  
  sorting, 232  
  storage, 261
- CATWOE, 54-55, 61
- Cauliflower  
  cooling, 47  
  damage, 262  
  microbial load, 136  
  production, 10-11, 78, 84-85  
  quality, 109, 158  
  safety, 316  
  spoilage, 141
- Celery  
  damage, 219, 261-262  
  microbial load, 136  
  production, 78, 88-89  
  quality, 101  
  safety, 315
- Cell signaling, 266
- Cell wall, 77, 84, 216, 234, 266-268
- Cellular disruption, 216-217
- Cellulase, 133, 216, 263
- Census, of farms, 18
- Central America, 20
- Central location tests, 151
- Cereal grain, 84, 317
- Chain code, 230
- Character impact compound, 113
- Cheese consumption, 4
- Cheese spread, 159
- Chemical kinetics, 169, 172-174
- Cherry  
  damage, 212, 216-217, 221, 268  
  maturity, 104, 106, 246  
  production, 85, 264  
  safety, 318  
  sorting, 191  
  storage, 261
- Chile  
  exports, 332  
  grapes, 5-6, 302-303
- Chill unit, 78
- Chilling injury, 33, 35-36, 47-48, 51, 88, 109, 114, 144, 215, 219-221, 259-262, 264-267, 270-271, 331
- Chilling resistant, 219
- Chilling sensitive, 219, 266

- Chitosan, 268  
 Chlorine, 139, 311, 318  
 Chlorophyll, 76, 105, 110-111, 171, 221, 229-232, 263  
 Chloroplast, 221  
 Cholera, 313  
 Chroma, 111, 172, 175-176, 179-180, 229  
 Chrominance, 233  
*Chromobacterium*, 129  
 Chronbach's alpha, 156  
 Circulatory system, 318-319  
 Circumference, 105  
*Citrobacter*, 129, 135  
   *amaloniticus*, 135  
   *freundii*, 135  
 Citrus fruit  
   damage, 213-214, 217-219, 231, 266  
   irradiation, 263  
   maturity, 106  
   production, 11-12  
   rootstock, 82  
   sorting, 192, 200  
   storage, 261, 264  
   waxing, 47  
*Cladosporium*, 135  
   *cladosporioides*, 135  
   *fumeti*, 135  
 Climacteric, 66-67, 262  
 Climate, 260  
 Clone, 270  
*Clostridium*, 129, 136  
   *botulinum*, 130-131, 137, 311, 317  
 Cluster analysis, 157-158, 171  
 Cocoa, 247  
 Coefficient of restitution, 180-181, 236  
*Coffea*, 264  
 Coffee, 231  
 Cognitive process, 169  
 Cold-shock protein, 268-269  
 Coliform, 137, 143  
 Collards  
   microbial load, 136  
   microflora, 135  
*Collectotrichum gleosporioides*, 218  
 Colony forming unit, 142  
 Color, 2, 46, 48, 58, 66, 82, 85-88, 91, 100-101, 104-107, 114-116, 118, 162, 169, 188, 192, 197, 216, 248, 271, 302, 330  
 Color chips, 104-105, 264, 281  
 Color measurement, 110-112, 229-230, 233  
   perception, 111, 229  
 Color scale, 111-112  
 Colorant, 159, 303  
 Colorimetry, 104-105, 111-112, 172, 174-181  
 Commodity capability, 31-33  
 Competitive advantage, 50  
 Competitive microorganism, 133  
 Compression tests, 217  
 Computer model, 58, 60, 93, 102, 105, 167-182  
 Computer system, 290, 296  
 Computer vision, 229, 233, 248  
 Computer-assisted ordering, 295, 297, 299  
 Conceptual model, 54, 61-63, 68, 336  
 Condensation, 132  
 Condition, 100  
 Conditional probability, 202-205  
 Conductive tissue, 74  
 Conductivity, 244  
 Conformance to grade, 289  
 Conidia, 218  
 Conjoint analysis, 157, 160-161  
 Constipation, 317-318  
 Construct validity, 157  
 Consumer, 28-29, 33, 38, 44-45, 50, 55, 60, 91, 143, 145, 214, 226, 234, 247, 311, 319, 321-323, 329, 331-332, 334, 336  
 Consumer acceptance, 28, 34-35, 37-38, 59, 64-67, 87-89, 91-92, 100-102, 110-111, 115, 118, 149ff, 168-169, 215, 232, 271, 295  
 Consumer attitudes, 20, 47, 57, 63, 67, 93, 115, 278, 294, 304  
 Consumer confidence, 302-303  
 Consumer demand, 2-4, 13, 23, 59, 82, 90, 92, 141, 156, 168  
 Consumer education, 24, 37, 306, 330  
 Consumer expectations, 2, 279-280, 289, 330  
 Consumer expenditures, 8, 14-15, 17  
 Consumer food product, 150-151, 155-156, 160, 329  
 Consumer package, 50  
 Consumer panel, 102, 115, 118, 151-157, 171, 329  
 Consumer perception, 100-101, 150, 169, 174-175, 302-310  
 Consumer purchase, 18, 21, 23, 46, 48-49, 64-66, 101-102, 144, 188, 215, 299, 308  
 Consumption quality, 64-67, 82, 100-102, 112-113, 115, 118-119, 163, 174, 271  
 Content validity, 157  
 Continuous product flow, 190, 199  
 Controlled atmosphere storage, 32, 48, 50, 59, 220, 258, 262, 331  
 Convenience food, 302  
 Conveyor, 190-191, 234, 287  
 Cookie, 173  
 Cooking, 312-313, 321  
 Cooling, 215, 329, 331  
 Cooling delay, 32

- Cooperative, 19, 50, 67, 286  
Cooperative Extension, 332  
Corkspot, 88, 219  
Corporate director, 61  
Corrective action, 289  
Correlation, 157, 162, 171–172, 236–237, 244, 249, 272  
*Corynebacterium*, 129, 135  
Cosmetic quality, 37, 89, 101, 304  
Cost effective, 168  
Cost reduction, 31, 214  
Cost savings, 298  
Cough, 319  
Coupon, 295  
Covered roller conveyor, 191  
Cowpea flour, 159  
Coxsackie virus, 310–311  
Cranberry,  
  antimicrobial, 133–134  
  damage, 237  
  pigments, 110  
Credence good, 302  
Crispness, 101, 114, 161, 234  
Criterion-related validity, 157  
Critical chilling temperature, 266  
Crop production, 11–14, 16, 34, 37–38, 46, 49, 55–58, 63, 67, 73ff, 100, 105, 126, 138, 144, 182, 212, 264, 278–279, 285–286, 311, 319, 328, 330  
Cross contamination, 138–139, 321  
Crown rot, 213  
Crunchiness, 101, 114  
*Cryptococcus*, 129  
Cucumber  
  chilling injury, 260, 266, 268  
  damage, 219, 221, 261–263  
  end use, 48  
  imports, 11  
  maturity, 104  
  microflora, 135  
  minimal processing, 141  
  quality, 109  
  safety, 316  
  waxing, 47, 264  
Culling, 28, 31, 63, 189, 192–193, 197–208, 216  
Cultivar, 30, 48–49, 58, 81–83, 86, 89, 92, 106, 182, 264, 328, 335  
Cultural practices, 30, 34, 48, 67, 73ff, 100, 114, 144, 174, 189, 212, 264, 286, 308, 315, 328  
Curing, 266  
Customer, 54–55  
Cuts, 215, 231, 261, 263  
Cutting, 141, 312–313, 316, 320  
Cylindrical products, 190  
Cytokinin, 263  
Cytoplasm, 75, 140  
Damage  
  detection, 227, 247  
  inception, 226, 247  
Daminozide, 79, 86, 302–303, 307  
Damping, 235  
Data collection, 151, 280–281, 290, 328  
Day length, 78  
Days after anthesis, 104  
Death phase, 127  
*Debaryomyces hansenii*, 135  
Decalactone, 113  
Decay, 28, 46–47, 59, 88, 90, 109, 132, 138, 140, 144, 214, 220, 259, 261–266, 290, 318  
Decision making, 290, 298  
Decomartmentalization, 216, 219  
Defect, 2, 47, 100, 109, 188–191, 194, 197–201, 207, 214, 221, 231, 248, 278, 281–283, 285, 288, 290, 309  
Defect detection, 190, 198, 233, 278  
Defense mechanism, 263–264  
Deformation, 171, 236  
Degree days, 104  
Degreening, 19, 232  
Dehydration, 132, 171, 261, 312, 319  
Delayed light emission, 104–105, 171, 221, 229, 248  
Demographics, 3, 8, 152, 157, 162, 295  
Density, 103–105, 234, 238–239, 248  
Denting, 83  
Descriptive sensory analysis, 115  
Desiccation, 36, 83, 112, 133, 266  
Detectability parameter, 202–208  
Determinate crops, 78  
Dexenal, 114  
Diabetes, 315  
Diameter, 105  
Diarrhea, 310–314, 317–318  
Dielectric properties, 243–244  
Difference tests, 117  
Digital image processing, 233  
Direct marketing, 22, 64  
Discoloration, 35, 109, 212, 214  
Discounting, 299  
Discriminative sensory analysis, 115, 117  
Disinfectant, 319  
Disinfestation, 232  
Distal end, 106, 108  
Distribution channel, 7–8, 281  
DNA, 126, 269–270  
Dread, 305–306  
Drought stress, 79, 86–87, 92, 213, 218  
Duo-trio tests, 117

- Dynamic modulus, 235  
 Dynamic systems, 38, 53  
 Dysentery, 313, 318
- Early detection, 214–215, 226, 247  
 Echovirus, 310–311  
 Econometrics, 3, 163  
 Economic considerations, 49, 321, 331  
 Economic constraints, 35, 50, 90, 92–93  
 Economic factors, 157  
 Economic impact, 14–17, 35–36, 63, 135, 190, 206–208, 215–216  
 Economic incentives, 64, 91, 181–182, 330–331  
 Economic loss, 215  
 Economic threshold, 56, 89  
 Economic value, 11–12, 16–17, 38, 87, 100, 188, 206, 214, 260, 305, 308, 329  
 Economics, 34, 51, 83, 92, 159, 302, 308  
 Edible coating, 141  
 Educational background, 151  
 Eggs  
   consumption, 3–4  
   price, 7  
 Elasticity, 217, 234–236  
 Electric flux density, 244  
 Electrical field, 243, 247  
 Electrical property, 243–244, 248  
 Electrical resistance, 243–244  
 Electrolyte leakage, 220  
 Electromagnetic, 236, 241, 244, 247–248  
 Electron spin resonance, 242  
 Electronic marketing, 297  
 Elicitor, 266  
 Ellipsoids, 193, 195  
 Emerging pathogens, 313  
 Empirical model, 200–201  
 Empirical observation, 29, 157, 175–181, 331  
 Employment status, 151  
 Encephalitis, 315  
 End use, 46, 48, 57, 100, 286  
 Energy flow, 74–77, 79–80, 82, 85, 92–93, 132, 212  
 Energy gradient, 77  
 Engineering, 34, 38, 44, 51–53, 68, 201, 226, 328, 336  
*Entamoeba histolytica*, 311, 318  
*Enterobacter*, 129, 135, 143  
   *aerogenes*, 135, 143  
   *agglomerans*, 135, 143  
   *cloacae*, 135, 143  
   *faecalis*, 135  
   *faecium*, 135  
 Enterovirus, 310  
 Entomology, 34, 51, 336  
 Environmental constraints, 35, 54–55, 75–83, 88–89, 92–93, 308, 317  
 Environmental Protection Agency, 306–307  
 Enzyme, 77, 132, 216–218, 246–247, 258–272  
 Epidemiology, 306, 313, 315  
 Equivalent Point Method, 173  
 Ergonomics, 197  
 Erosion, 81  
*Erwinia*, 129, 135–136, 143  
   *caratovora*, 129–130, 138  
*Escherichia*, 129, 312  
   *coli*, 130–131, 135, 143, 311, 314  
   *coli O157:H7*, 314  
 Ethephon, 79  
 Ethylene, 33, 48, 50, 106, 113, 171, 214, 216, 219, 226, 260–263, 272, 331  
 Ethylene sensitive, 32, 48, 262  
 Eukaryote, 127  
 Europe  
   product safety, 318  
   quality management, 290  
 Exocytosis, 267  
 Experimental design, 170, 329–330, 334  
 Expert judge, 102, 106, 109–110  
 Expert system, 299  
 Exponential growth phase, 127  
 Exports, 60, 68, 188, 285, 289–290  
   from United States, 11–14, 20  
   from Europe, 20
- Factor analysis, 157–158  
 Facultative anaerobe, 132, 140  
 False alarm rate, 202–208  
 Far-infrared thermography, 244  
 Farm, 8, 29–31, 38, 44–45, 60, 126, 144  
 Farm value, 8, 15–17  
 Farmer, 8, 18, 24, 50, 68, 74, 80, 89–91, 100–101, 135, 159, 285, 287, 304–305, 308, 328–329, 334  
 Farmers markets, 22  
 Fatigue, 117–118, 170, 195  
 Fecal contamination, 137, 143, 311–312, 314–315, 318–320  
 Feedback information, 247, 283–284, 287, 289–290  
 Feedforward information, 247  
 Fertilization, 67, 79–81, 87–88, 92–93, 100, 144, 278, 286, 316, 319–320  
 Fever, 312–313, 318–319  
 Fiber, dietary, 28, 87  
 Fiber-optic, 104–105  
 Fiberboard containers, 50  
 Field, 38, 102, 284, 286, 309, 330  
 Field heat, 31, 47  
 Field pack, 46–47, 58–60  
 Field production manager, 286  
 Fine-net cracking, 83

- Firmness, 30, 58–59, 82, 85, 88, 91, 100–101, 104–105, 109, 112–113, 116–117, 170–172, 174–181, 188, 228, 235–237, 239, 244, 269, 271, 330
- First-in, first-out, 174
- First-order kinetics, 171
- Flavado, 220
- Flavobacterium*, 129, 135
- Flavor, 28–30, 46, 59, 66, 76, 79, 82–83, 85, 87–88, 91, 100–101, 109, 113–114, 116–118, 159, 162, 169–171, 174, 213, 216, 262, 271, 302
- Flavoring, 112
- Floating row covers, 80, 89
- Floor space, 150
- Floret, 109
- Florida, 19  
grapefruit, 18
- Flow chart, 283–284
- Flower initiation, 78–79
- Fluidity, 220, 267
- Fluidized bed, 245
- Fluorescence, 231
- Fluorescent lighting, 197–198
- Focus group, 161, 305
- Food additive, 114, 263, 302–303, 307
- Food consumption, 3–10, 13
- Food microbiology, 125ff, 308–323, 336
- Food processing, 17, 34, 36, 137, 144–145, 173, 278, 315, 317, 319, 321–322
- Food safety, 2, 21, 23, 30, 35–37, 89, 92–93, 100, 126–131, 133–134, 137–141, 143–145, 160, 263, 278, 301–323, 329, 336
- Food science, 34, 51, 126, 329
- Food and Drug Administration, 307
- Food Marketing Institute, 302–303, 307
- Foodborne illness, 309–323
- Foodborne pathogen, 36–37, 127, 129, 137, 143, 145, 302, 308–323
- Foodservice, 7, 14–18, 21–22, 32
- Forced choice, 155
- Forced-air cooling, 47
- Foreign sales, 15
- Foreign trade, 20, 280
- Forward contracting, 91
- Free induction decay, 241
- Free water, 242
- Freezing, 259, 312
- Freezing injury, 36, 78, 80, 90, 213, 219, 239, 248, 259, 262, 266, 313
- French, 101
- Frensel Equation, 228, 235
- Frequency distribution, 280
- Frequent shopper, 299
- Fresh produce, 1–24, 28–38, 44–45, 48, 55–63, 83, 85–93, 100, 125–145, 150, 157–158, 160–163, 214, 216, 242, 247, 258, 277–290, 294–300, 304, 308, 310–311, 314–315, 318, 321, 330, 334, 336
- Frozen food, 48–49, 58
- Fruit and vegetable processing, 14, 28, 44–45, 48–50, 68, 100, 132, 158, 214, 286–287, 329
- Fruit set, 79
- Fruit tissue, 74–75, 77–79, 217
- Full-profile approach, 161
- Fumigation, 308
- Fungi, 127–131, 133–137, 139, 142, 218, 268, 309, 317–318
- Fungicides, 47, 59, 263
- Fusarium*, 135, 317  
*oxysporum*, 130
- Fuzzy set theory, 173
- Gaming theory, 53
- Gamma irradiation, 32–33, 238–239, 248, 263
- Gas chromatography, 113–114
- Gaseous composition, 36, 114, 137, 140–141, 258, 320
- Gastrointestinal tract, 310, 312–313, 317–318
- GATT, 20
- Gene expression, 266, 268–269, 271–272
- Gene sequence, 270
- Gene target, 126, 269, 272
- Generation time, 127, 129
- Genetic engineering, 30, 82–84, 162–163
- Genetic potential, 30, 74, 80, 82, 83, 114, 264, 270
- Genotype, 30, 83, 259, 264
- Geographic region, 150–151
- Geotrichum candidum*, 138
- German, 101
- Germination, 218
- Germplasm, 83
- Giardia lamblia*, 311, 318
- Gibberellin, 263
- Glass electrode, 246
- Glucan glucosyltransferase, 268
- Glycoalkaloid, 217, 263
- Golden Delicious apples, 218
- Governmental regulation, 84, 92–93, 306, 328
- Grading, 19, 45–47, 49, 64, 100–102, 144, 173, 188–189, 212, 214, 234, 262, 287, 289
- Gram stain, 127
- Gram-negative bacteria, 127, 130–132, 134, 137, 140, 311–312, 314
- Gram-positive bacteria, 127, 130–132, 134, 311, 317
- Grape  
consumption, 5–6  
cooling, 47

- Grape (*continued*)  
 flavor, 113  
 grading, 19  
 harvesting, 46  
 imports, 11  
 juice, 85  
 maturity, 104–106, 108  
 microbial load, 136  
 pigments, 110  
 processing, 132  
 production, 56, 86, 88  
 quality, 171, 242  
 safety, 302–303, 318  
 sorting, 232
- Grapefruit  
 composition, 83  
 damage, 220  
 exports, 11  
 production, 18, 87  
 quality, 101  
 storage, 266
- Green leafy vegetables, 46–47, 80, 85, 88,  
 110–111, 114, 135, 136, 263
- Greenhouse, 83, 85, 89
- Gross profit margin, 297
- Ground color, 59, 172, 234, 281
- Group approach, 170, 175–181
- Growing location, 48
- Growth conditions, 30, 73–93, 212–213,  
 218–219, 264, 328
- Growth regulators, 30, 79, 85–86, 88, 114, 263
- Growth temperature, 75–76, 78, 80–81, 85, 114
- Guavas, 6  
 irradiation, 263
- Gyromagnetic, 240
- HACCP, 322–323
- Hafnia alvei*, 135
- Hahn spin echo, 241
- Hail damage, 231
- Halobacterium halobium*, 131
- Hand harvesting, 49, 79, 81, 90–92
- Handling abuse, 102
- Handling steps, 30–35, 44, 48, 51, 53, 57–58,  
 60, 68, 102, 106, 108, 119, 137, 188–189,  
 215, 220, 271, 279, 289, 319, 321,  
 329–330
- Hard systems, 44, 53–54
- Harvesting, 30–31, 44–50, 56, 58–59, 66–67,  
 74, 78–79, 81, 89–93, 138, 144, 170,  
 188–189, 212–213, 215–216, 218, 220,  
 239, 279–280, 285–287, 299, 309, 311
- Headache, 313
- Health concerns, 28, 37, 278, 300–323
- Heat shock, 261, 268
- Heat resistant, 317
- Heat-shock proteins, 261, 268, 270
- Heavy metals, 79–80
- Hedonic price functions, 38
- Hedonic scale, 115, 155, 162
- Hemorrhagic colitis, 314
- Hepatitis, 310
- Herbicide, 84
- Hidden quality attributes, 100, 113–114, 119
- High temperature, 78, 80, 133, 213, 258,  
 260–261, 266, 268, 271–272
- High-density polyethylene, 220, 261
- Histogram, 280
- Hit rate, 202–208
- Hollow stem, 87, 248
- Home storage, 37, 305, 322
- Home use test, 151, 153–154
- Horticulture, 34, 51, 226, 232, 336
- Host cell, 126, 268
- Host resistance, 213, 218, 308
- Hough transforms, 230
- HPLC, 110, 113–114
- Hue, 108, 111–112, 171, 175–181, 229
- Human activity system, 54
- Human visual inspection, 190
- Hybrid, 83
- Hydrocooling, 47, 50, 329
- Hygiene, 143, 311–312, 318
- Hypermarket, 21
- Hypochlorite, 139
- Hypothesis testing, 29, 52, 157
- Icing, 33, 47–48, 50–51
- Idaho potatoes, 18, 91
- Ideal point model, 160
- Image capture, 229
- Image processor, 190, 229
- Immunocompromised, 141, 315
- Impact, 48, 212, 216–217, 221, 226, 236, 246,  
 265
- Impedance, 237, 243, 245
- Imports, 60, 68, 290  
 to United States, 11–13, 18, 20  
 to Japan, 20
- in vivo*, 242
- Income, 3, 8–10, 151, 312
- Indeterminate crops, 78–79
- India, marketing system, 55
- Individual approach, 169, 174–181
- Individual seal-packaging, 220, 261
- Indoleacetic acid, 88
- Inductance, 243–244
- Information flow, 285, 295, 336
- Infrared radiation, 228, 231
- Initial quality, 174, 188
- Insects, 30, 84, 89, 93, 134, 188, 268, 304,  
 309, 315, 318

- Inspection, 31, 188–189, 191, 199–205, 215, 229, 232, 234, 279–290
- Instron tests, 113, 236
- Instrumented sphere, 246
- Integrated Pest Management, 56, 89, 307–309
- Intercellular spaces, 216
- Interdisciplinary team, 51, 57, 92, 328–337
- Intermittent warming, 266
- Internal appearance, 216, 221, 260
- Internal breakdown, 214, 219, 239
- Internal bruising, 215, 217, 219, 240
- Internal consistency method, 156
- Internal gel formation, 104, 106
- Interval scales, 115, 155
- Inventory control, 215, 299
- Iodine staining, 104, 106
- Ion selective electrode, 246
- IPM, 30, 56, 89, 93
- Iron, 83
- Irradiated food, 248, 303, 305, 308, 329
- Irreversible injury, 265, 272
- Irrigation, 67, 79–81, 86–88, 93, 100, 128, 134, 143–144, 278, 286, 311, 320
- ISO, 279, 336
- Isoamylacetate, 113
- Israel, 36, 58, 280, 287, 290
- Jam, strawberry, 58
- Japan, marketing system, 55
- Jelly, 131–132
- Juice, 141, 318
- Juiciness, 115, 171, 230
- Kiwifruit
- marketing, 6
  - maturity, 104–105, 107
  - quality, 171
  - sorting, 192, 197
- Klebsiella*, 129, 135
- oxytoca*, 135
  - pneumoniae*, 143
- Knowledge, 169
- Kumquat, 6
- Labor, 20, 50, 55, 81, 90, 92, 145, 299, 311–312, 320
- Lactic acid bacteria, 130, 133, 137
- Lactobacillus*, 129–130, 135
- Lag phase, 127
- Lamb consumption, 4
- Larmor Equation, 240
- Laser, 228
- Last-in, first out, 174
- Latent damage, 35–36, 60, 63, 212–221, 226–227, 331–332
- Latin America, 313
- Learning, 169, 334–335
- Least squares, 159, 178
- Legal issues, 80–81, 84, 92
- Legume, 84
- Lemon sorting, 192, 195, 198
- Lenticel, 215, 218
- Lettuce
- cooling, 47
  - damage, 262, 264, 272
  - field pack, 46
  - handling system, 57
  - marketing, 299
  - microflora, 135
  - production, 10, 18, 78, 87–88
  - quality, 101, 109
  - safety, 311, 315–316
  - shipment, 32
  - storage, 140
  - value, 16
- Leuconostoc, 129
- Light, 36, 76, 79–81, 85–86, 88, 192, 263
- Light aperture, 111
- Light scattering, 228
- Lighting, 196–197, 201
- Lightness, 111–112
- Lignification, 220, 262
- Limonene, 114
- Linear programming, 53
- Linear relationship, 170
- Lipid composition, 230, 245, 261, 266–267, 270
- Lipid unsaturation, 221, 267
- Lipophilic protein, 219
- Liposome, 267
- Liquid phase water, 132
- Listeria*, 34, 129
- monocytogenes*, 138, 145, 311, 314–317, 319–320
- Locule, 217, 242
- Log phase, 127
- Logarithm, 170
- Loss assessment, 215
- Low-acid foods, 317
- Luminance, 233
- Lychee, 6
- Lycopene, 261
- Lycopersicon*
- esculentum*, 264
  - hirsutum*, 264
- Machine vision, 190, 229–230, 232–234, 248
- Magnesium, 114
- Magnetic field, 243, 247
- Magnetic flux density, 244

- Magnetic resonance imaging, 242–244, 249  
 Magnitude estimation, 115  
 Maize, cold shock, 268  
 Malic acid, 217, 221  
 Mangoes  
   damage, 213, 218–219  
   handling system, 57–59  
   imports, 18  
   irradiation, 263  
   production, 85  
   quality, 171  
   sorting, 232  
 Manual sorting, 200  
 Manure, 316  
 Marginal probability, 163  
 Markdown, 299  
 Market niche, 304  
 Marketability, 36, 220, 272  
 Marketing, 35–37, 51, 59, 67, 81, 90–93, 126, 145, 150, 215, 294–300, 302, 208, 321–322, 332, 335  
 Marketing factors, 188–189  
 Marketing firm, 2, 17–23, 284–285, 290, 329–331, 333  
 Marketing practices, 101  
 Marketing literature, 160–161  
 Marketing system, 1–24, 58, 171, 281, 331  
 Marketing target, 299  
 Mathematical model, 38, 52–53, 167–182, 200, 228  
 Maturity, 30–31, 46–47, 49–50, 59, 65–67, 78–79, 81, 85–86, 89–91, 100–101, 103–109, 111, 170, 173–181, 188, 216, 220, 226, 230, 232, 234, 239, 242, 245–246, 262, 264  
 Maturity index, 46, 85–86, 103–109, 119, 230  
 Maximum acceptable risk, 306  
 Maxwell's Equations, 243–244  
 McIntosh apples, 218  
 Meat  
   price, 7, 294  
   safety, 314–315, 318, 321  
 Mechanical damage, 28, 30–32, 35, 49, 60, 90, 114, 135, 138, 140, 144, 174, 212, 214–215, 218, 226, 244, 258, 263, 290  
 Mechanical field, 247  
 Mechanical harvesting, 31, 46, 49–50, 58, 81, 90, 92, 220, 233  
 Mechanical resonance, 236  
 Mechanical sorting, 189, 233, 248  
 Melon  
   chilling injury, 268  
   consumption, 13  
   imports, 11  
   maturity, 104–106  
   production, 10–11, 13, 87  
   quality, 229–230, 248  
 Melanotic compounds, 217  
 Membrane, 77, 113, 217–219, 221, 259–261, 263, 266–267  
 Membrane turnover, 267  
 Membrane-associated disorders, 267, 270–271  
 Membrane-bound protein, 266–268, 270  
 Meningitis, 315  
 Mental model, 168  
 Merchandising, 19, 21, 23, 33, 37, 53, 63, 67, 101, 294–295, 298–299  
 Mesocarp, 220  
 Mesophile, 129, 139  
 Metal oxide gas detectors, 246  
 Metal-ion complexes, 110  
 Methylbutyrate, 113  
 Mexico  
   tomatoes, 6  
   trade, 20  
 Michigan apples, 214  
*Microbacterium*, 129  
 Microbial growth, 128–134, 136–143, 312, 314, 321  
 Microbial infection, 134, 312, 318–319  
 Microbial invasion, 36, 258, 261–263, 268, 270  
 Microbial nutrients, 317  
 Microbial populations, 131, 136, 138–139, 142, 314, 316, 320  
 Microbial quality, 30, 126ff, 321  
 Microcapacitor, 246  
*Micrococcus*, 129  
   *luteus*, 135  
 Microdomain, 267  
 Microelectronics, 226, 248  
 Middle lamella, 219  
 Milk  
   consumption  
     whole, 3–4  
     lowfat, 4  
   price, 7  
   safety, 315  
 Minerals, 28, 78–79, 114, 134, 213, 219  
 Minimal processing, 19, 21, 35, 49, 140–141, 258, 262, 312, 317, 319–322, 329  
 Miss rate, 202  
 Misting, 33  
 Mitochondria, 267  
 Mobile laboratory, 152–153  
 Modeling, 150, 156–163, 167–182, 194, 200, 262  
 Modified atmosphere, 19, 33, 37, 138–139, 262, 314, 316–317, 320–321, 329  
 Moisture barrier, 261  
 Moisture content, 46, 86, 103, 105, 220, 230, 238



- Mold, 127–139, 142–144  
Molecular biology, 36, 258, 269–272, 331  
Molecular motion, 241  
Molecular species, 267  
Molybdenum, 88  
Monotonicity, 227, 229, 237, 246–248  
*Moraxella*, 129  
Morphology, 103, 106, 128  
Mouthfeel, 100, 114, 118, 174  
*Mucor*, 135  
Multidimensional scaling, 157–159, 306  
Multiordered response model, 159, 163  
Multivariate analysis, 157–163  
Mushroom  
  packaged, 137  
  safety, 316–317  
  storage, 262  
Muskmelon, conditioning, 85  
Mutagenic, 317  
Mutant, 83  
Mycotoxin, 214, 317–318
- NaCl, 131  
Naringen, 114  
Nationality, 151  
Naturally occurring toxicants, 302, 307  
Nausea, 313  
Near-infrared spectrophotometry, 171, 227–228, 231, 248  
Nectarine  
  breeding, 83  
  cultivar, 82  
  price, 16  
  production, 85–86  
Nematode, 318  
Neural network, 169, 173  
Neurophysiology, 169  
New York, markets, 214  
New Zealand, 280  
  apples, 6  
Newton, 113  
Nitrate, 88  
Nitrogen, 77, 79, 87–88, 140  
Noise, 151–152  
Nominal scales, 155  
Nonclimacteric, 64–65  
Nondestructive evaluation, 36, 47, 63–64, 102–105, 112–113, 170, 174, 220–221, 227ff, 272  
Nonisothermal methods, 170  
Nonlinear relationship, 177  
Northern blot, 269  
“Norwalk” virus, 310  
Nuclear magnetic resonance, 221, 240–244, 248–249  
Nucleic acid, 126
- Numerical scales, 109–110, 155–156  
Nutrient availability, 132–133  
Nutrient composition, 30, 100  
Nutrient flow, 74–80, 82, 87–88, 92–93, 212  
Nutrient interactions, 87–88, 92  
Nutritional quality, 23, 28–29, 46, 82–83, 92–93, 100, 114, 160, 213, 302, 321
- Obligate anaerobe, 140  
Ocean transport, 20  
OECD, 280  
Off flavor, 65, 78, 116, 214, 260  
Ohm’s Law, 244  
Okra  
  maturity, 104–106  
  microbial load, 136  
  production, 82  
  quality, 171  
  storage, 264  
Olive, damage, 243  
On-line inspection, 283, 287  
On-line sensing, 232–233, 236, 246–247  
On-line sorting, 182, 232–233, 236  
Onions  
  damage, 221, 243, 266  
  marketing, 91  
  maturity, 104  
  production, 10, 78  
  quality, 171, 230  
  sensory evaluation, 117  
Operations research, 35, 53–54  
Opportunistic organism, 141  
Optical methods, 227–233  
Optimal growth temperature, 129  
Optimization, 52–53, 157–163, 188, 192, 262  
Optimum sale date, 174  
Orange  
  exports, 11  
  marketing, 91  
  maturity, 104  
  nutrients, 114  
  quality, 159, 171, 230  
  sorting, 193–195, 198, 200, 232–233  
  value, 15–16  
  waxing, 264  
Orchards, 18  
Ordinal scales, 155  
Organic food, 23, 101–102, 304, 330  
Organic matter, 139  
Osmoregulation, 87  
Osmotic gradient, 79  
Osmotolerance, 131–132  
Owner, 54–55, 68  
Oxygen, 33, 132, 137, 140, 171, 220, 264  
Oxygen injury, 109, 262

- Packaging, 19, 33, 46, 50, 91, 101, 137,  
140-141, 153, 214-215, 261, 263, 287,  
290, 298, 316-317, 321, 329
- Packing, 16, 19, 31-32, 38, 45-50, 53, 55, 57,  
60, 68, 214, 279-280, 284, 299, 336
- Packinghouse, 23, 32, 45-59, 59-60, 100-101,  
144, 189-190, 206-208, 214-215, 218,  
233, 236-237, 278-280, 284-287,  
289-290, 331-332, 336
- Paired-comparison tests, 117
- Paired-preference test, 155
- Palatin, 217
- Palladium, 247
- Palletization, 50
- Panel recruitment, 152, 162
- Papayas
- chilling, 265
  - damage, 216, 218-219, 260
  - heat shock, 268
  - imports, 18
  - irradiation, 263
  - maturity, 104-105, 232
  - quality, 230
- Papovavirus, 310
- Paradigm, 51-52, 173, 328, 333-335
- Paralysis, 310, 317
- Paramagnetic, 241
- Parasite, 128, 310-311, 318-320
- Part-worth model, 160
- Parvovirus, 310
- Pattern recognition, 48, 229
- Patulin, 317-318
- Payment schedule, 206-207, 290
- Pea
- maturity, 104
  - microbial load, 136, 139
  - microflora, 135
  - sample presentation, 118
- Peaches, 31
- breeding, 83
  - chilling injury, 266, 268
  - cultivar, 49, 82
  - damage, 216-217, 265
  - defect detection, 240, 243
  - field pack, 58-59
  - flavor, 66, 113
  - handling system, 45, 57, 63
  - maturity, 104-105, 264
  - microbial load, 136
  - precooling, 46-47
  - production, 56, 78, 85, 88
  - quality, 101, 170-173, 230, 236, 281,  
287-288
  - ripening, 247
  - sensory evaluation, 115-116
  - sorting, 232-234, 262
  - storage, 261
- Peak strain, 235
- Peak stress, 235
- Peak-to-peak displacement, 236
- Peanut
- production, 87
  - products, 158-159
- Pear
- damage, 216, 219-220, 243, 260, 268
  - cultivar, 49, 82
  - maturity, 104-105
  - production, 86, 88, 264
  - quality, 236
  - ripening, 260
  - safety, 318
- Pecan, aflatoxin, 231
- Pectic substances, 219
- Pectin methyltransferase, 133, 216, 263
- Peel, 113, 134, 141, 213, 221, 231-232, 237,  
261, 264, 320
- Penicillium*, 129, 135, 317
- expansum*, 135, 215, 218, 317
  - funciculosum*, 135
  - italicum*, 130
  - oxalicum*, 135
  - patulum*, 131
- Pepper
- damage, 219, 221, 262, 263, 266
  - microbial load, 136
  - microflora, 135
  - production, 88
  - quality, 109
  - storage, 261
- Perishable, 152, 212, 295, 298, 302
- Periurban farmers, 51
- Personal interview, 154
- Pest damage, 56, 89, 221
- Pest management, 80-81, 84, 89-91, 100, 286,  
307-309, 328
- Pest resistance, 82, 89, 92
- Pesticide, 2, 23, 30, 37, 67, 81, 89, 92-93,  
302-309, 323, 330
- Pesticide residue 306-309
- Pesticide resistance, 309
- Pesticide tolerance, 307
- pH, 87, 110, 128, 130, 136, 139-140, 246,  
314, 316-317
- Phase transition, 219, 266-267
- Phenolic compounds, 217, 230, 262-263
- Phenylalanine ammonia lyase, 217, 220, 263
- Pheromone, 309
- Phloem, 75, 77-78, 267
- Phoma*, 135
- Phosphatidylglycerol, 267
- Phosphatidylinositol, 267
- Phosphorous, 88

- Photooxidation, 263  
 Photosynthesis, 74–77, 79–80, 82, 85–87, 92, 221, 263  
 Physical model, 168  
 Physiological disorders, 28, 33, 88, 110, 144, 174, 213, 216, 219–220, 239, 258, 260, 263, 266–267  
 Phytoalexin, 134, 137, 262, 268, 270  
*Photophthora cinnamomi*, 268  
 Pick-your-own, 22, 64  
 Pickle, 48, 173  
 Picornavirus, 310  
 Pineapple  
   consumption, 5–6  
   damage, 216, 219  
   maturity, 104–105  
 Pitting, 213, 219, 262, 267  
 Pixel, 233  
 Plant breeder, 30  
 Plant disease, 30–31, 56, 89, 93, 126, 135, 188, 214, 218, 264, 309  
 Plant pathogen, 126, 129, 135, 174, 213–215, 218, 220  
 Plant pathology, 34, 51  
 Plant pigments, 110  
 Planting date, 80  
 Plasma membrane, 268  
 Plastic overwrap, 50  
 Plasticizer, 321  
 Platinum electrode, 246  
*Pleisimonas shigelloides*, 311, 314  
 Pod size, 104–105  
 Poliovirus, 310–311  
 Pollution, 81, 311, 318  
 Polygalacturonase, 84, 216, 263, 269, 271  
 Polynomial equation, 179  
 Polyphenoloxidase, 217–218, 263  
 Pomegranate, 6  
 Postharvest physiology, 29–30, 33–38, 58–272, 328, 331, 336  
 Postharvest technology, 29, 33–38, 44–45, 266, 328, 331  
 Potassium 88, 114  
 Potato  
   consumption, 13  
   damage, 212, 237  
   defect detection, 233  
   marketing, 91  
   microbial load, 136  
   microflora, 135  
   production, 18, 88  
   quality, 101, 230, 242  
   safety, 316  
   sorting, 192–193, 195, 198, 245  
   storage, 263  
   toxicity, 262  
   value, 15–16  
   washing, 47  
   wound healing, 134  
 Potentiometric sensor, 246  
 Poultry  
   consumption, 4  
   safety, 313  
 Precision, 280  
 Precooling, 31, 46, 49, 52, 117  
 Predictive models, 67, 102–103, 157–163, 167–182, 201, 206, 215, 272  
 Preference tests, 115, 150, 154–163, 169  
 Pregnant, 315  
 Preharvest factors, 30, 34–35, 38, 56–58, 67, 73–93, 114, 212, 218, 263, 335  
 Preharvest stress, 220  
 Prepackaged, 21  
 Preservatives, 32  
 Pretest, 161–162  
 Price, 2, 16, 48, 59, 64, 67, 81, 90–91, 101, 153–154, 156–157, 160–161, 214, 294–297, 302, 328–330  
 Price index, 7  
 Price premium, 163, 188, 214  
   at retail, 2, 16, 48, 59, 64, 67, 101, 153–154, 156–157, 160–161, 294–297, 302, 329–330  
   to grower, 81, 90–91, 328  
 Price look up number, 296  
 Principal component analysis, 157–158  
 Problem solving, 285, 329, 334  
 Processing equipment, 137–139, 142, 145, 320  
 Produce manager, 294, 297–299, 331  
 Product development, 150, 294  
 Product loss, 23, 28–29, 32, 44–45, 50, 56, 59–60, 63, 215, 260, 331  
 Product tampering, 302  
 Product tolerance, 152, 189  
 Production yield, 30–31, 49, 74, 76, 80, 82, 85–87, 89–90, 100, 212, 308–309, 328  
 Profit, 55, 61, 82, 89–91, 208, 297, 308–309, 330  
 Prokaryote, 127  
 Promotion, 91, 150, 157, 162, 295, 299, 306  
 Prostration, 313  
 Protein, 77, 86–87, 134, 230  
 Protein phosphorylation, 267  
*Proteus*, 129  
   *morganii*, 135  
   *retgeri*, 135  
   *stuartii*, 135  
   *vulgaris*, 135  
 Protoplasmic streaming, 219, 267

- Proximal end, 106, 108
- Prune  
defect detection, 231, 233, 243
- Pruning, 49, 80, 85
- Pseudomonas*, 129, 133, 135-136  
*fluorescens*, 130-131
- Pseudoproduct, 226, 246-247
- Psychology, 201, 306, 332
- Psychophysics, 201
- Psychrotroph, 37, 129, 136, 139, 312-314, 321
- Pulp temperature, 31, 47
- Pulse sequence, 240
- Puncture test, 112, 171, 180-181
- Punctures, 215
- Pungency, 171
- Purchase, 32-33, 37, 46, 48, 55-56, 59, 64-65, 101, 144, 154, 159, 188, 299, 302, 308, 314
- Purchase quality, 64-67, 82, 100-102, 109-112, 118-119, 126, 174-181, 271
- Push-bar conveyor, 190-192
- Qualitative choice model, 157, 159-160, 163
- Quality, 2-3, 20, 22-23, 28-38, 49, 50-51, 56, 59, 63-66, 74-76, 78-93, 99-119, 157, 160, 167-182, 188, 195, 205, 207, 212, 215, 221, 226, 228-230, 232-236, 239, 242, 244-249, 257-272, 277-290, 302-304, 308-309, 320, 323, 331, 333, 335
- Quality assurance, 34, 36-38, 46, 59, 90, 114, 169, 258, 278-280, 285-290, 329
- Quality control, 110, 114-115, 157, 168-169, 181-182, 189, 212, 278-283, 286-288, 290
- Quality enhancement, 271
- Quality losses, 33, 63, 212, 214, 258, 330
- Quality management, 35-37, 56, 58, 63-64, 67, 90, 102-103, 174, 200, 258, 271-272, 277-290, 332
- Quality policy, 285
- Quantitative descriptive analysis, 115-116
- Quarantine, 188, 232
- Queensland, 59
- Questionnaire, 117, 151-154, 162
- Queuing theory, 53
- Quiescent infections, 35, 213, 218
- Quince, 318
- Quinone, 217
- Race, 151
- Radio frequency, 240
- Radiography, 238
- Radish  
damage, 262, 264  
defect detection, 231  
safety, 311, 316
- Railroads, 19-20
- Ranking tests, 115, 161
- Rapid detection, 190
- Raspberry  
damage, 218  
maturity, 104-105  
microbial load, 136
- Ratio scales, 155
- Ready-to-eat foods, 141
- Real-time modeling, 174
- Receiver operating characteristic, 203-205
- Recycling, 50
- Red Delicious apples, 221, 296
- Reflectance, 248
- Refractometer, 113
- Refrigeration, 50-51, 53, 83, 136, 213, 259, 316-317, 322-323, 329, 331
- Refrigeration capacity, 32
- Regression analysis, 157, 159, 169, 171-172, 174-181
- Relative humidity, 20, 32-33, 48-51, 76-81, 86, 114, 132, 138, 226, 258, 261
- Reliability, 156
- Repacking, 21
- Repeated measures, 102
- Reperatory grid, 161
- Reproducible, 102
- Repurchase, 64
- Resilience, 234
- Resistance to change, 331
- Resonant frequency, 234
- Respiration, 28, 36, 44-47, 49, 75-76, 79, 86, 92, 137, 216, 219, 221, 259-260, 262
- Response surface, 159
- Retail display, 53
- Retail distribution, 7, 21, 24, 32-33, 37-38, 45-46, 48-49, 51, 60, 63, 90-91, 101, 150, 174, 215, 294-300, 302, 336
- Retail marketing, 63, 328
- Retail packaging, 33
- Retail pricing, 14, 16-17, 22, 64, 294-295, 299
- Retail produce safety, 304, 321-322
- Retail store, 151, 278, 284, 332-333
- Retest, 156
- RFLP, 84, 269
- Rhizopus nigricans*, 131, 135
- Riboflavin, 83
- Rice, 230
- Ripening, 19, 21, 59, 66, 83, 106, 110-111, 140, 170-171, 174-181, 214-216, 218, 220, 236, 242, 260-261, 263, 269, 271, 331
- Ripple effect, 192

- Risk assessment, 322  
 Risk communication, 305–306  
 Risk perception, 81, 302–308, 319  
 RNA, 125–126, 217, 268–269  
 Roadside markets, 22, 64  
 Robotics, 31  
 Roller conveyor, 190–192, 196  
 Root definition, 54–55, 61  
 Root tissue, 74–77  
 Rootstock, 82  
 Rotation speed, 191–194, 196–197, 201, 203  
 Rotavirus, 310–311  
 Row spacing, 30, 85, 278  
 Russet, 231  
 Rutabaga, minimal processing, 141
- Saccharomyces*  
*bailii*, 131  
*cerevisiae*, 130–131  
*pastori*, 130  
*rouxii*, 131  
*Saintpaulia*, 264  
 Salad vegetable  
   consumption, 21  
   minimal processing, 140–141, 310, 315, 321  
   safety, 316  
 Salinity, 79–80, 213  
*Salmonella*, 131, 311–314, 317  
*chester*, 313  
*enteritidis*, 313  
*gallinarium*, 313  
*heidelberg*, 313  
*infantis*, 313  
*paratyphi*, 313  
*pullorum*, 313  
*typhi*, 313  
*typhimurium*, 129–130, 313  
 Saltiness, 114  
 Sample preparation, 117, 152, 162  
 Sample presentation, 105, 111, 117–118, 163  
 Sampling, 103, 110, 113, 151, 282–284,  
   286–287, 289–290  
 Sanitation, 137, 139, 143, 145, 305, 311, 316,  
   318, 321–322  
 Sapote, 6  
 Scab, 231  
 Scald, 88, 219  
 Scanner-generated data, 151, 154–155, 294–300  
 Scientific method, 52–53, 68  
 Seafood  
   consumption, 4, 8  
   freshness, 247  
   imports, 8  
   safety, 310, 314–315, 318, 321  
 Seasonal factors, 173  
 Secondary infections, 220  
 Secondary messenger, 267  
 Secondary metabolite, 133–134, 216  
 Seed certification, 278  
 Seed viability, 83–84, 266  
 Seed weight, 104–105  
 Senescence, 67, 77, 88, 103, 111, 140, 214,  
   216, 259, 262–263, 266, 271  
 Sensitivity, 227, 229, 244–246, 248  
 Sensor, 173, 226–227, 234, 237, 246–249  
 Sensory evaluation, 102, 109, 114–119,  
   151–152, 155, 158–159, 162, 171, 173,  
   175, 321  
 Sensory perception, 113–114, 169, 201  
 Sensory quality, 92, 135, 138, 140, 145, 153,  
   215, 230, 317, 321  
 Septicemia, 313  
 Sequential sampling, 282  
*Serratia*, 129, 135  
   *marcescens*, 135  
   *rubidea*, 135  
 Sewage, 311, 319  
 Sex, 151  
 Shape, 2, 91, 100, 105, 113, 188, 195, 226,  
   230, 232, 237, 248  
 Shear stress, 217  
 Shelf life, 30–32, 35, 38, 46, 48, 64–67, 174,  
   295, 319, 330  
 extension, 29, 33, 49, 59, 83, 140–141, 145,  
   212, 258–259, 263, 271–272, 321–322  
 reduction, 214–215, 260  
 Shelf space, 297–298  
*Shigella*, 311–314  
   *dysenteriae*, 312  
   *flexneri*, 312  
   *sonnei*, 312  
 Shipping, 102, 135, 189–190, 214, 289, 298,  
   331  
   container, 20, 31, 214, 220  
   point, 17, 19  
 Shock, 31–32, 226, 247, 249  
 Shrinkage, 296, 331  
 Shrivelling, 109, 264  
 Sight, 114  
 Sigmoidal relationship, 172, 176  
 Signal attenuation, 237, 242  
 Signal detection theory, 199, 201–208, 248  
 SIMAN, 60  
 Simulated fruit, 197–198  
 Simulation models, 53, 58, 60, 167–182, 262  
 Sinusoidal relationship, 170  
 Size, 2, 48–49, 79, 82, 85–87, 91, 100,  
   104–105, 110, 188, 226, 229, 281–282,  
   290, 302  
 Sizing, 189, 232, 248, 290  
 Slicing, 141, 215, 320  
 Snell's Law, 228, 235

- Social group, 151
- Socioeconomic factors, 8, 80–81, 89, 101, 150
- Sodium, 80
- Soft nose, 219
- Soft savings, 295
- Soft systems, 44, 53–54, 57, 60, 63, 67–68, 168, 336
- Softening, 216, 220, 236, 263, 267, 269, 271
- Soil  
 contamination, 134, 137, 315, 319  
 fertility, 76, 80–82, 87–88, 92–93, 105, 114, 213, 218, 264  
 hydration, 77, 81, 114  
 management, 79–81, 278, 328  
 temperature, 80–81
- Solar radiation, 76, 83
- Soluble solids, 58, 76, 79, 82–88, 104, 106–108, 112, 171, 228, 230, 244, 248, 330
- Sorter  
 accuracy, 188, 192–193, 196–199  
 productivity, 188, 192–193, 195, 198–199
- Sorting, 19, 31, 47–49, 53, 59, 100, 104, 182, 187–208, 212, 231–233, 236, 248, 262, 279, 287–289
- Sorting table, 190–199
- Sound, 114
- Sources of supply, 10–12, 67
- Sourness, 113–114, 116, 130
- South Africa, quality management, 290
- Southern blot, 269
- Southern peas  
 handling system, 57–58, 63  
 maturity, 104–106  
 microbial load, 136  
 microflora, 135
- Specialties, 6
- Specific gravity, 104–105, 245–246
- Specifications, 47, 102–103, 188–190, 279–280, 282, 285–286
- Spectrophotometry, 114, 229–232
- Spheres, 190, 193–194
- Spin–lattice relaxation time, 241
- Spin–spin relaxation time, 241
- Spinach  
 production, 87  
 storage, 263, 266
- Split pits, 239–240
- Split-halves method, 156
- Spoilage, 129–130, 132, 136, 141, 143–144, 317
- Spore, 218
- Squash, 105–108  
 damage, 219
- Stacking patterns, 31–32, 48
- Standards, 47, 64, 100–102, 188–189, 230, 280, 286, 289
- Staphylococcus aureus*, 130
- Starch, 103–104, 106, 171, 230
- Static friction drive, 196
- Stationary phase, 127
- Statistical process control, 283–284, 287, 336
- Statistics, 103, 117–118, 156–163, 167–182, 280–284, 286–287, 289–290, 306
- Stem-end root, 213
- Stephan–Boltzman Law, 244
- Sterilization, 173
- Sterol, 267, 270
- Stomate, 77, 80, 264
- Storage, 19, 32–33, 35, 46, 49, 51, 58, 137, 215, 218, 257–272, 287  
 conditions, 36, 48, 51, 119, 134, 330  
 space, 53  
 temperature, 20, 31–33, 36–37, 48–49, 51, 59, 102, 114, 127–129, 132, 136, 140, 145, 171, 174–181, 226, 231, 258–259, 261–262, 266
- Strawberry, 16  
 cultivar, 49  
 damage, 218  
 harvest, 58  
 irradiation, 263  
 marketing, 259  
 maturity, 104–105  
 microbial load, 136  
 precooling, 46  
 production, 56, 76, 82, 87–88  
 quality, 101, 171  
 shelf life, 33
- Streptococcus*, 129  
*lactis*, 130
- Streptomyces*, 129
- Stress, 30, 35–36, 213
- Stress physiology, 35–36, 133, 258–272
- Structural integrity, 219
- Subcellular fraction, 270
- Substrate, 216–217
- Subsystem, 57, 61
- Sugar, 83, 87, 103, 106, 112–113, 131–133, 159, 171, 228–230, 242
- Sunkist, 239
- Superficial scratch, 214, 220
- Supermarket, 2, 14, 16, 21, 24, 28, 37, 48, 150, 154, 294–300, 302–303
- Supermarket chains, 20, 22, 61, 68, 102, 214, 290
- Supersweet, 83
- Supply and demand, 67
- Surface area, 197
- Surface curvature, 233

- Survey, 154, 329
- Sweet corn  
 damage, 262  
 harvesting, 46  
 maturity, 104, 106  
 microflora, 135  
 production, 10, 78  
 storage, 264  
 supersweet, 83
- Sweet potato  
 curing, 266  
 production, 87, 92
- Sweetener, consumption, 4
- Sweetness, 59, 83, 101, 112-116, 161, 230
- Symbolic model, 168
- Systems analysis, 53-54, 206
- Systems engineering, 53-54
- Systems thinking, 38, 54, 56-63, 67, 101, 118-119, 126, 144-145, 189, 211-221, 285, 322-323, 327-337
- Tamarillo, 6
- Tangerine production, 264
- Taste, 113-114, 156, 246
- Taxonomy, 127
- Telemetry, 246
- Telephone interview, 154
- Temperature history, 174, 249
- Tenderness, 83, 104
- Teratogenic, 317
- Terminal market, 214
- Test objective, 152
- Textural breakdown, 35, 212
- Texture, 28, 46, 86, 100, 112-114, 169-172, 174-181, 216, 228, 230, 234-236, 248
- Thailand consumers, 158
- Thermal death time, 172-173
- Thermal equilibrium, 241
- Thiamine, 83, 171
- Thinning, 85-86
- Three-dimensional plot, 175
- Thylakoid, 267
- Tillage, 81, 89
- Time boundary, 226
- Time Shift Method, 173, 176
- Time-temperature  
 framework, 56, 215  
 history, 247  
 integrators, 102, 173-174, 322  
 tolerance, 173
- Tipburn, 88
- Tobacco mosaic virus, 84
- Tomato  
 chilling injury, 260, 264, 266, 268, 272  
 consumption, 5  
 cooling, 47  
 cultivar, 49  
 damage, 213-214, 216-217, 219, 236-237, 245, 262  
 flavor, 66, 113-114  
 handling, 139  
 handling system, 57, 63  
 harvesting, 46, 79  
 heat shock, 268  
 imports, 11  
 losses, 60  
 maturity, 104-106, 108, 239, 242-243  
 membranes, 259  
 microflora, 135  
 processing, 38, 46, 55  
 production, 10, 78, 82, 84-89  
 quality, 24, 28, 101, 109, 158, 162-163, 170-182, 230  
 ripening, 83, 247, 269, 271  
 safety, 315-317  
 shipping, 50, 55  
 sorting, 232-233  
 storage, 48, 50, 140, 260
- Tomato, cherry, 30
- Torulopsis*, 129
- Total plate count, 142
- Total Quality Management, 278, 280, 285, 335-336
- Total solids, 46, 103, 105
- Toxin, 231, 316
- Trade manager, 60-61
- Trading system, 61-63
- Trained panel, 102, 115, 117-118
- Training regime, 30
- Transducer, 236, 246
- Transformation, 54-55
- Translation speed, 193-194, 196-197
- Transpiration, 33, 49, 75, 77-88, 220, 263, 266
- Transplanting, 84-85
- Transportation, 16-18, 31-32, 35, 46, 48-51, 53, 59, 91, 102, 140, 144, 212, 214-215, 279-280, 284, 286, 319, 321, 329  
 ocean, 20  
 rail, 19-20, 140  
 truck, 19-20, 51, 140
- Triangle tests, 117
- Trichinosis, 318
- Trichomes, 31, 47, 59, 262
- Tropical fruits  
 cooling, 47  
 imports, 18  
 storage, 48
- Trucking, 19-20, 51, 321, 331-332
- Turgor, 30, 109, 234
- Two-factor-at-a-time procedure, 161
- Typhoid fever, 313

- Ultrasound, 235-237
- Ultraviolet, 227
- Uniqueness, 227, 229, 237, 242, 244, 246
- Unit operations, 46
- United Kingdom, 55, 58
- United States
  - consumer preference, 101
  - crop production, 92
  - marketing system, 1-24, 55, 102, 218, 294, 330, 336
  - packinghouse, 287
  - product safety, 313, 316
  - quality standard, 280
- Unitization, 50
- Universal product code, 294-300
- UPC, 37, 154
- Upper control limit, 284
- Urinary contaminant, 311
- USDA, 8, 13-14, 21
- Utility, 154
  
- Vacuole, 75
- Vacuum cooling, 47
- Validity, 156-157
- Value-added, 10, 15, 21, 22, 302
- Vapor pressure deficit, 77
- Variance, 157
- Veal consumption, 4
- Vector model, 160
- Vernalization, 78
- Vibration, 32, 49, 140, 234-237, 249
- Vibration transmission, 234
- Vibrio*, 129
- Vidalia onions, 91
- Vine ripened, 49, 214
- Vineyard, 18-19
- Virus, 84, 126-127, 310-311
- Viscoelastic, 236
- Viscosity, 87, 239
- Vision, 190
- Visual
  - acuity, 192
  - appearance, 18, 23, 28-31, 35, 37, 47-48, 65, 100-101, 109-111, 114, 162, 212, 216, 220, 233, 302, 308, 322, 328-330
  - evaluation, 102, 106, 110
  - perception, 192
- Vitamin A, 83, 114
- Vitamin C, 114
- Vitamins, 28, 114, 132, 230
- Volatile flavor compounds, 59, 113, 159, 230
- Voltage, 243
- Vomiting, 313, 318
  
- Washing
  - hands, 312
  - produce, 31, 46, 128, 132-133, 137-139, 189, 309
- Washington
  - apples, 18, 91, 303
  - potatoes, 18
- Water activity, 128, 130-132
- Water chestnut, 6
- Water flow, 74-77, 79, 82, 86, 88, 92-93, 212
- Water potential 76-77
- Water stress, 33
- Watercore, 219, 230, 240, 268
- Watermelon
  - damage, 262
  - handling, 48
  - production, 13, 88
- Wave guide, 246
- Wave propagation, 235
- Waxing, 47, 50, 141, 263-264
- Weight, 229, 245
- Weight loss, 87
- Weight-to-length ratio, 104-105
- Wein's Displacement Law, 245
- Weltanschauung, 54-55, 333-334
- Western blot, 269
- Whole field model, 80-90, 92
- Whole plant model, 74-80, 92, 216, 219
- Wholesale distribution, 14, 21, 24, 32, 37-38, 46, 48-49, 51, 55, 59, 64, 91, 101, 150, 212, 215, 298, 302
- Wholesale packaging, 33
- Wholesale pricing, 16-17, 64
- Wholesale warehouse, 20-21, 45, 51, 53, 100, 266, 284, 289, 297, 321, 332, 336
- Wholesomeness, 100, 278, 302
- Willingness to pay, 159, 162-163, 304
- Wilting, 79, 109-110
- Wine consumption, 5
- Worst case scenario, 306-307
- Wound healing, 220
- Wounding, 216-217, 262, 268, 270, 318
  
- X-ray tomography, 104, 106, 221, 238-240, 248-249
- Xanthomonas*, 135
  - campestris*, 135
- Xanthophyll, 110
- Xeromyces bisporus*, 131
- Xylem, 75
  
- Yeast, 127-131, 133, 137, 139, 142-143
- Yellowing, 263
- Yersinia*, 129
  
- Zucchini quality, 109