

# Handbook of INDUSTRIAL ELECTRONIC CIRCUITS



By JOHN MARKUS and VIN ZELUFF

ASSOCIATE EDITORS OF "ELECTRONICS"

INTI-CID  
BIBLIOTECA DELEGADA  
LABORATORIO - MIGUELETE

NEW YORK TORONTO LONDON 1948  
McGRAW-HILL BOOK COMPANY, INC.

# CONTENTS

PREFACE . . . . .	v	Automatic Fader Circuit for Sound Systems and Broadcast Studios . . . . .	16
AUDIO-FREQUENCY CIRCUITS . . . . .	1	Speech Scrambling and Unscrambling Circuit Using Balanced Modulator . . . . .	16
High-fidelity Amplifier with No Phase Distortion up to 30,000 Cycles. . . . .	1	Circuit for Indicating Vibration Visibly and Audibly. . . . .	17
Preamplifier-filter Circuit for Crystal Pickup of Phono Amplifier . . . . .	1	Wien-bridge Audio Oscillator Providing Ten Spot Frequencies. . . . .	18
Hearing-aid Amplifier with Self-compensating Circuits. . . . .	2	Circuit for Producing A-F Response Curves on Cathode-ray Screen . . . . .	18
Simple Two-tube Intercommunicator for Master and Two Remote Stations. . . . .	2	Portable Reverberation Meter Measures Acoustic Value of Room . . . . .	20
Automatic A-F Amplifier for Telephone Lines or Power Poles. . . . .	3	Audio Noise Meter, Using Vacuum-tube Voltmeter Circuit, Attaches to any Receiver . . . . .	21
Constant-gain Audio Amplifier for Obtaining Knock Pickup Patterns. . . . .	3	CAPACITANCE CONTROL CIRCUITS . . . . .	22
Tuned Audio Amplifier with 1,500-turn Pickup Coil for Locating Power-line Faults. . . . .	4	Capacitance-responsive Circuit for Detecting Small Mechanical Movements. . . . .	22
Inverse Volume-expansion Circuit for Automatic Tone Control . . . . .	5	Simple A-C Powered Capacitance-operated Relay . . . . .	22
Volume-expander Circuit for Audio Reproducing Systems . . . . .	6	Universal A-C/D-C Capacitance-operated Relay for Alarm and Control . . . . .	23
Surgeless Single-ended Volume-expander Circuit Using Dummy Tube . . . . .	6	Self-balancing Capacitance-operated Relay Circuit . . . . .	23
Push-pull Electronic Volume Expander for Audio Amplifiers. . . . .	7	Stabilized A-C Capacitance-operated Relay for Control Purposes . . . . .	24
Audio-frequency Volume Expander Employing Type 6L7 Hexode . . . . .	8	Capacitive Micrometer Using Frequency Converter and Saturated Limiter . . . . .	25
Automatic Volume Expander with Combined Bias and Expansion Control. . . . .	8	Capacitive Micrometer Using Cascade Limiter and Discriminator . . . . .	26
Audio Volume-compressor Circuit with Flat Response to 14,000 Cycles. . . . .	9	Circuit for Converting Capacitance Changes into Current or Voltage Changes . . . . .	26
Paraphase Circuit for Independent Bass-treble Tone Control . . . . .	10	Circuit for Obtaining Negative Capacitance That Varies Linearly with Resistance . . . . .	27
Woofer-tweeter Crossover Network Using Inexpensive Components . . . . .	10	CATHODE-RAY CIRCUITS. . . . .	29
Equalizing Amplifier Having Adjustable Networks in Feedback Loop . . . . .	10	Linear Sweep Circuit Employing Blocking Oscillator and Discharge Tube. . . . .	29
Three-band Variable Equalizer with Zero Insertion Loss . . . . .	12	Bootstrap Circuit for Correcting Nonlinearity in Saw-tooth Sweep Generators . . . . .	29
Universal Fifteen-channel Equalizer Circuit for Audio Equipment . . . . .	13	Sweep Linearity Correcting Circuit Using Feedback without Phase Reversal . . . . .	29
Direct-coupled Input Stage for Phase Inversion in Audio Amplifier . . . . .	14	Modified Feedback Circuit for Linearity Correction of Cathode-ray Sweeps. . . . .	30
Automatic Phase-reversal Circuit for Audio Amplifier. . . . .	14	Constant-current Pentode Circuit for Sweep Linearity Correction . . . . .	30
Electronic Interlocking Circuit for Intercommunication without Switching. . . . .	15	Use of Constant-current Tube with Feedback for Sweep Linearity Correction . . . . .	30

Constant-current Pentode for Linearity Correction in Cathode-follower Circuits. . . . .	30	Automatic Time-delay Starting Circuit for Getting Transmitter Back on Air . . . . .	48
Flexible Single-sweep Circuit and Push-pull Deflection Amplifier . . . . .	30	Conductivity Control Circuit for Maintaining Water Level in Still . . . . .	49
Controllable Delay Circuit for Use with Single-sweep Cathode-ray Oscilloscopes. . . . .	31	Photoelectric Control of Mercury-vapor Lamp for Constant Illumination . . . . .	50
Current Feedback Circuit for Linear Sweep Generator. . . . .	32	Dual-function Breakdown Alarm Circuit for Broadcast Transmitters. . . . .	50
High-power Sweep Generator Circuit for Cathode-ray Oscilloscopes. . . . .	32	Carrier-tone Alarm Circuit for Response to Weak 1,000-cycle Modulation of Transmitter. . . . .	51
Linear Deflection Circuit Providing Sweeps up to Ten Seconds. . . . .	33	Thyratron Relay Circuit for Preventing Electrolytic Action on Underground Pipes . . . . .	52
Linear Sweep and Beam-brightening Circuit for Cathode-ray Photography. . . . .	34	Varistor-compensated Double-triode Stage for Measuring Vertical Velocity of Aircraft. . . . .	52
Phase-splitting Circuit for Elliptical Sweep of Cathode-ray Tube. . . . .	34	Industrial Control Circuit Using Vane-responsive R-F Oscillator. . . . .	53
Universal Oscilloscope Circuit Having Single Sweep, Spiral Sweep, and Z Amplifier . . . . .	35	Pulsed Carrier-current System for Remote Selection of Phonograph Records. . . . .	53
Direct-coupled Feedback Amplifier for Linear Electrodynamic Deflection . . . . .	36	COUNTING CIRCUITS. . . . .	55
Capacitance-coupled Feedback Amplifier for Electrodynamic Deflection . . . . .	37	Circuit for Counting Arc-overs in Metallized Capacitors . . . . .	55
Direct-coupled Amplifier Circuit for Feeding Deflection Plates of C-R Tube. . . . .	37	Basic Eccles-Jordan Trigger Circuit for Use as Two-to-one Frequency Divider . . . . .	55
Four-circuit Electronic Switch for Cathode-ray Oscilloscope. . . . .	38	Blocking Oscillator and Double Diode for Frequency Division. . . . .	56
Circuit for Obtaining Mutual-conductance Characteristic Curves of Tubes. . . . .	38	Energy-time Integration with Bridge-fed Eccles-Jordan Trigger Circuit . . . . .	56
Cathode-ray Oscilloscope Circuit for Obtaining Amplifier-tube Characteristic Curves. . . . .	39	Thyratron Frequency-dividing Circuit for Electromagnetic Counters. . . . .	57
Ignitron and Cathode-ray Circuit for Testing Pulse-type Power Tubes . . . . .	39	Four-tube Binary Counter Decade Giving Forced Resetting at Count of Ten . . . . .	57
Circuit for Injection of Identifying Marks on Cathode-ray Traces . . . . .	40	Neon-tube-coupled Amplifier Circuit for Impulse Counting . . . . .	59
Oscilloscope Beam Blanking and Dotting Circuit	41	Double-diode Counter Circuit for Measuring Beat Frequency . . . . .	59
Oscilloscope Circuit Modification for Television Modulation Pattern . . . . .	41	Rate-of-occurrence Indicator Using Electronic Timer and 17-count Trigger Circuit . . . . .	60
Dual-multivibrator Raster-generating Circuit for Cathode-ray Tubes. . . . .	43	Simplified Scale-of-sixteen Circuit for Counting Impulses . . . . .	62
CONTROL CIRCUITS . . . . .	44	Portable Geiger-Müller Counter for Locating Lost Radium. . . . .	62
A Shorted-turn Indicator for Small Coils . . . . .	44	Geiger-Müller Counter as Supersensitive Fire Detector . . . . .	63
Shorted Turns Tested on Simple Instrument . . . . .	44	Quenching Circuit for Geiger-Müller Counter . . . . .	64
Audio-frequency Oscillator Finds Breaks in Cords and Cables . . . . .	44	Combination Mechanical Counter and Electronic Integrator for G-M Tubes. . . . .	64
Sensitive Splice-detector Circuit for Steel Wire . . . . .	45	Counting-rate Meter Circuit for Use with Geiger Counters . . . . .	66
Voice-operated Electronic Control Relay Using Thyratron Output Stage . . . . .	46	Neon-tube Relaxation Oscillator for Measuring Weak Radiant Energy . . . . .	66
Electronic Attenuator for Radio-receiver Alignment. . . . .	47	Alternating-current-operated Electronic Cardiotachometer for Indicating Heart Rate . . . . .	66
One-tube Overvoltage and Undervoltage Relay . . . . .	47		
Carrier-actuated Protective Circuit for Arc Suppression at Broadcast Transmitter. . . . .	47		

Twin-thyratron Counting Circuit for Rapid Neurological Impulses . . . . .	68	Push-pull Telegraph-repeater Circuit for Driving Polarized Relay . . . . .	82
DIRECT-CURRENT AMPLIFIER CIRCUITS . . . . .	69	Variable Length and Rate Pulser for Testing . . . . .	82
Screen-coupled D-C Amplifier with Cathode Follower. . . . .	69	Four-channel Electronic Switch for Cathode-ray Oscilloscopes. . . . .	83
High-current D-C Amplifier with Low-impedance Output. . . . .	69	LIMITER CIRCUITS. . . . .	85
High-gain Wide-band Direct-coupled Amplifier . . . . .	69	Series Type of Instantaneous Noise-limiter Circuit . . . . .	85
Grounded Input and Output for D-C Amplifier . . . . .	70	Modified Shunt Type of Noise-peak Limiter. . . . .	85
High-sensitivity D-C Amplifier with Stabilized A-C Power Supply. . . . .	71	Series Type of Noise Limiter with Threshold Adjustment. . . . .	86
Sensitive Low-drift D-C Amplifier Using Cathode-control Circuits . . . . .	71	Low-loss Series-type Noise-limiter Circuit. . . . .	86
High-gain Direct-coupled R-F Amplifier for Boosting Output of Signal Generator. . . . .	73	Hum-reducing Version of Simple Series Limiter Circuit. . . . .	86
Regenerative D-C Amplifier as Spike-pulse Generator . . . . .	73	Manually Controlled Balanced-detector Type of Noise-limiter Circuit. . . . .	87
Direct-current Amplifier for Automatic Bias Control of A-F Output Stage . . . . .	73	Combination R-F Output Limiter and Noise Limiter. . . . .	87
Radium-type Vacuum Gage Using D-C Amplifier Circuit. . . . .	74	Automatically Operated Balanced-detector Type of Noise Limiter. . . . .	88
Crystal-driven Signal Chopper for D-C Amplifiers . . . . .	75	A Balancing Type of Noise-peak Limiter . . . . .	88
Direct-current Amplifier for Lie-detection Applications. . . . .	76	Diode Shunt Type of Noise-peak Limiter. . . . .	88
ELECTRONIC SWITCHING CIRCUITS. . . . .	77	Triode Shunt Type of Noise-peak Limiter. . . . .	89
Electronic Contactor Operating from Radio-frequency Carrier Signal on Power Line. . . . .	77	Counter Modulation Type of Noise-reduction Circuit. . . . .	89
Cold-cathode Circuit for Switching with R-F Carrier Current . . . . .	77	Degenerative Feedback Type of Noise Limiter. . . . .	90
Hot-cathode Thyratron Circuit for Use as Electronic Contractor . . . . .	77	Use of F-M Discriminator for Noise Limiting in A-M Receivers . . . . .	90
Universal Electronic Relay for Control Applications. . . . .	78	Saturation Type of Audio Output Limiter Using No Extra Tube . . . . .	91
Trigger Circuit and Two-path Amplifier for Electronic Switching. . . . .	78	Volume-limiting Feedback Amplifier Using Control Tube in Feedback Path. . . . .	91
Two-thyratron Gate Circuit for Electronic Counters . . . . .	78	Saturation Type of Limiter with Plate- and Screen-voltage Control Only. . . . .	92
Thyratron Booster Circuit for Sensitive-contact Applications. . . . .	79	Saturation Type of Audio Limiter Preceding the Output Stage . . . . .	92
Carrier-actuated Relay for Automatic Relay Transmitters and Alarms. . . . .	79	Peak-clipping and Audio-filtering Circuit for Preventing Overmodulation. . . . .	92
Strobotron Circuit for Starting Mercury-arc Rectifiers and Ignitrons. . . . .	79	Full-wave Shunt Type of Output Limiter. . . . .	93
Electronic Switch Using Voltage-saturated Diodes for Square-wave Generation. . . . .	80	Lamb Noise-silencing Circuit for Making Noise Pulses Block an I-F Stage. . . . .	93
Strobotron Circuit for Registering Pulses from G-M Tube on Message Counter . . . . .	80	Logarithmic or Compressor Type of Audio Output Limiter. . . . .	94
Multivibrator and Shaper Circuits for Electronic Switching of Cathode-ray Tube . . . . .	81	MEASURING CIRCUITS. . . . .	95
Multivibrator for Switching Two R-F Circuits Automatically between Two Indicators. . . . .	81	Direct-indicating Comparison Bridge for Production Testing of R, L, and C. . . . .	95
		A Wide-range Wheatstone Bridge for Resistance Measurements. . . . .	95
		Two-tube D-C Vacuum-tube Voltmeter with Cathode-follower Input. . . . .	96
		Two-tube Vacuum-tube Voltmeter Circuit with A-C Plate Supply . . . . .	97

Tube Tester for High-power Thyratrons, Phano- trons, and Other Tubes. . . . .	97	Circuit for Measuring Inductance of Filter Chokes while Carrying Direct Current. . . . .	112
Vacuum-tube Circuit for Use as Rheostat in Cali- brating D-C Meters . . . . .	98	Determining Inductance with a Negative-re- sistance Oscillator . . . . .	112
Transient Peak Voltmeter for Measuring Single Pulses . . . . .	99	Test Circuit for Checking Activity of Quartz Crystals. . . . .	113
Balanced Cathode Follower Input for Stabilized VTVM. . . . .	99	Feedback Amplifier for Iron-core Reactor Meas- urements . . . . .	114
Two-tube Precision Moisture-testing Circuit for Granular Material. . . . .	100	Oscillator and Constant-current Generator for Inductance and Capacitance Measurements. . . . .	114
Vacuum-tube Voltmeter Circuit for Measuring Interelectrode Capacitances of Vacuum Tubes. . . . .	100	Frequency-measuring Circuit Serves as Electronic Tachometer. . . . .	115
Inverted-triode Circuit for Measurement of Ex- tremely Small Currents. . . . .	102	Test Circuit for Measuring Speed and Acceleration of Gyro Rotors . . . . .	116
Resistance Strain Gage Calibrator for Rapid Visual Tests. . . . .	102	Direct-reading Frequency Meter Using Vacuum Tubes . . . . .	117
Wheatstone Bridge with Amplifier and Cathode- ray Indicator for Testing Water Purity. . . . .	103	Inductance Bridge for Measuring and Recording Liquid Flow. . . . .	117
Cathode-follower Circuit Permits Use of Tubeless Probe for VTVM . . . . .	104	Direct-reading Power-factor Meter for Currents from 0.1 to 10 Amperes. . . . .	118
Electrometer Circuit Using Type RH507 Inverted Triode . . . . .	104	Measuring Velocity of Wave Propagation in UHF Transmission Lines. . . . .	119
Sensitive Feedback Voltmeter with High-range Milliammeter . . . . .	105	Converting Frequency Variations into Current Variations. . . . .	119
Visual Indicator and Automatic Gain Control for Bridge . . . . .	105	Direct-reading Interpolation Oscillator for Fre- quency Measurements . . . . .	120
Direct-reading Insulation Tester Using Double- triode Circuit . . . . .	106	Portable Radiation Meter Using Subminiature Electrometer Tubes . . . . .	120
Limit Bridge with Cathode-ray Indicators for High-speed Testing of Components. . . . .	106	Single Diode Circuit Serving as VHF Wattmeter up to 500 Megacycles. . . . .	121
Null Indicator with Regeneration for High Sensitivity . . . . .	106	Capacitance Tests for High-speed Sorting of Mica Capacitors . . . . .	121
Electronic Voltmeter and Ohmmeter with 5-ma Meter . . . . .	107	Cathode-follower Amplifier Circuit Using Tube as Cathode Resistor. . . . .	122
Direct-reading Vacuum-tube Millivoltmeter Us- ing Push-pull Circuit. . . . .	107	Wave-analyzer Circuit Indicates Harmonic Dis- tortion of Audio Amplifier. . . . .	122
Four-tube A-C Galvanometer Circuit for Bridge Null Indicator. . . . .	108	Power-line Synchronism Indicator Using Cathode- ray Tuning Tube. . . . .	123
Cathode-ray Tuning-eye Tube as an Electronic Electroscope. . . . .	108	Precise and Sensitive Contact-indicating Circuit . . . . .	123
Electrometer for Determining Polarity for Quartz Crystals. . . . .	108	Vacuum-tube Microammeter as Portable Indi- cating X-ray Dosimeter. . . . .	124
Automatic Gain Control for Impedance Bridge Null Detectors. . . . .	109	Audio-frequency Vacuum-tube Voltmeter for Measuring Complex Components of Voltage . . . . .	124
Negative-plate VTVM for Measuring up to 5,000 Volts. . . . .	109	Proteximeter Circuit for Measuring Total Amount of High-voltage Radiation. . . . .	125
Vacuum-tube Microvoltmeter for Medical Re- search . . . . .	109	Rectifier and Limit Circuits for Electronic Com- parator Gage . . . . .	126
Bridge Null Indicator with Visual Phase Indicator 10 to 15,000-cycle Direct-reading Frequency Meter . . . . .	111	Radiation Detector for Electronic Heating Gener- ator . . . . .	126
Direct-reading Frequency Meter Using Gas-filled Triodes. . . . .	111	Pulse-stretching Circuit for Use with Vacuum- tube Voltmeter . . . . .	127
		Measuring Electrical Resistance of Oil Film . . . . .	127

Slow-return Audio-peak Voltmeter Circuit for Sound Recording . . . . .	127	Automatic Ship Steering with Electronic Control Circuit . . . . .	147
METAL-LOCATING CIRCUITS . . . . .	128	MULTIVIBRATOR CIRCUITS . . . . .	149
Beat-frequency Metal Locator for Buried Man-holes and Large Buried Metal Objects . . . . .	128	Symmetrical Twin-triode Multivibrator Circuit . . . . .	149
Exploring Coil and Two-tube Amplifier for Locating Current-carrying Cables and Pipes . . . . .	128	Asymmetrical Twin-triode Multivibrator . . . . .	149
Portable Beat-frequency Type of Locator for Finding Buried Steel Rail Crossties . . . . .	129	Synchronizing Arrangements for Symmetrical Multivibrators. . . . .	149
Circuit for Detecting either Metallic or Non-metallic Objects . . . . .	129	Combination Multivibrator and Coincidence Selector for Triggering Radiosonde Oscillator. . . . .	150
Geophone Portable Amplifier and Vacuum-tube Voltmeter for Geophysical Prospecting. . . . .	130	Crystal-controlled Driven Multivibrator Chain for Time-base Calibration. . . . .	150
Vehicular-mounted Mine Detector with Automatic Drift-stabilizing Variometer Tube . . . . .	131	Multivibrator Type of Sine-wave Audio Oscillator	151
Circuit for Detecting Conducting Liquids. . . . .	133	Stable Multivibrator for Comparing Broadcast Frequencies with WWV Signals . . . . .	152
MOTOR CONTROL CIRCUITS . . . . .	134	Eccles-Jordan Circuit Used as Rectangular-wave Generator. . . . .	152
Electronic Combination Tachometer, Accelerometer, and Vibrometer for Gyro Rotors . . . . .	134	Free-running Multivibrator with Electron-coupled Output. . . . .	153
Electronic Exciter and Voltage Regulator for Three-phase Alternator. . . . .	136	Biased Multivibrator Circuit for Timing Applications . . . . .	153
Thyratron Circuit for Reversible Operation of Two-phase Capacitor Type of Motor. . . . .	136	Basic One-shot Multivibrator Circuit . . . . .	153
Electronic Control for Adjusting Carbon Arcs. . . . .	137	Biased Multivibrator for High-voltage Pulse-generating Circuit . . . . .	154
Bridge-controlled Thyratron Drive for Reversible Motor of Water-level Indicator . . . . .	137	Multivibrator and Frequency-splitting Trigger Circuits. . . . .	154
Frequency-measuring Circuit Producing Two-phase Output for Synchronous Motor. . . . .	138	Cathode-coupled One-shot Multivibrator Circuit. . . . .	155
Speed-control Circuit for Small Synchronous Motor . . . . .	139	Multivibrator Circuits Employing Cathode Coupling . . . . .	155
A Circuit for Synchronizing Electric Motors . . . . .	139	Multivibrator Giving Wide Frequency Range with Constant Output Amplitude . . . . .	156
Class C Amplifier Circuit for Driving Small Synchronous Motor . . . . .	140	Pentode Multivibrator Acting as Pulse Equalizer and Pulse Sharpener . . . . .	156
Motor Control Circuit for Vehicular-mounted Automatic Map Tracer. . . . .	140	Controlled Multivibrator for Producing Flat-top Square Waves. . . . .	156
Gas Discharge Tube Checks Breaker Points in Ignition System . . . . .	141	OSCILLATOR CIRCUITS . . . . .	157
Servo Motor Automatically Adjusts Power Supply	142	Frequency-modulated Relaxation Oscillator for Detection of Vacuum Leaks. . . . .	157
Servo Amplifier Circuit for Control of Split-field Series Motor. . . . .	143	Very-high-frequency Hartley Oscillator Using Subminiature type 6K4 Tube . . . . .	157
Phototube-thyratron Control Circuit for Drag-cup Motors . . . . .	143	Relaxation Oscillator and VHF Oscillator in Modern Radiosonde . . . . .	158
Antihunt Filter Network for Servo-motor Amplifier. . . . .	144	Thyratron-type Relaxation Oscillator with Plate-supply Keying. . . . .	158
Electronic Regulator Circuit for Waste-gate Motor of Aircraft Turbosupercharger. . . . .	144	Push-pull 6K4 Oscillator Providing 1.5 Watts Output at 150 Megacycles. . . . .	159
Feed Motor Control Circuit for Contouring Machine . . . . .	145	Dynatron Oscillator for A-F and R-F Measuring and Comparing Applications. . . . .	159
Exciter Regulator for Variable-frequency Single-phase Alternator. . . . .	147	Generator Circuit for Low-power Induction Heating and Soldering . . . . .	160
		Transitron Oscillator Using RC Constants to Give Saw-tooth R-F Output. . . . .	160

Tuning-fork Oscillator Using Multivibrator with Feedback. . . . .	161	Unmodulated Test Oscillator for A-M, F-M, and Television Frequencies . . . . .	179
Twin-Oscillator Circuit for Plotting Tracking-error Curves of Receiver Coils. . . . .	161	Single-stage F-M Detector Using Heptode Tube. . . . .	179
Tuning-fork Frequency Standard for A-F Measurements by Comparison . . . . .	162	Single-tube Reactor Oscillator for Remote Frequency Control . . . . .	180
Stabilized Tuning-fork Oscillator Using Three Amplifier Stages. . . . .	163	Frequency-modulated Encephalophone for Listening to Brain-wave Potentials. . . . .	180
Secondary Frequency Standard Having 10-kc Intervals . . . . .	163	Reactance-tube Frequency Control for Hartley Oscillator. . . . .	181
Wide-range Signal Generator with Automatic Amplitude Control. . . . .	164	Pulse-generating Circuit for Testing Crystal Rectifiers . . . . .	182
Thermistor-regulated Audio-frequency Oscillator	164	Frequency-modulated Oscillator for Panoramic Receiver . . . . .	182
Relaxation Oscillator Provides Two Synchronized Voltages . . . . .	165	PHOTOELECTRIC CIRCUITS. . . . .	183
Crystal-controlled R-F Generator for Diathermy or Industrial Heating. . . . .	166	Two-stage A-C-operated Photoelectric Control Circuit . . . . .	183
Ten-kilowatt R-F Heating Generator Using Grid-controlled Rectifiers . . . . .	167	Photoelectric Control System for Automatically Aiming Solar Coronagraph . . . . .	183
Versatile RC Oscillator with Output up to 180 Kilocycles. . . . .	168	Quick-acting A-C-operated Photoelectric Control Circuit. . . . .	184
Stable Beat-frequency Oscillator with Audio Output Range of 1 to 1,000 Cycles. . . . .	169	Photoelectric Timer for Automatic Control of X-ray Film Exposure. . . . .	185
Wide-range R-F Signal Generator for Visual Alignment of Receivers. . . . .	170	Photoelectric Shutter-opening Circuit for Flash Bombs . . . . .	185
Stabilized Oscillator Using Automatic-frequency-control Circuit. . . . .	171	Multiplier Phototube Circuit Replaces Film in X-ray Inspection. . . . .	186
Square-wave Generator for Classroom Demonstration. . . . .	172	Microdensitometer Circuit for Measuring Turbidity of Chemical Solutions. . . . .	186
Pulse-generating Circuit Using V Portion of Full-wave Rectified Wave. . . . .	173	Basic Thyatron Circuit for Single-unit Phototube Relay. . . . .	187
Oscillator Acts as Electronic Switch for Life Tests of Relays . . . . .	173	Photoelectric Comparison Circuit for Calibrating Watt-hour Meters . . . . .	187
Crystal Frequency Comparator Using Two Oscillator Circuits . . . . .	174	Photoelectric Circuit for Automatic Operation of Fiber-testing Balance. . . . .	188
Pulse-modulated Oscillator and Clamping Circuit for Amplifier Testing. . . . .	174	Pentode Photoelectric Safety Control Circuit for Protection of Workers . . . . .	188
Sine-wave Oscillator Using Gas Discharge Tube. . . . .	175	Multiplier Phototube and Voltage-regulated Power Supply for Measuring Dust in Air. . . . .	189
Switch-tube Control Circuit for Hartley Oscillator	175	Quick-acting, Slow-releasing A-C-operated Photoelectric Control Circuit. . . . .	189
Automatic Amplitude Control for Variable-frequency Oscillators . . . . .	176	Comparator Type of Photoelectric Densitometer. . . . .	189
Three-tone Audio Oscillator for Use with Electronic Gage . . . . .	176	Photoelectric Exposure Control Circuit for Photographic Use. . . . .	190
Simple Battery-operated Pulse-generating Circuit Using Cold-cathode Tube. . . . .	176	Photoelectric Illumination Control Circuit for Street Lights . . . . .	190
Rectangular Pulse Generator with Frequency, Amplitude, and Length Controls. . . . .	177	Linear Densitometer Employing Bridge-type Photoelectric Amplifier Circuit. . . . .	191
Overdriven Resistance-coupled Amplifier Produces 60-cycle Square Waves . . . . .	177	Infrared-sensitive Photoelectric Relay for Automatic Water-spray Control . . . . .	192
Utilizing Square-wave Principle to Generate Sharp Pulses at Power-line Frequency. . . . .	178	Photoelectric Exposure-timing Circuit for Printing from Color Transparencies. . . . .	192
Microsecond Pulse Generator Using a Thyatron to Discharge a Capacitor . . . . .	178	Spectrograph Exposure Control Circuit Using Phototube and Gridglow Tube. . . . .	193

Photoelectric Circuit for Checking Timing of Photoflash Synchronizers on Cameras. . . . .	194	Ten-cycle Power Supply Using Tuning-fork Control of Impulse Frequency. . . . .	210
Sensitive Photoelectric Light-balance Indicator . . . . .	195	Cold-cathode Tubes in Electronic Ignition Circuit for Two Coils and Distributors . . . . .	210
Ultraviolet Photometer for Gas Detection, Analysis, and Measurement. . . . .	196	Full-wave Voltage Doubler for Transformerless Supply . . . . .	210
Logarithmic Photometer Circuit Using Multiplier Phototube. . . . .	196	Half-wave Voltage Doubler for Transformerless Supply . . . . .	211
High-sensitivity Phototube Circuit for Illumination Measurements. . . . .	197	Voltage Tripler for Transformerless Supply . . . . .	211
Balanced Phototube Circuit for Precise Comparisons of Illumination Intensity . . . . .	198	Voltage Quadrupler for Transformerless Supply. . . . .	211
Phototube-thyratron Circuit for Controlling Color Temperature of Lamps . . . . .	198	Obtaining 18 Volts Direct Current for Bias from 6.3-volt A-C Heater Supply. . . . .	211
Photoelectric Amplifier with Cathode Follower for High-speed Response . . . . .	199	<b>STROBOSCOPIC CIRCUITS. . . . .</b>	<b>212</b>
Variable-range Variable-sensitivity Photoelectric Light-variation Indicator . . . . .	200	Strobotron Circuit Controlling Spark Coil for Starting Argon Flash Lamp . . . . .	212
Phototube Relay Circuit Using Thyatron Amplifier for Small Light Differentials . . . . .	200	Audio Amplifier Circuit for Stroboscopic Frequency Meter . . . . .	212
Battery-operated Circuit for Measuring Ultraviolet Radiation Intensities . . . . .	201	Saw-tooth Relaxation Oscillator and Neon Lamp for Studying Moving Machinery. . . . .	213
Phototube-operated Trigger Circuit Actuating a Counter for Power Measurements . . . . .	201	Stroboscopic Test Circuit Employing Multivibrator and Type 1D21-631P1 Strobotron. . . . .	213
Precision Photoelectric Color-matching Circuit for Inks or Dyed Papers . . . . .	202	Stroboscope Circuit Using Cooper-Hewitt Lamp with Combination Timer and Power Pack . . . . .	214
Photoelectric Amplifier for Mirror Galvanometer. . . . .	202	Stroboscope Circuit Producing One Flash per Supply Voltage Cycle. . . . .	215
Phototube-controlled Electronic Timing Circuit for Contact Printers . . . . .	202	Stroboscopic Circuit for Visual Representation of Electrical Vectors . . . . .	215
Self-compensating Voltage Supply for Multiplier Phototubes . . . . .	203	Glow-modulator-tube Circuit for Varying Light Output Linearly with Current. . . . .	215
Sensitive Photoelectric Light-intensity Indicator. . . . .	204	Voltage-doubler Power Supply for Electroflash Lamp. . . . .	216
<b>POWER SUPPLY CIRCUITS . . . . .</b>	<b>205</b>	Adjustable-frequency Stroboscope Circuit Using Cold-cathode Gas-filled Control Tube . . . . .	216
Radio-frequency 30,000-volt Power Supply for Projection Cathode-ray Tubes. . . . .	205	Push-pull Output Circuit for Driving Two Type R1130B Modulator Glow Lamps. . . . .	216
Shunt Diode for Economical Bias Supply in Power Amplifiers. . . . .	205	Stroboscopic Light Source for Demonstrations at Line Frequency or Subharmonics. . . . .	217
Radio-frequency Oscillator as Power Supply for Photoelectric Light Source. . . . .	206	<b>TELEMETERING CIRCUITS. . . . .</b>	<b>218</b>
Self-excited Inverter Circuit Using Grid-controlled Gaseous Tubes . . . . .	206	Electronically Powered Servo System for Measuring and Remotely Displaying Fuel Flow . . . . .	218
Bias and AVC Delay Voltage from Shunt Diode. . . . .	207	Induction Receiver for Remote Control. . . . .	218
Series-parallel Operation of Thyratrons for Production of High-power Pulses . . . . .	207	Transmitter Operates from A-C Line for Remote Control of Toy Trains . . . . .	219
Variable-gain Amplifier as Power Source for Constant Light . . . . .	208	Frequency-modulated Receiver and Control Circuits for Radio Control of Model Battleship. . . . .	219
Half-wave Rectifier Circuit for Reclaiming Dry Batteries . . . . .	208	Repeater Circuit of Telemetering System Utilizing Phase Angle as Transmission Means . . . . .	222
Variable B Voltage Supply Using a Tube as a Variable Resistance. . . . .	209	Narrow-deviation F-M Transmitter for Radio Control of Model Battleship. . . . .	223
Cold-cathode Tubes in Electronic Ignition Circuit for Single Coil and Distributor. . . . .	209		



Transmitter Circuit of Telemetry System Utilizing Phase Angle as Transmission Means. . . . .	223	Ballistic Galvanometer Circuit for Measuring Speed of Automobiles. . . . .	239
Electronic Ammeter for Reading Transmitting Antenna Current at Remote Point. . . . .	224	Twin-thyratron Chronoscope Circuit for Measuring Millisecond Intervals . . . . .	239
Four-channel Superheterodyne Receiver Circuit for Control of Razon Guided Bombs . . . . .	224	Inductance Bridge and Electronic Timer for Protecting Machinery against Jamming . . . . .	240
Remote Tuning of Receivers with Reactance-tube Circuits . . . . .	225	Pulse Timing Circuit for Inductive Loads. . . . .	241
TEMPERATURE-CONTROL CIRCUITS. . . . .	227	Thyratron Capacitor-discharge Circuit for Timing the Operation of a Motor. . . . .	242
Simple Temperature-control Circuit Using Thyatron with External Control Band. . . . .	227	Direct-indicating Timer for Testing Camera Shutters . . . . .	242
Oscillator Circuit Detuned by Mercury in Thermometer for Oven Control . . . . .	227	Phantastron Voltage-controlled Time-delay Circuit . . . . .	243
Thyratron-controlled Thermostat for Precision Control of Liquid Temperature . . . . .	228	Phototube and Cathode Follower for Measuring Starting Lag of Lamps . . . . .	244
Phototube Relay Circuit for Maintaining Two Separate Chambers at Constant Temperature. . . . .	228	Thyratron Pulse Generator and Phase Inverter for Calibrating Electronic Timers . . . . .	244
Precision Electronic Control Circuit for Constant-temperature Bath . . . . .	229	Electronic Timing Circuit for Precision Control of Electric Shock Therapy. . . . .	244
Bridge-type Vacuum-tube Voltmeter for Use with Radiation Pyrometer. . . . .	229	Precedence-indicating Circuit Using Thyatron-actuated Counters . . . . .	245
Resistance Bridge Circuit for Temperature and Humidity Measurement and Control. . . . .	230	Time Interval and Speed-measuring Circuit Using VTVM to Measure Capacitor Charge. . . . .	245
Phototube Temperature Regulator Using Resistance Thermometer and Wheatstone Bridge. . . . .	231	ULTRASONIC CIRCUITS. . . . .	246
TIMING CIRCUITS . . . . .	232	Capacitor-discharge Driver Circuit for Supersonic Echo Depth Sounder. . . . .	246
Electronic Timer for Photographic and Industrial Control Applications . . . . .	232	Circuit for Producing Sounds from Ultrasonic Frequencies. . . . .	246
Thermionic Time-delay Relay Circuit for Accelerated Life Tests of Components . . . . .	232	Amplifier-limiter-discriminator Circuit for Ultrasonic Door-opening System . . . . .	247
Basic A-C-operated Thyatron Timing Circuit for Industrial Applications . . . . .	233	Automatic Frequency Control Circuit for Ultrasonic Generator . . . . .	247
Electronic Time-interval Meter Circuit for Microsecond Intervals. . . . .	233	Two-tube Ultrasonic Oscillator and Amplifier for Driving Magnetostriction Transducer. . . . .	248
Transient-pair Generator for Calibrating Electronic Microsecond Timers . . . . .	234	Ultrasonic Generator for Underwater Sounding . . . . .	249
Precision Timing Circuit for Intervals up to 50 Seconds. . . . .	235	Three-stage Supersonic Amplifier for Echo Depth Recorder . . . . .	249
Thyratron Timing Circuit Providing Time Cycle Range of 0 to 18 Seconds . . . . .	235	Five-hundred-watt Ultrasonic Generator Circuit. . . . .	250
Sequence Timer for Microflash Units. . . . .	236	Heterodyne Ultrasonic Receiver Circuit for Picking Up 24.5-kilocycle Underwater Signals . . . . .	250
Thyratron Circuit for Controlling Electric Stop Watch . . . . .	236	VOLTAGE REGULATOR CIRCUITS. . . . .	252
Automatic Machine Time-cycling Control Circuit for D-C Operation . . . . .	237	Electronic Voltage Regulator Using Triode and Pentode. . . . .	252
Combination Photoelectric Relay and Gas-triode Timing Circuit. . . . .	237	Alternating-current Voltage-regulator Circuit That Improves Wave Form. . . . .	252
Timing Circuit for A-C Electric-fence Controller. . . . .	238	Simplest Degenerative Voltage Regulator for Power Supplies . . . . .	253
Circuit for Measuring Effective Shutter Speeds and Setting Flash Bulb Synchronizers . . . . .	238	Single Thyatron and Lamp Bridge as Electronic Regulator for A-C generator. . . . .	253
		Five-ampere Electronic D-C Regulator Circuit . . . . .	254

Combination Voltage Regulator and Electronic Exciter for A-C Generators . . . . .	254	Pentode-controlled Voltage Regulator with Gaseous Regulator Tubes . . . . .	259
Multivoltage Regulated Power Supply Using Gas-filled Tubes . . . . .	255	Simplified Electronic Regulator for Small A-C Generators . . . . .	260
Voltage-stabilized Power Supply with Four Output-voltage Ranges. . . . .	256	WELDING CONTROL CIRCUITS. . . . .	261
Automatic Battery Charger Using Thyatron. . . . .	256	Half-cycle Thyatron Timer for Welding Small Radio-tube Parts. . . . .	261
Degenerative Shunt-type Voltage-stabilized Bias Supply for Power Tubes . . . . .	257	Power-intensity and Timing-control Circuit for Spot Welding . . . . .	261
Forward-correcting Regulator Circuit Having Stabilization Ratio of 25,000 to 1 . . . . .	258	Reactance-limited Capacitor-charging Rectifier for Spot Welding High-conductivity Metals. . . . .	262
Negative-resistance Circuit for Continuously Variable Regulated Power Supplies. . . . .	258	Capacitor-discharge Welding Circuit . . . . .	263
Regulated Power Supply Using Thyrite Bridge to Develop Control Voltage. . . . .	259	Half-cycle Spot-welder Control Using Strobotron Cold-cathode Tube. . . . .	263
		INDEX . . . . .	265