

SECOND EDITION

B.A. AULD

**ACOUSTIC FIELDS
AND WAVES IN SOLIDS**

VOLUME II

SECOND EDITION

ACOUSTIC FIELDS AND WAVES IN SOLIDS

VOLUME II

B.A. AULD

Professor (Research)
of Applied Physics
Stanford University



**KRIEGER PUBLISHING COMPANY
MALABAR, FLORIDA**

CONTENTS

VOLUME I

1 Particle Displacement and Strain	1
2 Stress and the Dynamical Equations	33
3 Elastic Properties of Solids	57
4 Acoustics and Electromagnetism	101
5 Power Flow and Energy Balance	135
6 Acoustic Plane Waves in Isotropic Solids	163
7 Acoustic Plane Waves in Anisotropic Solids	191
8 Piezoelectricity	265
Appendix 1 Cylindrical and Spherical Coordinates	357
Appendix 2 Properties of Materials	365
Appendix 3 Acoustic Plane Wave Properties	391
Index	423

VOLUME II

9 Reflection and Refraction	1
10 Acoustic Waveguides	63
11 Acoustic Resonators	221
12 Perturbation Theory	271
13 Variational Techniques	333
Appendix 4 Rayleigh Wave Properties	375
Bibliography	395
Index	405

INDEX

- Acoustic antenna, 172, 364
Acoustic boundary conditions, 2, 8, 39, 43, 44, 45, 47
Acoustic field equations, 153
 symbolic notation, 153
Acoustic impedance, 22-23, 38-39, 275, 284, 326, 330
Acoustic polarization, 11-19, 21, 23, 24, 25, 28, 29, 43, 135, 141, 145, 146
Acoustic reflection, anisotropic, 6-21, 38-43
 coefficient, 22-24, 27-38, 39, 42, 268
 critical angles, 5-7, 22-23, 27, 32, 34, 35
 isotropic, 2, 3-4, 5-7
 Snell's Law, 3, 6, 22, 26, 27, 28, 29
 stress-free boundary, 8-12, 30-38, 46-57
 transmission line model, 35-38
Acoustic refraction, anisotropic, 6-21, 38-43
 critical angles, 5-7, 22-23, 27
 isotropic, 2, 3-4, 5-7
 Snell's Law, 3, 6, 22, 26, 27, 38, 39
Acoustic scattering coefficients, 22-24, 27-38, 39, 42
Acoustic wave equation, 66, 233
Admittance, interdigital transducer, 182-185, 365-368, 373
 matrix, 260
 resonator equations, 221-226, 260
 resonator input, 266
Amplifier, Rayleigh wave, 291, 293-294
 surface wave, 272, 293-294
Anisotropic, Fresnel equations (non-piezoelectric), 38-43
 Fresnel equations (piezoelectric), 43-57
 Lamb waves, 139
 Love waves, 139
 plate waveguide, free, 135-138
 plate waveguide, on a half space, 138
Anisotropic, (*Continued*)
 Rayleigh waves, 138
 SH modes, 136-138
 Stoneley waves, 139
 substrate, 376-378
 unbounded plate resonator, 226, 230
Anisotropic waveguide, 69-70, 135-151, 185-189
 mode orthogonality, 155-160
 transmission line model, 177-189
Antenna, acoustic, 172, 364
 end fire, 182
Attenuation, fluid loading, 283-286
 Rayleigh wave, 283-286, 297-299
 viscous, 297-299
Array, grating, 253-258
 interdigital transducer, 163-169
 RAC, 310
 scattering, 310-313
Backward wave, 158
Beat wavelength, 94, 146
Bessel functions, 107
Birefringence (double refraction), 2, 4, 6
Bleustein-Gulyaev wave, 141-146, 150, 148, 210-212, 291
 dispersion relation, 144-145, 150
 velocity, 291
Born approximation, 303-310
Bound wave, 102
Boundary conditions, acoustic, 2, 8, 39, 43, 44, 45, 47
 Datta-Hunsinger, 305-307
 electric displacement, 45, 190, 231
 electric field, 43
 electric potential, 45, 50, 186, 190, 231
 electrically free, 47
 Ingebritsen, 290, 308
 lossless, 178, 212, 252

- Boundary conditions, (*Continued*)
 magnetic field, 43
 mass-loading, 305–307
 mechanically free (stress free), 8, 30–31, 46–47, 68, 227, 258
 mixed, 80–81, 113
 open circuit, 145, 147, 231, 259, 287
 particle velocity, 2, 43, 45, 186, 191
 quasistatic, 44, 45, 47, 186, 190, 231
 rigid, 157, 335, 337–338, 338–343, 369
 short circuit, 51, 56, 140, 145, 148, 157, 162, 231, 259, 287
 spring loaded, 369
 stress, 2, 43, 45, 186, 190, 227
 stress-free, 30–38, 66, 99, 104, 113, 137, 157, 162, 227, 231, 232, 233, 235, 251, 258, 274, 335, 337–338, 351, 362–363
 Tiersten, 277, 280, 305, 330
 variational techniques, 335–336, 337–338, 350–353
 Wolkerstorfer, 282
- Boundary perturbations, resonator, 315–322
 scattering, 305–308
 waveguide, 272–294, 325, 326
- Bragg, frequency, 115, 121, 124
 scattering, 115, 121, 124, 125, 127–131, 171–173, 181–185, 311
- Bulk (plane) wave, 138, 165, 168
 transducer, 165, 168
- Capacitance, dynamic (motional), 260, 355
 interdigital transducer, 171–173, 181, 182
 motional, 260, 348, 335–357
- Characteristic equation, composite, 120
 coupled wave approximation, 121–125
 dilatational modes, free cylinder waveguide, 110
 Floquet wave, 120–121
 generalized Lamb waves, 100
 grating resonators, 256
 Lamb waves, 79
 Love waves, 96
 periodic vibrating string, 119–121
 SH modes, 136
 SH trapped energy modes, 252–253
 space harmonics, 121–125
 strip waveguide, 134
 thickness modes, anisotropic, 226–227
 thickness modes, piezoelectric, 230–232
- Characteristic equation, (*Continued*)
 torsional waveguide modes, 110, 208
 truncated space harmonics, 121–125
- Characteristic impedance, 22–23, 38, 39, 183
- Christoffel equation, isotropic, 66
 stiffened, 47–48, 53, 54
- Closed waveguide, 95
- Complete set of functions, 151, 342, 346
 Fourier completeness, 346, 354
 pointwise completeness, 346, 354
- Complex natural frequency, 261–262
- Complex Poynting's Theorem, 205–206, 213, 258, 260, 372
- Complex propagation constant, 82–83, 158–159
- Complex reciprocity relation, 153, 154–155, 204, 212, 272, 294, 315
- Composites, Bragg scattering, 115, 121, 124, 125, 127–131
 constant strain model, 133
 constant stress model, 133
 design rules, 130–132
 one-dimensional, 114–127
 resonances, 130–131
 stopbands, 115, 125, 127–131
 transducers, 130–132
 two-dimensional, 127–130
- Conductance, interdigital transducer, 182, 184–185
- Conical refraction, external 19–21
 internal, 11–20
- Constant phase surface (wave front), 9, 10, 12
- Constitutive matrix, 52–53
- Constitutive relations, piezoelectric, 50, 153
- Contour extensional modes, dilatation type, 347–349
 field distributions, 233, 349
 frequency curves, 350
 frequency equation, 230
 piezoelectric, 347–349
 variational techniques, 347–349
- Coordinate transformations, 42
- Coupled waves, 81–82, 93–94, 113, 141, 142, 146, 149, 207, 272, 291, 328–329
 beat wavelength, 94, 127, 146
 coupling length, 94
 crossover point, 81, 207

- Coupled waves, (*Continued*)
 dispersion curves, 207
 electrostatic and stiffened acoustic, 141–142
 perturbation theory, 328–329
 Rayleigh waves, 93–94, 146, 149, 272, 291
 SA and P modes, 113
 SV and P modes, 81–82
 Coupling length, 94
 Critical angles, anisotropic acoustic, 9, 11, 12
 electromagnetic, 5
 isotropic acoustic, 7, 22–23, 27, 32, 34, 35
 piezoelectric, 44
 Crossover point, 81, 207
 Cubic crystal, conical refraction, 11–21
 nonpiezoelectric shear wave scattering ([111]-axis), 11–21
 nonpiezoelectric wave scattering (YZ-plane), 8–11
 piezoelectric shear wave scattering (XY-plane), 46–52
 Cutoff, stopband, 115, 121, 125, 127
 Cutoff frequency, 75, 97
 Cutoff mode, 75, 81–82, 158–160
 Cylindrical Bleustein-Gulyaev wave, 139
 Cylindrical coordinates, scalar mechanical potential, 106–107
 strain, 108
 vector mechanical potential, 106–108
 Cylindrical Rayleigh wave, 113–114
 Cylindrical waveguide, 104–114
 Datta-Hunsinger conditions, 305
 Decay constant, transverse, 96
 Degenerate waves, 11, 14, 87, 88
 Dilatational Lamb waves, 79, 80, 82, 83–87, 88, 93, 111, 112
 Dilatational modes (free cylinder waveguide), characteristic equation, 110
 field distributions, 112
 Pochhammer frequency equation, 110
 Dilatational modes (rectangular parallel-piped resonator), field distributions, 357, 359–361
 frequency curves, 359
 motional capacitances, 355–357
 variational techniques, 344–347, 353–357
 Dilatational-type contour modes, 348
 Dispersion curves, coupled waves, 207
 Lamb waves, 80, 82, 83, 87, 158, 159
 Love waves, 99, 101
 SH modes, 76, 141–142
 Dispersion relation, Bleustein-Gulyaev wave, 144–145, 146, 150
 definition, 221
 generalized Lamb waves, 102
 implicit, 203
 Lamb waves, 77–83
 Maerfeld-Tournois waves, 150–151
 Pochhammer frequency equation, 110
 Rayleigh wave, 88–92
 Rayleigh-Lamb frequency equations, 79–84, 372
 SH modes, 69, 73, 130
 stiffened shear wave (XY-plane, cubic crystal), 49
 stiffened shear wave (XY-plane, hexagonal 6mm crystal), 53
 Distributed sources, surface, 163–182, 305–307, 310, 314
 volume, 161–162, 305
 Divergence (Gauss's) Theorem, 205, 317, 335, 337, 366
 Elastic isotropy conditions, 26
 Electric displacement, boundary conditions, 45, 186, 190, 231
 perturbation, 287–289, 307, 321–322
 Electric field boundary conditions, 43
 Electrical perturbations, resonator surface, 319–322
 resonator volume, 323–324
 wave scattering, 302–315
 waveguide surface, 286–294, 307–308, 325, 326
 waveguide volume, 300–302
 Electrical potential, boundary conditions, 45, 50, 186, 190, 231
 definition, 45
 perturbation, 287–289, 321–322
 piezoelectric plane wave, 47–48, 53, 136
 quasistatic equations, 54, 71
 Electrical sources, 161–162, 163, 173
 Electrically free boundary, 46–57, 288
 definition, 47
 reflection at, 46–57
 Electromagnetic boundary conditions, 43, 44

- Electromagnetic field equations, 153
 symbolic notation, 153
- Electromagnetic reflection, critical angle, 5
 Snell's Law, 3, 6
- Electromagnetic refraction, critical angle, 5
 Snell's Law, 3, 6
- Electrostatic stored energy, 260-261
- Electrostatic wave, 70-71, 136, 141-142,
 143-144, 147, 148, 230
 definition, 70-71
- EMAT, 163, 165, 168, 175
- End fire antenna, 182
- Energy density, kinetic, 350
 potential, 350
- Energy flow direction (ray vector), 9, 10, 12
- Energy velocity, 12, 201-207
 group velocity, 205-206
 SH modes, 206-207
 waveguide, 205-206
- Equation of motion, 235, 248
- Equivalent circuit, free boundary
 scattering, 33, 35-38
 IDT, receiver, 171-173, 179-185
 IDT, transmitter, 171-173, 179-185
 resonator, 261
- Evanescent wave, 5, 6, 9, 11, 23, 44, 47,
 49, 50, 51, 52, 55, 56, 57, 59, 70,
 143, 148, 230
 definition, 5
 incident, 55, 57
 reflected, 9, 11, 44, 47, 50, 52, 54, 56,
 59
 transmitted, 5, 6, 23, 44, 47, 49, 50, 52
- Even symmetry modes, 72, 79, 141, 228,
 341
- Filter, monolithic, 252
- Finite element, assemblage, 244, 250
 boundary conditions, 251
 discretization, 245-248
 equation of motion, 248
 element index, 243
 embedding equations, 244, 250
 global numbering, 244, 250
 Hamiltonian, 248
 interpolation function, 243, 245, 247
 Lagrangian, 248
 local numbering, 244
 mesh, 243, 244
 node index, 243
- Flexural Lamb waves, 84-87, 112-113
- Floquet, principle 117, 119
 solution, 117-125
 space harmonics, 120
 wave, 120
- Forced oscillation, 221-226, 259-260
- Forced wave, 161, 173, 179, 222
- Fourier series expansion, 151
- Free mode, 226-259, 334, 349, 362
- Free oscillation, 221-259, 334, 349, 362
- Free wave, 211
- Frequency, natural, 222, 261-262, 334
 resonant, 222, 334
- Frequency curves, contour extensional, 350
 dilatational modes, rectangular parallelepiped, 359
 dilatational modes, thick disk, 347
- Frequency dispersion, 202
- Frequency equation, contour extensional, 230
 SH modes, bounded plate, 227
 SH trapped energy modes, 249
 thickness modes, anisotropic, 226-227
 thickness modes, isotropic, 226-227, 267,
 338
 thickness modes, piezoelectric, 230-232,
 320
 thickness-twist modes, 227, 246-247
- Fresnel equations, anisotropic nonpiezoelectric, 38-43
 anisotropic piezoelectric, 43-57
 definition, 2
 isotropic, 21-38
- Fundamental resonance, 166, 170, 181, 341,
 343
 interdigital transducer, 166, 170, 181
- Gauss's (Divergence) Theorem, 205, 317,
 335, 337, 366
- Generalized Lamb waves, characteristic
 equation, 100
 dispersion relation, 102
 field distributions, 102-103
- Generalized Rayleigh waves, 138
- Grating, 253, 258, 310-315
- Green's function, 174, 366-367
- Group velocity, 8, 12, 14, 158, 201-207,
 279, 280
 energy velocity, 205-206
 waveguide, 158, 202, 205-206, 279, 280
- Hexagonal crystal, nonpiezoelectric shear
 wave scattering (X-axis), 39-43

- Hexagonal crystal, (*Continued*)
 nonpiezoelectric shear wave scattering (YZ-plane), 39
 piezoelectric shear wave scattering (XY-plane, 6mm crystal), 52-57
- Hooke's Law, planar, 233
- Hybrid wave, 43
- IDT, see Interdigital Transducer
- Imaginary propagation constant, 74, 81-82, 158-159, 186
- Impedance, acoustic, 22-23, 38-39, 268, 275, 284, 305, 326, 330
 characteristic, 22-23, 38, 39, 183
 equivalent transmission line, 33, 37-38
 interdigital transducer, 365, 366, 373
 matrix, 38-39, 57
 Rayleigh wave, 123
 relation to reflection coefficient, 22, 37, 39
 relation to transmission coefficient, 22, 39
 resonator equations, 259-260
 resonator input, 268
 shear wave, 22-23, 76, 192
 surface, acoustic, 275, 284, 326, 330
 surface, electrical, 288, 289, 291, 320-321
 surface, mechanical, 275, 284, 326, 330
 transformation, 57
 transverse resonance analysis, 73
 waveguide, 220
- Implicit dispersion relation, 203
- Index (subscript), resonator modes, 233
 waveguide modes, 82-83, 158
- Ingebrigtsen perturbation formula, 176, 290, 293, 308
- Instantaneous stored energy, 261
- Interaction matrix, 353
- Interdigital transducer, 163-185, 290, 364-368, 375, 393
 admittance, 172, 182, 184, 365, 373
 capacitance, 171, 181, 182, 185
 conductance, 182, 184-185
 fundamental resonance, 166, 170, 181
 impedance, 365, 366, 373
 susceptance, 182, 184-185
 variational techniques, 364-368
- Interface wave, 102
- Interior perturbations, resonator, 315-317, 322-324
 scattering, 303-305
 waveguide, 294-302
- Isotropic, bounded plate resonator, 228-229
- Isotropic, (*Continued*)
 Christoffel equation, 66
 cylinder resonator, 231-232
 cylinder waveguide, free, 104-114
 Fresnel equations, 21-38
 plate waveguide, free, 66-94
 plate waveguide, on a half space, 94-104
 scattering, 2-38
 strip resonator, 228-229, 242-243, 244
 strip waveguide, on a substrate, 132-135
 substrate, 375-376
 unbounded plate resonator, free, 227
 unbounded plate resonator, rigid, 338-343
- Isotropic waveguide, 66-128
 mode orthogonality, 155-160, 185, 187
 transmission line model, 220
- Isotropy, elastic, 26
- Junction, waveguide, 190, 220
- Kinetic energy density, 350
- Kinetic stored energy, 261
- Kino's variational formalism, 368
- Lagrangian, density function, 350, 351
 function, 350, 351
 methods, 349-353, 364
- Lamb reciprocity relation, 154
- Lamb waves, 76-88, 139, 140, 141, 146, 158, 203, 207, 229, 372
 anisotropic, 130, 133
 antisymmetric (flexural), 79, 80, 84-87, 88, 93, 102, 372
 characteristic equation, 79
 dilatational (symmetric), 79, 80, 82, 83-87, 88, 93, 111, 112
 dispersion curves, 80, 82, 83, 87, 158, 159
 dispersion relation, 77-83
 field distributions, 83-88
 flexural (antisymmetric), 79, 80, 84-87, 88, 93, 102
 Rayleigh-Lamb frequency equations, 79, 84, 372
 scattering, 190-201, 306
 slowness curves, 78
 symmetric (dilatational), 79, 80, 82, 83-87, 88, 93, 111, 112, 372
 variational techniques, 372
- Lamé, constants, 275, 277
 velocity, 85
 wave, 85, 86, 207, 209

410 INDEX

- Laplace wave, definition, 71
Laplace's equation, 49, 71, 241, 288, 291
Layered waveguide, 156
Leaky wave, 95, 96–97, 98, 102, 114, 132, 138
Legendre polynomials, 181
Lewis reciprocity relation, 154
Longitudinal wave, 7, 28–32, 247
Lorentz reciprocity relation, 154
Lossless boundary conditions, 186, 212
Lossy media, 155, 212, 213, 261–262, 264, 266
 resonators, 261–262, 264, 266
 waveguides, 212, 213
Love waves, 95–98, 99, 101, 139, 146, 201, 208
 anisotropic, 139
 characteristic equation, 96
 dispersion curves, 99, 101
 leaky, 97
 slowness curves, 98
 transverse resonance, 96
 trapped, 97
Maerfeld-Tournois wave, 146–151
 conditions for existence, 150–151
 dispersion relation, 150–151
Magnetic field boundary conditions, 43
Magnetostrictive coupling, biased, 152
Mass loading, 305–307, 318
 boundary conditions, 305–307
Matrix, composite, 114
 constitutive, 52–53, 153
 electromagnetic field equations, 153
 impedance, 38–39, 57
 interaction, 353
 planar stiffness matrix, 233
 resonator admittance, 226, 260
 S-parameter, 175, 183, 191
 stress boundary condition, 39
Mechanically free (stress-free) boundary, 8–12, 30–38, 46–57, 68
 definition, 8
 reflection at, 8–12, 30–38, 46–57
Mechanical perturbations, resonator surface, 318–319
 resonator volume, 322–323
 wave scattering, 302–315
 waveguide surface, 274–286, 325, 326
 waveguide volume, 297–300
Mechanical potential, cylindrical coordinates, 106–108
 definition, 67
 scalar, 67–68, 107
 vector, 67–69, 108
Mechanical sources, 161–162, 163
Mindlin Theory, dilatation, 235–236
 boundary coupling, 234, 237, 239
 edge coupling, 234, 237, 239
 flexure, 235–243
 flow chart, 237
 order coupling, 237–240
 power series expansion, 234–235
 rigid rotation model, 239
Modal analysis, complete set
 orthogonal functions, 151, 259
 resonator, 221–226, 258–260
 waveguide, 161–162, 174, 179–182
Modal field distributions, composite waves, 119–132
 contour extensional modes, 230, 349
 dilatational modes, free cylinder waveguide, 112
 dilatational modes, rectangular parallelepiped, 357, 359–361
 dilatational modes, thick disk, 344, 354
 flexural modes, free cylinder waveguide, 112–113
 generalized Lamb waves, 102–103
 Lamb waves, 83–88
 Maerfeld-Tournois waves, 148
 Mindlin Theory, 234–243
 Rayleigh wave, 88, 92–93, 142, 143, 146, 147, 148, 149, 180, 182, 278, 375–392
 SH modes, bounded plate, 228–229
 SH trapped energy modes, 252–253
 SH waveguide modes, 76, 137–139
 Stoneley waves, 104
 thickness modes, anisotropic, 226–227
 thickness modes, isotropic, 227, 338, 339, 343
 thickness modes, piezoelectric, 230–232
 thickness-twist modes, 229
 torsional cylinder resonator, 263, 265, 266
 torsional waveguide modes, 111
 transducer, 130, 234
Mode, angularly symmetric dilatational (thick disk), 344–347, 353–357
 antisymmetric, 72, 79, 137, 146, 149, 228

Mode, (Continued)

- backward wave, 158
- Bleustein-Gulyaev wave, 141-146, 148, 210-212, 291
- Bragg, 130
- composite band edge, 119-132
- composite thickness, 119-132
- contour extensional, 232-233, 347-349
- cutoff, 75, 81-82, 158-160, 196
- dilatational, free cylinder waveguide, 110-112
- dilatational, free plate waveguide, 79, 80, 82, 83-87, 88, 93
- dilatational, rectangular parallelepiped, 357-361
- dilatational, thick disk resonator, 344-347, 353-357
- even symmetry, 228, 341-342
- excitation, 161-162
- flexural, free cylinder waveguide, 112-113
- flexural, free plate waveguide, 79, 80, 84-87, 88, 93
- free, 156, 221-259, 334, 349, 362
- function, 184, 187, 188-189
- generalized Lamb waves, 97-103
- generalized Rayleigh waves, 131
- index (subscript), 82-83, 158, 223
- Lamb waves, 76-88, 139, 140, 141, 146, 158, 198, 203, 207, 229, 372
- lateral, 130-133, 234, 243
- Love waves, 95-98, 99, 101, 133, 139, 146, 201, 208
- Maerfeld-Tournois wave, 146-151
- Mindlin Theory, 234-243
- nonpropagating, 75, 158-160, 179, 186
- normalization, 188, 189
- numbering, 85, 158, 180, 191, 259
- odd symmetry, 72, 79, 141, 341-342
- open-circuit, 264, 265
- orthogonality, resonator, 231, 258, 259, 343, 370
- orthogonality, waveguide, 155-160, 194
- P, 77, 80-81, 82, 113
- perturbed, 274
- propagating, 75, 158-160, 179, 186
- pseudosurface waves, 138, 139
- Rayleigh wave, 88-94, 138, 141, 145, 147-149, 183-185, 187-188, 189, 210-211, 278-294, 305-315, 326, 375-393

Mode, (Continued)

- Rayleigh-type, strip waveguide, 132-135
- resonator, 222
- SAW, see Rayleigh Wave
- SH, bounded plate, 228-229
- SH, free plate waveguide, 68-69, 71-73, 136-139
- short-circuit, 231, 259, 347, 351, 354, 357-361
- spurious, 130
- Stoneley waves, 103-104, 105, 106, 139, 146
- subscript (index), 82-83, 158, 223
- SV, 77, 80-81, 82, 113
- symmetric, 72, 79, 141, 146, 149, 228, 341
- thickness, nonpiezoelectric, 222-224, 224-226, 265, 267, 268, 338-343
- thickness, piezoelectric, 230-232, 319-322, 323-324
- thickness-twist, 229
- torsional, cylinder resonator, 263, 265, 266, 330, 371
- torsional waveguide modes, 110-111
- transducer, 130, 234
- trapped energy, 251-153
- unperturbed, 273
- waveguide, 65, 222
- Mode amplitude, resonator, 223-224
- waveguide, 161-162, 173, 177-185
- Mode amplitude equations, resonator, 223-224
- waveguide, 162, 180
- Mode expansion, resonator, 223-224, 259-260
- waveguide, 65, 161
- Monolithic filter, 252
- Motional capacitance, 260, 355-357
- normalized, 356
- Motionally-clamped capacitance, 260
- Natural frequency, 222, 261-262
- complex, 261, 262
- real, 222
- Nonpropagating mode, 75, 82, 158-160
- power flow, 159-160
- Normal mode, amplitudes, 161-162, 222-223
- equations, 161-162, 223-224
- Normalized motional capacitance, 356

412 INDEX

- Normalization of waveguide modes, 187–188, 189
- Obstacle, scattering, 190–201
- Odd symmetry modes, 72, 79, 141, 228, 341–342
- Open circuit boundary conditions, 145, 147, 148, 157, 231, 259
- Open-circuit mode, resonator, 264, 265
- Open waveguide, 95
- Orthogonal functions, 151, 259
- Orthogonality, nonpropagating modes, 159
propagating modes, 158
resonator modes, 259, 264, 343, 370
waveguide modes, 155–160
- Oscillation, angularly symmetric dilatational (thick disk), 344–347, 353–357
- Bragg, 130
countour extensional, 232–233, 347–349
dilatational, rectangular parallelepiped, 357–361
forced, 221–226, 259–260
free, 221–259, 334, 349, 362
grating resonator, 253–258
Mindlin Theory, 234–243
pure compressional, isotropic sphere, 318–319, 322–323, 370
pure torsion, isotropic cylinder, 231
SH, bounded plate, 228–229
thickness, unbounded anisotropic plate, 226–227
thickness, unbounded free isotropic plate, 227, 265, 267, 268
thickness, unbounded piezoelectric plate, 230–232, 319–322, 323–324
thickness, unbounded rigid isotropic plate, 338–343
thickness-twist, 229
torsional, isotropic cylinder, 231–232, 266, 371
transducer, 130, 234
trapped energy, 251–253
- Overlay, anisotropic, 280–283
isotropic, 274–280, 326
- Overtone resonance, 341–343
- P modes, 77, 80–81, 82, 113
- P wave, 28, 30, 31, 32
- Partial wave, 69–71, 71–72, 74–75, 77–78, 86, 89–90, 95–96, 99, 101, 134, 136–138, 140, 145, 146
- Partial wave, (*Continued*)
definition, 70
electrostatic, 70–71, 140, 143, 148
evanescent, 70, 140, 143, 148
longitudinal, 77
quasilongitudinal, 70
quasishear, 70
Rayleigh, 134
shear, 72, 77
superposition, 131, 142, 136–138, 140–141
transverse resonance, 71–72, 77–78, 89–90, 96, 99, 101, 141, 145
- Particle velocity, boundary conditions, 2, 43, 45, 186, 190
coordinate transformation, 41–42
polarization, 11–19, 21, 23, 24, 25, 28, 29, 43
polarization conversion at a boundary, 27–32, 34–35, 36, 37, 43
reflection coefficient, 22–24, 27–38, 39, 42
transmission coefficient, 22–24, 27–38, 39, 42
- Peak stored energy, 261
- Perturbation theory, 185, 271–324
acoustic (mechanical) surface impedance perturbation, 275, 277, 283, 284–285, 305, 314, 326, 330
Born approximation, 303–310
boundary perturbation formula, resonator, 317
boundary perturbation formula, waveguide, 274, 275, 287, 325, 326
Brekhovskikh's attenuation formula, 331
conductive piezoelectric plate resonator, 323–324
coupled waves, 328–329
electrical surface impedance perturbation, 290–293, 305, 321
electrical surface perturbations, resonator, 319–322
electrical surface perturbations, waveguide, 286–294, 325, 326
electrical volume perturbations, resonator, 323–324
electrical volume perturbations, waveguide, 300–302
frequency, resonator modes, 315
fluid loading, 283–286
Ingebrigtsen formula, 185, 290, 293, 307

- Perturbation theory, (*Continued*)
 interior perturbation formula, resonator, 317, 322
 interior perturbation formula, waveguide, 296
 internal layer perturbation, 300–302, 326–328
 lossless overlay, 274–283, 326
 mass loading, 314, 318
 mass-loaded isotropic sphere resonator, 318–319
 mechanical surface perturbations, resonator, 318–319
 mechanical surface perturbations, waveguide, 274–286, 325, 326
 mechanical volume perturbations, resonator, 322–323
 mechanical volume perturbations, waveguide, 297–300
 mode properties, 272–297, 315–324
 Rayleigh wave attenuation, 283–286, 297–299
 resonator boundary perturbations, 315–322
 resonator interior perturbations, 315–317, 322–324
 thickness modes, piezoelectric, 319–322, 323–324
 velocity, waveguide modes, 272–297
 viscously damped resonator, 322–324
 wave scattering, 302–315
 waveguide boundary perturbations, 272–294, 325, 326
 waveguide interior perturbations, 294–302
- Phase velocity, waveguide, 158, 202, 204, 277, 299
- Piezoelectric constitutive relations, 50, 153, 233
 planar, 233
- Piezoelectric coupling, 152, 180, 184
- Piezoelectric media, conditions for unique field solution, 372–373
 Fresnel equations, 43–57
 plane waves, 43–57, 140–141
 Poynting vector, 57
 quasistatic equations, 54, 59, 71, 186, 222, 349
 scattering, 43–57
 Snell's Law, 45–46, 49, 50, 54
- Piezoelectric reflection, critical angles, 44
 cubic crystal, 46–52
- Piezoelectric reflection, (*Continued*)
 hexagonal (6mm) crystal, 52–57
 Snell's Law, 45, 46, 49, 50, 54
- Piezoelectric refraction, critical angles, 44
 Snell's Law, 45, 46
- Piezoelectric resonator, equivalent circuit, 260, 356–358
 general, 259
 open-circuit mode, 264, 265
 rectangular parallelepiped, 357–361
 short-circuit mode, 231, 259, 264, 347, 351, 354, 357–361
 surface perturbation, 319–322
 thick disk, 353–357
 thin plate, 226, 230, 347–349
 trapped energy, 251–253
 unbounded plate, 226, 230, 319–322, 323–324
- Piezoelectric scattering coefficients, 51, 55, 56, 57
- Piezoelectric waveguide, 70–71, 139–151, 155–160
 free plate, 140–141
 general, 178–180
 mode orthogonality, 155–160, 185
 Rayleigh wave, 141, 142–145, 210–211, 272, 288–294, 379–393
 SH modes, 136–138, 140–141
 Stoneley wave, 146
- Piezoelectrically stiffened velocity, 55
- Piezomagnetic coupling, 155
- Planar, constitutive relations, 245
 Hooke's Law, 233
 Poisson's ratio, 233
 stiffness matrix, 233
 wave equation, 229, 245
- Plane wave, nonpiezoelectric media, 1–43
 piezoelectric media, 43–57, 140
 scattering, 1–57
 pseudosurface wave, 138
 transducer, 165, 168
 See also, Bulk wave
- Plate waveguide, 66–104
- Pochhammer frequency equation, 110
- Poisson's ratio, 92, 349
 numerical values, 92
 planar, 349
- Polarization, acoustic, 11–19, 21, 23, 24, 25, 28, 29, 43, 135, 141, 145, 146
 particle velocity, 11–19, 21, 23, 24, 25, 28, 29, 43

414 INDEX

- Polarization, (*Continued*)
 particle velocity conversion at a boundary,
 27–32, 34–35, 36, 37, 43
- Potential, cylindrical coordinates, 106–108
 electric, 45, 47–48, 50, 53, 67, 71, 140
 representation, 67, 106–108
 scalar mechanical, 67–68, 107
 scalar wave equation, 67, 106–107
 vector mechanical, 67–69, 108
 vector wave equation, 67, 106–107
- Potential energy density, 350
- Potential theory, free isotropic cylinder,
 104–110
 SH modes, free plate, 68–69
 wave equation, scalar, 67
 wave equation, vector, 67
- Power density vector, 14
- Power flow, nonpropagating modes, 159–160
 propagating modes, 159
 Rayleigh wave, 170
 reflection-symmetric waveguide, 159–160
 transmission line model, 220
 waveguide, 159–160, 274
- Poynting vector, nonpiezoelectric, 14–18
 piezoelectric, 57, 260
- Poynting's Theorem, complex, 205–206,
 213, 260, 264, 372
 real, 364
- Propagating mode, 75, 82, 158–160, 179,
 186
 power flow, 159
- Propagation constant, complex, 82–83, 158–
 159
 definition, 64, 158, 159
 imaginary, 74, 81–82, 158–159
 real, 74, 81–82, 158
- Pseudosurface waves, 138–139
 definition, 138
- Pure mode, 39, 60
- Pure shear wave, 8, 11–18, 39–43
- Q, compressional modes (sphere), 266, 322–
 323
 definition, 262
 radiation, 268
 thickness modes, piezoelectric, 323–324
 torsional modes, cylinder, 266
 torsional modes, sphere, 266
 unbounded isotropic plate, 265–266
 unloaded, 268
- Quality factor, compressional modes
 (sphere), 266, 322–323
 definition, 262
 thickness modes, piezoelectric, 323–324
 torsional modes, cylinder, 266
 torsional modes, sphere, 266
 unbounded isotropic plate, 265–266
- Quasiacoustic wave, 43–46
- Quasielectromagnetic wave, 43–46
- Quasilongitudinal wave, 8, 70, 227
- Quasishear wave, 8, 70, 227
- Quasistatic, approximation, 45–46, 47, 59–
 60, 70, 141, 349, 365
 boundary conditions, 44, 45, 47, 186, 190,
 231
 equations, 54, 59, 71, 186, 349
 reciprocity relations, 154, 155
- Quarter-wave matching transformer, 57
- RAC filter, 310–315
- Radiation conductance, 182
- Radiation Q, 268
- Ray vector (energy flow direction), 9, 10,
 12
- Rayleigh wave, 88–94, 138, 139, 141, 142,
 143–145, 163–185, 187, 188, 189,
 210–211, 278–294, 305–315, 326,
 375–393
 amplifier, 291, 293–294
 anisotropic, 138
 attenuation, 283–286, 297–299, 331
 coupling, 93–94, 146, 149, 150, 272, 291
 cylindrical, 113–114
 dispersion relation, 88–92
 exertation by surface transduction, 163–
 185
 field distribution, 88, 92–93, 147, 148,
 187, 188, 189, 278, 375–392
 impedance, 123
 perturbed, 278–286, 288–294, 393
 piezoelectric, 141, 145, 146, 147, 148,
 149, 210–211, 272, 288–294, 379–
 393
 power flow, 182
 reflection coefficient, 307–309
 scattering, 190–201, 305–315, 330, 393
 slowness curve equations, 134
 Smith's transducer model, 219
 S-parameters, 308–310
 temperature dependence, 297

- Rayleigh wave, (*Continued*)
 transducer, 163–185, 290, 309, 364–368, 375, 393
 velocity, 91–92, 112, 113, 121, 147, 148, 291, 377, 379, 393
- Rayleigh-Lamb frequency equations, 79, 84, 372
- Rayleigh-Ritz method, 339–344
- Rayleigh-type strip mode, velocity dispersion, 134–135
- Real Poynting's Theorem, 364
- Real propagation constant, 74, 81–82, 158
- Real reciprocity relation, 153–154, 212, 250, 272, 324, 366
- Reciprocity relation, complex, 154–155, 204, 212, 258, 272, 294, 315
 Lamb, 154
 Lewis, 154
 Lorentz, 154
 quasistatic, 154, 155
 real, 153–154, 212, 258, 324, 366
- Rectangular parallelepiped resonator, 357–361
- Reflection, anisotropic acoustic, 6–21, 38–43
 electromagnetic, 2, 3, 4–6
 isotropic acoustic, 2, 3–4, 5–7
 piezoelectric, 43–57
 total internal, 5, 23
- Reflection coefficient, equivalent current, 37–38
 particle velocity, 22–24, 27–38, 39, 42
 plane wave, normal incidence, 42
 plane wave, oblique incidence, 22–24, 27–38, 39, 46–57
 Rayleigh wave, 305–315
 relation to impedance, 22, 37, 39
 stress, 268
 transverse resonance analysis, 72–73
 waveguide, see S-parameters
- Reflection-symmetric waveguide, 188–189
 mode orthogonality, 155–160
 power flow, 159–160
- Refraction, anisotropic acoustic, 6–21, 38–43
 birefringence, 2, 4, 6
 electromagnetic, 2, 3, 4–6
 external conical, 19–21
 internal conical, 11–20
 isotropic acoustic, 2, 3–4, 5–7
- Refraction, (*Continued*)
 piezoelectric, 43–46
 birefringence, 2, 6
- Resonance, fundamental, 166, 170, 181, 341, 343
 overtone, 341–343
- Resonant frequency, 222, 261–262, 334
- Resonator, acoustic input impedance, 268
 admittance equivalent circuit, 226
 admittance matrix, 259, 260, 266
 angularly symmetric dilatational modes, thick disk, 344–347, 353–357
 boundary perturbation formula, 317
 boundary perturbations, 315–322
 bounded isotropic plate, 228, 234–243
 composite, lateral, 130–133
 composite, thickness, 130–133
 contour extensional modes, 232–233, 347–349
 damping constant, 262
 dilatational modes, rectangular parallelepiped, 357–361
 electrical input admittance, 266
 equivalent circuit, 225, 260, 356–358
 finite element theory, 243–251
 grating, 253–258
 impedance equations, 224–226
 interior perturbation formula, 317, 322
 interior perturbations, 315–317, 322–324
 isotropic cylinder, 231–232
 isotropic strip, 228, 242, 244
 lossy, 261–262, 264, 266
 Mindlin Theory, 234–243
 modal analysis, 223–226
 mode, 222
 mode amplitude, 223, 258–260
 mode amplitude equations, 259
 mode expansion, 259
 mode orthogonality, 259, 264–265, 343, 370
 mode quality, 262
 open-circuit mode, 231, 259, 264, 265
 perturbation theory, 315–324
 potential, electric, 230, 259
 Q, 262, 264, 266
 quality factor, 262, 264, 266
 rectangular parallelepiped, 357–361
 rigid boundary, 338–344, 369
 SAW, 257–258
 SH modes, bounded plate, 228–229, 244

416 INDEX

Resonator, (*Continued*)

- short-circuit mode, 231, 259, 264, 347, 351, 354, 357–361
 - stored energy, 260, 261, 319, 322
 - STW, 257–258
 - thick anisotropic disk, 344–347, 353–357
 - thickness modes, anisotropic, 226–227
 - thickness modes, isotropic, 227–265, 343
 - thickness modes, piezoelectric, 230–232, 319–322, 323–324
 - thickness-twist modes, 229
 - thin plate, 232–233, 234–243
 - torsional modes, cylinder, 263, 265, 266, 330, 371
 - transducer, 130, 204
 - trapped energy, 251–253
 - unbounded anisotropic plate, 226–227
 - unbounded isotropic plate, free, 227, 265, 267, 268
 - unbounded isotropic plate, rigid, 338–343
 - unbounded piezoelectric plate, 230–232, 319–322, 323–324
 - variational techniques, 334–361
- Ridge waveguide, 132
- Rigid boundary conditions, 157, 335, 337–338, 338–343, 369
- Rotation of power flow, 18

SAW, see Rayleigh wave

SBAW, see SSBW

Scattering, arrays, 310–313

coefficients, acoustic, 22–24, 27–38, 39, 43–57

coefficients, piezoelectric, 51, 55, 56, 57

electrical, 43–57, 302–309

formulas, 194–201, 303–313

interdigital transducer, 167, 179, 183

Lamb waves, 190–201, 306

longitudinal to shear, 28–30, 32, 36, 37

Love waves, 201

parameters, 175–179, 191–201

perturbation theory, 302–315

piezoelectric plane waves, 43–57

plane wave into Rayleigh waves, 314–315

plane waves, 1–57

Rayleigh wave, 190–201, 305–315, 330, 393

SH (horizontal shear) modes, 190–201

shear to longitudinal, 27–29, 30–31, 34–35

Scattering, (*Continued*)

waveguide, 190–201

weak-scattering assumption 315

Sezawa wave, 102–103

SH (horizontal shear) modes, 68–69, 71–73, 73–76, 128–130, 136–139, 202, 203, 257, 313

anisotropic, 136–138

antisymmetric, 72, 142

bounded plate resonator (thickness-twist modes), 229

characteristic equation, 141

dispersion curves, 76, 142

dispersion relation, 69, 73, 138

energy velocity, 206–207

field distributions, 76, 140–141

group velocity, 202–203

piezoelectric, 140–141

scattering, 190–201

slowness curves, 74

symmetric, 72, 142

trapped energy resonator, 251–253

SH trapped energy modes, characteristic equation, 253

field distributions, 251–253

frequency equation, 253

SH wave, 21, 23, 24

Shear surface waves, see STW, SBAW and SSBW

Shear wave, 7, 21–29, 30–31, 49–52, 53–57, 227

horizontally polarized (SH), 21, 23, 24

vertically polarized (SV), 23, 25, 28, 29

Short circuit boundary conditions, 51, 56, 140, 145, 147, 148, 157, 162, 231, 233, 259

Short-circuit mode, resonator, 231, 233, 259, 264, 347, 351, 354, 357–361

Slow layer waveguide, strip, 132

overlay, 95–97

partial waves, 95, 134

velocity dispersion, 97, 135

Slowness curves, Lamb waves, 78

Love waves, 98

purely acoustic, 8–13, 70

purely electromagnetic, 4, 5, 70

quasiacoustic, 45, 46

quasielectromagnetic, 45, 46

Rayleigh wave equations, 134

SH modes, 74

- Slowness curves, (*Continued*)
 stiffened acoustic, 45, 46, 70
 surface wave equations, 134
 two-dimensional waveguides, 203–204
- Slowness surface, 3, 6, 8
- Smith's Rayleigh wave transducer model, 219
- Snell's Law, acoustic, 3, 6, 22, 26, 27, 38, 39
 definition, 2
 electromagnetic, 3, 6
 piezoelectric, 45, 46, 49, 50, 54
 slowness surface, 3, 6, 8, 45, 46
- Sources, distributed, 161–162, 166, 172
 electrical, 161–162, 163, 166
 mechanical, 161–162, 163, 166
 surface, 161–162
 volume, 161–162
- S-parameters, definition, 175, 191–192
 Born theory, 303–310
 perturbation, 302–315
 quasistatic theory, 199–201
 reciprocity, 175, 193–195
- Spring-loaded boundary conditions, 369
- SSBW, resonator, 313
 transducer, 170–171
- Standing wave, 222, 226–227, 228–229, 230, 233, 242, 246, 256, 362
- Stationary property, 334, 335, 340, 350–351
- Stiffened acoustic wave, 43–46, 47, 52, 140–141
 coupling, 140
- Stiffened Christoffel equation, 47–48, 53, 54
- Stiffness matrix, planar, 233
- Stoneley waves, 103–104, 105, 106, 139, 146
 anisotropic, 139, 146
 conditions for existence, 215
 field distributions, 104
 velocity, 103–104, 105
- Stored energy, electrostatic, 261
 instantaneous, 261
 kinetic, 261
 peak, 261
 resonator mode, 261, 262, 319, 322
 strain, 261
 waveguide mode, 205–206
- Strain, cylindrical coordinates, 108
 composite modeling, 131–133
 finite element, 246–248
- Stress, boundary conditions, 2, 43, 45, 186, 190, 227, 229, 231, 233
 composite modeling, 131–133
 coordinate transformation, 41–42
 finite element, 249, 250
- Stress-free boundary, 30–38, 66, 99, 104, 113, 137, 140, 157, 162, 227, 229, 231, 233, 274, 335, 337–338
 See also, Mechanically free boundary
- Strip waveguide, characteristic equation, 134
 velocity dispersion curves, 135
- STW, coupled wave theory, 315
 dispersion relation, 313–315
 grating, 257
 resonator, 257–258
- Subscript (index), resonator modes, 223
 waveguide modes, 82–83, 158
- Substrate, anisotropic, 376–378
 definition, 94
 isotropic, 375–376
 orientation convention, 376–378
 velocity, 102–103
- Superposition of partial waves, Maerfeld-Tournois waves, 146–151
 piezoelectric surface waves, 145, 146–151
 SH modes, 136–138
- Surface impedance, acoustic, 275, 284, 326, 330
 electrical, 288, 289, 291, 320–321
 mechanical, 275, 284, 326, 330
 perturbation, 275–294, 321, 326, 330
 transformation, 291
- Surface sources, 161–162
- Surface waves, 87, 88–94, 94–97, 97–103, 103–104, 138, 139–151, 163–185, 187, 188, 189, 210–211, 272–315, 375–393
- Surface wave, amplifier, 272, 293–294
 coupled, 93–94, 146, 149
 slowness curve equations, 134
 Smith's transducer model, 219
 transducer, 163–185, 290, 309, 364–368, 375, 393
- Susceptance, interdigital transducer, 182, 184–185
- SV modes, 77, 80–81, 82, 113
- SV wave, 23, 25, 28, 29
- Symbolic notation, acoustic field equations, 153
 electromagnetic field equations, 153

418 INDEX

- Symmetry, arguments, 72, 79, 141, 228
even, 72, 79, 141, 228, 341, 348, 357,
359–361
odd, 72, 79, 141, 228, 341, 348, 357,
359–361
- Temperature dependence, Rayleigh wave ve-
locity, 297
- Thick disk resonator, 344–347, 353–357
- Thickness modes (anisotropic), characteristic
equation, 226–227
field distributions, 226–227
frequency equations, 226–227
- Thickness modes (isotropic), field distribu-
tions, 227, 338, 339, 343
frequency equations, 227, 265, 267, 338
Q, 265–266
quality factor, 265–266
variational techniques, 338–343
- Thickness modes (piezoelectric), characteris-
tic equation, 230–232
field distributions, 230–232
frequency equation, 230–232
perturbed, 319–322, 323–324
Q, 323–324
quality factor, 323–324
- Thickness-twist modes, field distributions,
229
frequency equation, 229, 246–247
- Thin bounded plate resonator, 232–233,
234–243, 347–349
- Thin plate resonator, 232–233, 234–243,
347–349
- Tiersten boundary conditions, 277, 280, 305,
330
- Topographic waveguide, 132
- Torsional cylinder resonator modes, field dis-
tributions, 263
frequency equation, 263
Q, 266
quality factor, 266
variational techniques, 371
- Transducer, apodized, 165, 167
chirp, 164, 166
coding, 171, 172
composite, 130–133
edge, 165, 168
EMAT, 163, 165, 168, 175
filters, digital, 172
filters, frequency, 169–172
finger structures, 165–168
- Transducer, (*Continued*)
immittance, 172, 182, 184–185
interdigital, 163–185, 290, 309, 364–368,
375, 393
modeling, 173–174
Rayleigh wave, 163–185, 290, 364–368,
375, 393
reciprocity, 174–179
transmitting and receiving, 179–185
unidirectional, 165
variational techniques, 364–368
waveguide, 163–185
wedge, 165, 168
- Transformation, coordinate, 42
impedance, 57
surface impedance, 291
- Transformer, matching, 57
- Transmission coefficient, particle velocity,
22–24, 27–38, 39, 42, 191
plane wave, normal incidence, 42
plane wave, oblique incidence, 22–24, 27–
38, 39
reciprocity, 194
relation to impedance, 22, 39
stress, 268
waveguide, see S-parameters
- Transmission line, characteristic impedance,
220
model for reflection at a free boundary,
35–38
model, receiving interdigital transducer,
183–184
- Transmitting transducer, 179–182
admittance, 184–185
conversion ratio, 183
radiated power, 182
reciprocity, 183
voltage-current (VI) equations, 220
- Transverse decay constant, 96
- Transverse resonance, Bleustein-Gulyaev
wave, 141–145
definition, 71
generalized Lamb waves, 102–103
impedance, 73
Lamb waves, 78–79
Love waves, 78–79
partial waves, 71–72, 77–78, 89–90, 96,
99, 101, 140–141, 143
Rayleigh wave, 88, 89–90
reflection coefficient, 72–73
SH modes, 71–73, 140–141

- Trapped energy resonator, 251–253
- Trapped wave, 96–97, 98, 102, 132–135, 138
- Traveling wave, 363
- Trial function, 339, 344–346, 348, 352, 353, 354, 359, 363
- Trial solution, 333, 334, 336–338, 339, 352, 367
- boundary conditions, 335–336, 337–338
- Triple transit signal, 167
- Unidirectional transducer, 165
- Uniqueness theorem, 372–373
- Unloaded Q, 268
- Variational expression, 334, 336–338
- Variational techniques, 248, 333–368
- boundary conditions, 335–336, 350–353
- compressional sphere modes, 370
- contour extensional modes, 347–349
- convergence, 338, 342, 346, 348–349, 352, 354, 355–357
- dilatational modes, rectangular parallelepiped, 357–361
- dilatational modes, thick disk, 344–347, 353–357
- interdigital transducer, 364–368
- Kino's variational formula, 368
- Lagrangian density function, 350, 351
- Lagrangian function, 350, 351
- Lagrangian methods, 349–353, 364
- Lamb waves, 372
- lower bound, 342
- nonpiezoelectric resonator, 334–349
- nonpiezoelectric waveguides, 362–364
- piezoelectric resonator, 349–361
- piezoelectric waveguide, 364
- Rayleigh-Ritz method, 339–344
- resonator, 334–361
- rigid-boundary resonator, 369
- stationary property, 334, 335, 340, 350–351
- thickness modes, isotropic, 338–343
- torsional cylinder resonator modes, 371
- transducer, 364–368
- trial function, 339, 344–346, 348, 352, 353, 354, 359, 363
- trial solution, 333, 334, 336–338, 339, 352, 367
- upper bound, 342
- Variational techniques, (*Continued*)
- variational expression, 334, 336–338
- waveguide, 361–364
- Vector mode function, 187–189
- Velocity, Bleustein-Gulyaev, 291
- energy, 12, 201–207
- group, 8, 12, 14, 158, 201–207, 279, 280
- Lamé, 85
- phase, 158, 202, 204, 277, 299
- piezoelectrically stiffened, 55
- Rayleigh wave, 91–92, 112, 113, 134, 147, 148, 291, 377, 379–388, 393
- stiffened acoustic, 55
- Stoneley, 103–104, 105
- Velocity dispersion, 202
- Velocity dispersion, Love mode, 97
- strip waveguide, 135
- Velocity perturbations, 272–292
- anisotropic, 278–279
- electrical, 286–292
- mechanical, 274–286
- Tiersten boundary conditions, 277
- Volume sources, 161–162
- Wave, backward, 158
- Bleustein-Gulyaev, 139–142, 150, 210–212, 291
- bound, 102
- bulk (plane), 138, 165, 168
- coupling, 81, 93–94, 113, 141–142, 146, 149, 207, 272, 291, 328–329
- degenerate, 11, 14, 87, 88
- electrostatic, 70–71, 140, 143, 148, 230
- evanescent, 5, 6, 9, 11, 23, 44, 47, 49, 50, 51, 52, 55, 56, 57, 59, 70, 140, 143, 148
- excitation by distributed sources, 161–162,
- forced, 161–185, 222
- free, 221
- front, 9, 10, 12
- generalized Lamb, 97–103
- generalized Rayleigh, 138
- guided, 64
- horizontally polarized shear (SH), 21, 23, 24
- hybrid, 43
- interface, 102
- Lamb, 76–88, 139, 140, 141, 146, 158, 203, 207, 229, 306, 372
- Lamé, 85, 86, 207, 209
- Laplace, 71

420 INDEX

Wave, (*Continued*)

- leaky, 95, 96–97, 98, 102, 138, 145
 - longitudinal, 7, 28–32, 227, 247–248
 - Love, 95–98, 99, 101, 139, 146, 201, 208
 - Maerfeld-Tournois, 146–151
 - P, 28, 30, 31, 32
 - partial, 69–71, 71–72, 74–75, 77–78, 86, 89–90, 95–96, 99, 101, 132–135, 136–138, 140–141, 146
 - plane (bulk), 138, 165, 168
 - plane waves in nonpiezoelectric media, 1–43
 - plane waves in piezoelectric media, 43–57, 140–141
 - pseudosurface, 138
 - pure shear, 8, 11–18, 39–43
 - quasiacoustic, 43–46
 - quasi-electromagnetic, 43–46
 - quasilongitudinal, 8, 70, 227
 - quasishear, 8, 70, 227
 - Rayleigh, 88–94, 138, 139, 141, 147, 148, 163–185, 187, 189, 210–211, 278–294, 305–315, 326, 375–393
 - reflected, 2
 - refracted, 2
 - scattering, 1–57, 190–201
 - scattering perturbation theory, 302–315
 - Sezawa, 102–103
 - SH, 21, 23, 24
 - shear, 7, 21–29, 30–31, 49–52, 53–57, 227
 - spurious, 130
 - standing, 226–227, 228–229, 230–232, 362
 - stiffened acoustic, 43–46, 47, 52, 140, 141, 148
 - Stoneley, 103–104, 105, 106, 139, 146
 - surface, 87, 88–94, 94–97, 97–103, 103–104, 132–135, 138–139, 141–145, 146–151, 161–165, 187–188, 189, 201, 210–211, 272–315, 375–393
 - SV, 23, 25, 28, 29
 - transmitted, 2
 - trapped, 96–97, 98, 102, 132–135, 138–139
 - traveling, 221, 363
 - vector, 8, 19–21, 70
 - vertically polarized shear (SV), 23, 25, 28, 29
- Wave equation, acoustic, 66, 233
- planar, 233

Wave equation, (*Continued*)

- scalar potential, 67, 106–107
 - vector potential, 67, 106–107
- Wave vector, 3, 5, 8, 19–21, 49, 53, 54, 70
- boundary conditions, 3, 20
 - imaginary component, 5, 49, 53, 54, 75, 78, 88
 - Snell's Law condition, 3, 49
- Waveguide, anisotropic, 69–70, 135–151
- anisotropic plate on a half space, 138
 - backward wave, 158
 - Bleustein-Gulyaev wave, 141–145, 148, 210–212, 291
 - boundary perturbation formula, 274, 275, 287, 325, 326
 - boundary perturbations, 272–294, 325, 326
 - channel, 120
 - closed, 95
 - components, 64
 - composite, 126–127
 - definition, 64
 - dilatational modes, free cylinder, 110–112
 - dilatational modes, free plate, 79, 80, 82, 83–87, 88, 93
 - energy velocity, 205–206
 - excitation, 161–162
 - flexural modes, free cylinder, 112–113
 - flexural modes, free plate, 79, 80, 84–87, 88, 93
 - free anisotropic plate, 136–138
 - free isotropic cylinder, 104–114
 - free isotropic plate, 66–94
 - Floquet, 126–127
 - free piezoelectric plate, 140–141
 - frequency dispersion, 202
 - generalized Lamb waves, 97–103
 - generalized Rayleigh waves, 138
 - group velocity, 158, 202, 205–206, 279, 280
 - impedance, 220
 - interior perturbation formula, 296
 - interior perturbations, 294–302
 - isotropic, 66–135
 - isotropic plate on a half space, 94–104
 - isotropic strip on a substrate, 132–135
 - junctions, 190, 220
 - Lamb waves, 76–88, 139, 140, 141, 146, 158, 198, 203, 207, 229, 306, 372
 - Lamé wave, 85, 86, 207, 209
 - layered, 156
 - lossy, 212, 213

Waveguide, (*Continued*)

- Love waves, 95-98, 99, 101, 133, 139, 146, 201, 208
- Love wave trapping mechanism, 132
- Maerfeld-Tournois wave, 146-151
- Mindlin Theory, 241-242
- modal analysis, 65, 151, 161, 174, 179-182
- mode, 65
- mode amplitude, 162, 183
- mode amplitude equations, 161-162, 179-182
- mode expansion, 161-162
- mode orthogonality, 155-160
- open, 95, 118
- P modes, 77, 80-81, 82, 113
- perturbation theory, 272-302, 325, 326
- phase velocity, 158, 202, 204, 277, 279
- piezoelectric, 70-71, 139-151, 155-160
- potential theory, 66-69
- power flow, 159-160, 274
- pseudosurface waves, 138
- Rayleigh wave, 88-94, 132-135, 138, 145, 147, 148, 163-185, 187-188, 305-315, 326, 375-393
- Rayleigh-type mode, strip waveguide, 132-135
- reflection coefficient, see S-parameters
- reflection-symmetric, 188-189
- ridge, 132
- SA modes, 113
- sandwich, 132

Waveguide, (*Continued*)

- scattering, 190-201
- SH modes, 68-69, 71-73, 135-138, 140
- slot, 132
- Stoneley waves, 103-104, 105, 106, 139, 146
- stored energy, 205-206
- strip, 132-135
- superposition of partial waves, 69-71, 128, 134, 136-138, 140-141
- surface sources, 161-162
- SV modes, 77, 80-81, 82, 113
- summety analysis, 72, 79, 141
- three-dimensional guiding, 65
- topographic, 132-135
- torsional modes, 110-111
- transducer, 163-185
- transmission coefficient, see S-parameters
- transmission line model, 220
- transverse resonance, 71-73, 128, 140, 143
- two-dimensional guiding, 65, 203-204
- variational techniques, 361-364
- velocity dispersion, 202
- volume perturbations, 294-302
- volume sources, 161-162
- Waveguide junction, equivalent circuit, 220
- Weak coupling approximation, 180, 184, 287, 302, 307, 319, 364
- Wedge transducer, 165
- Wolkerstorfer boundary conditions, 282, 307
- Zero frequency capacitance, 259